



**collection 20/21**

**nordlux®**

## Light of my life

*The 2020 - 2021 Nordlux collection embraces great lighting trends for both decorative, functional, outdoor and bulbs.*



For our 2020/2021 lighting season Nordlux is proud to present our largest collection of products ever. We continued our development to provide great products at surprisingly low prices. Our decorative assortment has been significantly expanded and novelties covers both the minimalistic styles, cozy glass, and the trends of natural materials. We are making use of our LED MoodMaker™ technologies - where you can simply change the light output from a normal switch – both for decorative products and for a completely new bathroom concept. A brand-new competitive bulbs assortment also including decorative bulbs are also highlights from Nordlux this season. For Outdoor we continue to launch timeless designs in high quality, that are easy to install. This season also a portable concept that invites you to “take me anywhere”. Finally, we introduce smart light for both bulbs, indoor, and outdoor luminaires and innovative accessories to create great benefits from smart products.

*Enjoy the read!*



# Contents

## 6

---

### Decorative collection

- 6 LED
- 26 Metal
- 114 Glass
- 146 Nature

## 306

---

### Smart Light collection

- 306 Introduction
- 312 Collection

## 160

---

### Bathroom

- 162 Bathe in light Collection

## 416

---

- 422 FSC & responsibility
- 424 IP code
- 426 Light source info
- 428 Staff

# 190

---

## Functional collection

- 192 Collection
- 216 Ceiling light
- 228 Downlight / Built on
- 247 Battens / Built on

# 332

---

## Outdoor collection

- 334 Take Me Anywhere
- 344 Collection
- 360 Wall light
- 390 Series
- 418 Seaside

# 262

---


## Bulbs collection

- 264 Collection bulbs
- 294 Decorative bulbs

# 434

---

## Index




# LED

With this year's collection, we have focused on LED with high functionality. You will find lamps with Nordlux MoodMaker™, so you can adjust the light to your daily need. The light can be dimmed without a dimmer, using only a standard wall switch and you.


Some of the novelties have memory function, so you don't have to adjust the light each time you turn it on. You will see a higher lumen output from some lamps, which will contribute to a stronger light.

We strongly believe that these functionalities can make a visible difference in the home.


# Meet Balance




no. 2010103003



no. 2010121003



no. 2010145003




no. 2010164003

**Simplicity, minimalism and functionality characterize the Balance series. The clean lines, round shapes and matte black metal contributes to an elegant expression with associations to the stylish Nordic decor. The light spreads beautifully throughout the screen with an even glare-free light, and furthermore the Balance series is equipped with a built-in step dimming function, allowing you to adjust the light from your regular wall switch.**










### Balance Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	Shade Ø: 42 cm, Shade H: 15,8 cm
<b>Material</b>	Metal/Acrylic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 200 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 12,3 cm, H: 8,6 cm
<b>Light source</b>	Fixed LED, Incl. 17,5W LED, Incl. 3-Step MOODMAKER™ 100-50-25%, Lumen 1.700, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Minimalistic design, 1700 Lumen with 3 step dimming from wall switch, 5 year LED guarantee




### Balance Wall

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 31 cm, W: 30 cm, D: 50 cm, Shade Ø: 30 cm, Pipe Ø: 1,3 cm, Tilt angle: 136°
<b>Material</b>	Metal/Acrylic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 150 cm non replaceable, Switch on cable
<b>Light source</b>	Fixed LED, Incl. 17,5W LED, Incl. 3-Step MOODMAKER™ 100-50-25%, Lumen 1.200, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Minimalistic design, 1200 Lumen with 3 step dimming from cable switch, Adjustable up/down and to both sides, 5 year LED guarantee



### Balance Table


<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 49,5 cm, W: 30 cm, Shade Ø: 30 cm, Pipe Ø: 1,35 cm, Base Ø: 18,5 cm
<b>Material</b>	Metal/Acrylic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 150 cm non replaceable Switch on fixture
<b>Light source</b>	Fixed LED, Incl. 17,5W LED, Incl. 3-Step MOODMAKER™ 100-50-25%, Lumen 1.200, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Minimalistic design, 1200 Lumen with 3 step dimming from socket switch, Interchangeable decorative top in black & brass, 5 year LED guarantee




### Balance Floor

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 140 cm, Shade Ø: 42 cm, Pipe Ø: 1,55 cm, Base Ø: 26 cm
<b>Material</b>	Metal/Acrylic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 150 cm non replaceable Switch on fixture
<b>Light source</b>	Fixed LED, Incl. 17,5W LED, Incl. 3-Step MOODMAKER™ 100-50-25%, Lumen 1.700, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Minimalistic design, 1700 Lumen with 3 step dimming from socket switch, Interchangeable decorative top in black & brass, 5 year LED guarantee


# Meet the Clyde's




no. 2010803003




no. 2010813003



no. 2010821003t



no. 2010835003



no. 2010844003

**Slim Nordic design and innovative technology are combined in the most compelling way in the Clyde series. Clyde has a built-in Moodmaker™ function, which allows you to adjust the light in three steps according to needs and situation from your regular wall switch.**



NEW




Black  
2010844003




## Clyde Floor

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 138 cm, W: 23 cm, L: 26,6 cm, Shade Ø: 8,5 cm, Pipe Ø: 1,6 cm, Base Ø: 23 cm, Tilt angle: 130°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 150 cm non replaceable Switch on cable
<b>Light source</b>	Fixed LED, Incl. 2X5W LED, Incl. 3-Step MOODMAKER™ with memory, Lumen 2X350, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Minimalistic design, Adjustable construction, 350 lumen per head, 5 year LED guarantee




### Clyde Pendant

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 22,25 cm, W: 8,5 cm, L: 89,6 cm, Shade Ø: 8,5 cm, Tilt angle: 320°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 200 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Metal, Ø: 12,5 cm, H: 2,5 cm
<b>Light source</b>	Fixed LED, Incl. 4X5W SMD, Incl. 3-Step MOODMAKER™ with memory, Lumen 4X350, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Minimalistic design, Adjustable construction, 350 lumen per head, 5 year LED guarantee



### Clyde Pendant

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 9,3 cm, W: 8,5 cm, L: 115 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 200 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Metal, Ø: 35x9 cm, H: 2,5 cm
<b>Light source</b>	Fixed LED, Incl. 4X5W SMD, Incl. 3-Step MOODMAKER™ with memory, Lumen 4X350, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Minimalistic design, 3-step MOODMAKER™ with memory function, 350 lumen per head, 5 year LED guarantee



### Clyde Wall


<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 10 cm, W: 10 cm, D: 13,6 cm, Shade Ø: 8,5 cm, Tilt angle: 320°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 150 cm replaceable On wall base
<b>Light source</b>	Fixed LED, Incl. 5W LED, Incl. 3-Step MOODMAKER™ with memory, Lumen 350, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Minimalistic design, 3-step MOODMAKER™ with memory function, 350 lumen per head, 5 year LED guarantee



### Clyde Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 40,7 cm, W: 15 cm, L: 25,5 cm, Shade Ø: 8,5 cm, Pipe Ø: 1,15 cm, Tilt angle: 130°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 150 cm non replaceable Switch on cable
<b>Light source</b>	Fixed LED, Incl. 5W LED, Incl. 3-Step MOODMAKER™ with memory, Lumen 350, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Minimalistic design, Adjustable construction, 350 lumen per head, 5 year LED guarantee

# Meet Lilt



no. 2010603003 black / no. 2010603032 brushed steel


Functionality and design come together in the Lilt series. Lilt has a continuous illuminating surface throughout the lamp, which contributes to a homogeneous light output.

The beautiful minimalistic design is equipped with innovative technology in the form of built-in three step dimming function, which gives you the opportunity to easily change the light according to situation and needs from your regular wall switch.










### Lilt Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 10,2 cm, W: 115 cm, L: 4,3 cm, D: 4,3 cm, Shade Ø: 3,7 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 200 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Metal Ø: 9 cm, H: 2,5 cm
<b>Light source</b>	Fixed LED, Incl. 28W LED, Incl. 3-Step MOODMAKER™ 100-50-25%, Lumen 2.200, Kelvin 2700, Life hours 20.000, RA 80, Not dimmable
<b>Features</b>	Slim minimalistic design, 3-step dimming from wall switch - 100-50-25%, Perfect above a long dining table/ kitchen island, 5 year LED guarantee

# Meet the Piso's



no. 2010763001 white / no. 2010763010 grey



no. 2010756001 whit / no. 2010756010 grey

Piso oozes of Nordic minimalism. The stylish design gives Piso a timeless and modern expression, where the large illuminated surface contributes to a beautiful homogenous light. The slim design is combined with built-in dim-to-warm technology, which makes it extremely easy to change the light temperature in your room. Thus, Piso combines design and functionality in the most compelling manner.





NEW

White  
2010763001



Grey  
2010763010



Start  
2700K



End  
2200K

## Piso Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 16,5 cm, W: 36 cm, L: 36 cm, Shade Ø: 36 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: White/Grey 200 cm non replaceable
<b>Canopy</b>	Color: White/Grey, Material: Metal Ø: 12,5 cm, H: 2,5 cm
<b>Light source</b>	Fixed LED, Incl. 22,3W LED, Lumen 1.600, Kelvin 2200-2700, Life hours 25.000, RA 80, Dimmable
<b>Features</b>	Minimalistic design, Dim to warm technology 2700K – 2200K by dimmer, 5 year LED guarantee

NEW

White  
2010756001



Grey  
2010756010



Start  
2700K



End  
2200K

## Piso Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	W: 36 cm, L: 36 cm, D: 6 cm, Shade Ø: 36 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 22,3W LED, Up to 1.600 Lumen, Kelvin 2200-2700, Life hours 25.000, RA 80, Dimmable
<b>Features</b>	Minimalistic design, Dim to warm technology 2700K – 2200K by dimmer, 5 year LED guarantee



White  
75531001



Black  
75531003



White  
75582001



Black  
75582003

## Mento Wall

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 30 cm, W: 5 cm, D: 19 cm, Shade Ø: 3,5 cm, Flex arm: 23 cm, Base mount: 2 x 12 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 180 cm replaceable Switch on fixture
<b>Light source</b>	Fixed LED, Incl. 3W LED, Lumen 130, Kelvin 3000, Candela 500, Life hours 30.000, RA 80, Beam angle 60°, Not dimmable
<b>Features</b>	Minimalistic design, 5 year LED guarantee

## Mento Clamp

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 40 cm, W: 6,5 cm, Shade Ø: 3,5 cm, Flex arm: 30 cm, Shade H: 8 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 3
<b>Cable</b>	Cable: White/Black 180 cm non replaceable Switch on fixture
<b>Light source</b>	Fixed LED, Incl. 3W LED, Lumen 130, Kelvin 3000, Candela 500, Life hours 30.000, RA 80, Beam angle 60°, Not dimmable
<b>Features</b>	Minimalistic design, 5 year LED guarantee



White  
75525001



Black  
75525003



Black  
75594003

## Mento Table

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 37 cm, Shade Ø: 3,5 cm, Flex arm: 40 cm, Shade H: 8 cm, Base Ø: 11 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 3
<b>Cable</b>	Cable: White/Black 180 cm non replaceable Switch on fixture
<b>Light source</b>	Fixed LED, Incl. 3W LED, Lumen 130, Kelvin 3000, Candela 500, Life hours 30.000, RA 80, Beam angle 60°, Not dimmable
<b>Features</b>	Minimalistic design, 5 year LED guarantee

## Mento Floor

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 140 cm, Shade Ø: 3,5 cm, Flex arm: 38 cm, Shade H: 8 cm, Base Ø: 25 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 3
<b>Cable</b>	Cable: Black 180 cm non replaceable Switch on fixture
<b>Light source</b>	Fixed LED, Incl. 3W LED, Lumen 130, Kelvin 3000, Candela 500, Life hours 30.000, RA 80, Beam angle 60°, Not dimmable
<b>Features</b>	Minimalistic design, 5 year LED guarantee





Black, Frosted  
47131003

### Dove Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 36,5 cm, Shade Ø: 10,5 cm, Base Ø: 14,3 cm
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 160 cm non replaceable Switch on fixture
<b>Light source</b>	Fixed LED, Incl. 5.4W LED, Lumen 340, Kelvin 3000, Life hours 20.000, RA 80, Beam angle 100°, Not dimmable
<b>Features</b>	5 year LED guarantee

### Mason Wall


<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 56 cm, D: 35 cm, Shade Ø: 10 cm, Flex arm: 25 cm, Base mount: 7 x 14,5 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 180 cm non replaceable, Switch on fixture
<b>Light source</b>	Fixed LED, Max. 5W LED, Incl. 5W LED, Incl. 3-step dimmer, Lumen 1.600, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Minimalistic design, 3-step dimming on base, USB outlet, 5 year LED guarantee



White  
320131

### Drop Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 51,7 cm, Shade Ø: 3,5 cm, Flex arm: 32 cm, Base mount: Ø 5,5 cm
<b>Material</b>	Aluminium
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White 180 cm non replaceable Switch on fixture
<b>Light source</b>	Fixed LED, Incl. 3W LED, Lumen 130, Kelvin 3000, Candela 500, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	5 year LED guarantee



# Metal


A metal lamp is not just a metal lamp.

In this year's collection we have been looking at many different styles of metal lamps.

We have been focusing on some of the different trends we are seeing now, and shapes and styles range widely. In our new 2020 -2021 collection you will see both retro style, simple and clean, minimalistic and slim designs.

There are lots of possibilities to find something to fit your taste and style.

# Meet Time



no. 2010925003 black / no. 2010925010 grey

Time is inspired by sponges in the forest, and together with the combination of matte metal and glass a simple and elegant expression is obtained. An upward and downward light is created with the small glass element on the top of the shade, which contributes to a cozy atmosphere. Time has a built-in on/off function in the base, where you can turn the light on and off by touching everywhere on the base. Thus, design and technology are nicely combined in this beautiful table lamp.





NEW



Black, Opal white  
2010925003



Grey, Opal white  
2010925010



1<sup>st</sup> touch  
On



2<sup>nd</sup> touch  
Off

### Time Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 34 cm, W: 26,7 cm, L: 26,7 cm, Shade Ø: 26,7 cm, Base Ø: 12,5 cm
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black/White 150 cm non replaceable Switch on fixture
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Contemporary and simple style, Upward and downward light, Material mix - matte metal and opal glass



Black  
46665003



White  
46665001

### Mercer Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 45 cm, Shade Ø: 15 cm, Base Ø: 15 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: White/Black 160 cm non replaceable Switch on cable
<b>Light source</b>	E14, Max. 10W, Excl. light source,
<b>Features</b>	Industrial style



Black  
46605003



Brass  
46605025



Black  
46615003


### Dean Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 15 cm, Base Ø: 13 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 180 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Modern style


### Dean Halo Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 35 cm, W: 23 cm, Base Ø: 13 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 180 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Modern style


# Meet the Contina's



no. 2010953003 black / no. 2010953035 brass



no. 2010971003 black / no. 2010971035 brass



no. 2010985003 black / no. 2010985035 brass



no. 2010994003 black / no. 2010994035 brass


Contina combines attractive design and functionality, where it is the carefully selected details that make the series stand out and unique.

The light frame is completed by a spherical opal white glass dome that hides the light source and spreads a soft glare free light into the room.









NEW

Black, Opal white  
2010953003



Brass, Opal white  
2010953035



Ceiling bar




NEW

Brass  
2010971035



Black  
2010971003



Bracket - Hole distance

### Contina Pendant

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 41,3 cm, W: 10 cm, L: 90 cm, Shade Ø: 10 cm
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black/White 200 cm
<b>Canopy</b>	Color: Black, Material: Metal Ø: 40*5 cm, H: 2,5 cm
<b>Light source</b>	G9, Max. 5W, Excl. light source,
<b>Features</b>	Modern and glamour style, White opal mouthblown glass and black matte metal, Three lamp heads that emits a practical light

### Contina Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 37,2 cm, W: 12,5 cm, L: 73,6 cm, Shade Ø: 10 cm, Base Ø: 12 cm, Tilt angle: 165°
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black/White 150 cm Switch on cable
<b>Light source</b>	G9, Max. 5W, Excl. light source,
<b>Features</b>	Modern and glamour style, White opal mouthblown glass and black matte metal, Flexible construction




NEW

Black, Opal white  
2010985003



Brass, Opal white  
2010985035



NEW

Brass  
2010994035



Black  
2010994003


### Contina Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 48,5 cm, W: 15 cm, L: 27 cm, Shade Ø: 10 cm, Pipe Ø: 1,25 cm, Base Ø: 15 cm, Tilt angle: 130°
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black/White 150 cm non replaceable Switch on cable
<b>Light source</b>	G9, Max. 5W, Excl. light source,
<b>Features</b>	Modern and glamour style, White opal mouthblown glass and black matte metal, Adjustable head to both sides and up/down


### Contina Floor

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 139,5 cm, W: 25 cm, L: 35,5 cm, Shade Ø: 10 cm, Pipe Ø: 1,35 cm, Base Ø: 25 cm, Tilt angle: 140°
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black/White 150 cm non replaceable Switch on cable
<b>Light source</b>	G9, Max. 5W, Excl. light source,
<b>Features</b>	Modern and glamour style, White opal mouthblown glass and black matte metal, Adjustable head to both sides and up/down


# Meet the Pine's




no. 2010353003 black / no. 2010353010 grey



no. 2010363003 black / no. 2010363010 grey



no. 2010381003 black / no. 2010381010 grey



no. 2010405003 black / no. 2010405010 grey



no. 2010414003 black / no. 2010414010 grey

Pine is a decorative series in an industrial design that creates a nice contrast to the bright Nordic interior style. With the combination of the matte metal and elegant brass details, the series obtains an exclusive look. Pine gets a unique character and an innovative light experience with the small holes in the top and side of the shade, creating a beautiful effect when the light is spreading out into the room.





NEW

Black  
2010353003



Grey  
2010353010



NEW

Grey  
2010363010



Black  
2010363003



### Pine Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 31 cm, W: 30 cm, L: 30 cm, Shade Ø: 30 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 200 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 12,5 cm, H: 8,5 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Industrial style, Beautiful light effect with holes in the shade, Material mix with matt metal and brass details

### Pine Multiple Pendant

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 31 cm, W: 30 cm, L: 30 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 200 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Metal L: 60 cm, H: 2,7 cm
<b>Light source</b>	E27, Excl. light source,
<b>Features</b>	Industrial style, Beautiful light effect with holes in the shade, Material mix with matt metal and brass details




NEW

Black  
2010381003



Grey  
2010381010



NEW

Grey  
2010405010



Black  
2010405003

### Pine Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 13,5 cm, W: 19,5 cm, L: 13,5 cm, Shade Ø: 13,5 cm, Tilt angle: 90°
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 150 cm replaceable Switch on fixture
<b>Light source</b>	GU10, Max. 15W, Excl. light source,
<b>Features</b>	Industrial style, Beautiful light effect with holes in the shade, Material mix with matt metal and brass details

### Pine Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 47 cm, W: 15 cm, L: 21 cm, Shade Ø: 13,5 cm, Pipe Ø: 1,53 cm, Base Ø: 15 cm, Tilt angle: 90°
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 150 cm non replaceable Switch on fixture
<b>Light source</b>	GU10, Max. 15W, Excl. light source,
<b>Features</b>	Industrial style, Beautiful light effect with holes in the shade, Material mix with matt metal and brass details

NEW



Grey  
2010414010




Grey  
2010414003


## Pine Floor

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 133 cm, W: 37 cm, L: 18 cm, Shade Ø: 13,5 cm, Pipe Ø: 1,53 cm, Base Ø: 18 cm, Tilt angle: 90°
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 150 cm non replaceable Switch on fixture
<b>Light source</b>	GU10, Max. 15W, Excl. light source,
<b>Features</b>	Industrial style, Beautiful light effect with holes in the shade, Material mix with matt metal and brass details


# Meet the Josefine's



no. 2010303003



no. 48933003



no. 48941003




no. 48955003

The innovative and playful design makes Josefine a decorative and modern series. The stringent tube contributes to an industrial look, which complements a rough and modern decor. In contrast to the industrial expression are the beautiful brass details and soft shapes, which result in an incredibly decorative series that balances minimalism and elegance in the finest possible manner. Furthermore, the Josefine series allows for personality in the use of decorative lights, illuminating the room in the finest manner imaginable.










### Josefine Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 4,4 cm, W: 91 cm, L: 45 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 200 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Metal L: 30,2x9 cm, H: 2,8 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Industrial style, Industrial expression with raw, masculine tubes, New interpretation of a traditional chandelier



### Josefine Pendant

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 79 cm, W: 55 cm, L: 55 cm, Shade Ø: 4,2 cm, Pipe Ø: 1,9 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 200 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Metal Ø: 12 cm, H: 7 cm
<b>Light source</b>	E27, Max. 6X28W, Excl. light source,
<b>Features</b>	Industrial style, Industrial expression with raw, masculine tubes



### Josefine Wall


<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 44,5 cm, W: 31 cm, D: 10 cm, Shade Ø: 4,2 cm, Pipe Ø: 0,8 cm, Base mount: Ø8 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 150 cm replaceable Switch on cable
<b>Light source</b>	E27, Max. 2X28W, Excl. light source,
<b>Features</b>	Industrial style, Industrial expression with raw, masculine tubes




### Josefine Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 44 cm, Shade Ø: 4,2 cm, Pipe Ø: 0,8 cm, Base Ø: 14 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 150 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 2X28W, Excl. light source,
<b>Features</b>	Industrial style, Industrial expression with raw, masculine tubes


# Meet the Tilo's



no. 2010453003 black / no. 2010453010 grey



no. 2010473003 black / no. 2010473010 grey




no. 2010483003 black / no. 2010483010 grey

The minimalistic Tilo series oozes of Nordic elegance with the slim design and clean lines. The thin lamp head emits a precise downward light, and with the unmistakable character feature of ash wood and matte metal, Tilo is the perfect addition to the stylish and modern home.







### Tilo Pendant

<b>Masterbox</b>	Qty 6
<b>Size</b>	Shade Ø: 6 cm, Shade H: 24,6 cm
<b>Material</b>	Metal/Wood - Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black/White 200 cm non replaceable
<b>Canopy</b>	Color: Black/White, Material: Plastic Ø: 12,2 cm, H: 8,5 cm
<b>Light source</b>	GU10, Excl. light source,
<b>Features</b>	Nature style, FSC certified ash wood, Removeable wood top

### Tilo Pendant


<b>Masterbox</b>	Qty 3
<b>Size</b>	W: 22 cm, L: 6 cm, Shade Ø: 6 cm, Shade H: 24,6 cm
<b>Material</b>	Metal - Metal/Wood
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black/White 200 cm non replaceable
<b>Canopy</b>	Color: Black/White, Material: Metal Ø: 22,6 cm, H: 2,7 cm
<b>Light source</b>	GU10, Max. 15W, Excl. light source,
<b>Features</b>	Nature style, FSC certified ash wood, Beautifully illuminates a dark corner in the home




### Tilo Pendant

<b>Masterbox</b>	Qty 2
<b>Size</b>	W: 6 cm, L: 80,6 cm, Shade Ø: 6 cm, Shade H: 24,6 cm
<b>Material</b>	Metal/Wood - Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black/White 200 cm non replaceable
<b>Canopy</b>	Color: Black/White, Material: Metal Ø: 80,6 cm, H: 3,7 cm
<b>Light source</b>	GU10, Excl. light source,
<b>Features</b>	Nature style, FSC certified ash wood, Perfect above long dining table or kitchen island

# Meet the Galloway's



no. 2011053003



no. 2011075003

Brass is a popular interior trend and is an attractive contrast to the bright Nordic décor. Brass is incorporated into the design of the beautiful Galloway series, where the details beautifully break the stylish and simple lines of the metal surface.







NEW



Black/brass  
2011053003

## Galloway Pendant

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 16,8 cm, W: 5,5 cm, L: 5,5 cm, Ø: 5,5 cm
<b>Material</b>	Metal/Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 200 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 12,2 cm, H: 8,6 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Glamorous style, Design your own luminaire with a decorative bulb, Beautiful brass details

NEW




Black/brass  
2011075003


## Galloway Table

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 17,5 cm, W: 10 cm, L: 10 cm, Shade Ø: 5,5 cm, Base Ø: 10 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 150 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Glamorous style, Design your own luminaire with a decorative bulb, Beautiful brass details


# Meet the Cera's



no. 2010203035



no. 2010225035



no. 2010244035

The brass trend is increasing everywhere - also for lamps and complements the minimalistic Nordic design style in the most beautiful way. Cera is made of brass that adds warmth, coziness and exclusivity to the bright interior design. The round shape of the lampshade creates nice visual volume to the slim frame.





NEW



Brass  
2010203035

### Cera Pendant

<b>Masterbox</b>	Qty 2
<b>Size</b>	W: 36 cm, L: 36 cm, Shade Ø: 36 cm, Shade H: 29 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 200 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 12,3 cm, H: 8,7 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Glamorous style, Brass adds coziness and warmth to the interior

NEW



Brass  
2010244035

### Cera Floor

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 127 cm, Shade Ø: 36 cm, Pipe Ø: 1,9 cm, Base Ø: 24 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 150 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Glamorous style, Brass adds coziness and warmth to the interior

NEW




Brass  
2010225035

### Cera Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 48 cm, Shade Ø: 24 cm, Pipe Ø: 1,6 cm, Base Ø: 18 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 150 cm non replaceable Switch on cable
<b>Light source</b>	E14, Max. 40W, Excl. light source,
<b>Features</b>	Glamorous style, Brass adds coziness and warmth to the interior

# Meet Miry



no. 2010733003 black / no. 2010733010 grey

**Miry is a decorative series in metal with an element of white opal glass in the middle of the shade. The glass element protrudes both on the top and bottom of the shade, thus ensuring that the light is directed both upwards and downwards. The white opal glass covers the light source and contributes to a soft and comfortable light.**





NEW




Black, Opal white  
2010733003




Grey, Opal white  
2010733010

## Miry Pendant

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 27,5 cm, W: 50 cm, L: 50 cm, Shade Ø: 50 cm
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black/White 200 cm non replaceable
<b>Canopy</b>	Color: Black/White, Material: Metal Ø: 12,5 cm, H: 2,5 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Contemporary and simple style, Opal white mouthblown glass and matte metal, Large pendant that creates visual volume



White  
48563001




White  
48573001

## Ellen 30 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	Shade Ø: 30 cm, Shade H: 15 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: White/Black 200 cm non replaceable
<b>Canopy</b>	Color: White/Black, Material: Plastic Ø: 12,3 cm, H: 8,7 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Contemporary and simple style

## Ellen 40 Pendant

<b>Masterbox</b>	Qty 2
<b>Size</b>	Shade Ø: 40 cm, Shade H: 20 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: White/Black 200 cm non replaceable
<b>Canopy</b>	Color: White/Black, Material: Plastic Ø: 12,3 cm, H: 8,7 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Contemporary and simple style



White  
48584001



Black  
48584003



Green  
48555023



White  
48555001



Black  
48555003

## Ellen Floor

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 140 cm, Shade Ø: 40 cm, Base Ø: 30 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 150 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Contemporary and simple style

## Ellen Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 40,5 cm, Shade Ø: 20 cm, Base Ø: 16 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: White/Black 150 cm non replaceable Switch on cable
<b>Light source</b>	E14, Max. 40W, Excl. light source,
<b>Features</b>	Contemporary and simple style

# Meet Notti



no. 2010903003 black / no. 2010903010 grey



no. 2011003003 black / no. 2011003010 grey



no. 2011035003 black / no. 2011035010 grey

**Notti is a great example of form, materials and details that comes together in the most beautiful way. The organic and harmonic shape contributes to a complete and aesthetic expression, which certainly will do well in any interior design.**





NEW



Mocha  
2011003003



Grey  
2011003010

### Notti Pendant

- Masterbox** Qty 3
- Size** H: 23,8 cm, W: 20 cm, L: 20 cm, Shade Ø: 20 cm
- Material** Glass/Metal
- IP Class** IP20, Class 2
- Cable** Textile cable: Black/White 200 cm non replaceable
- Canopy** Color: Black/White, Material: Plastic  
Ø: 12,2 cm, H: 8,6 cm
- Light source** E27, Max. 40W, Excl. light source,
- Features** Contemporary and simple style, Organic shape,  
White opal mouthblown glass and black matte metal

NEW



Mocha  
2010903003



Grey  
2010903010

NEW



Grey  
2011035010

Mocha  
2011035003


### Notti Pendant

- Masterbox** Qty 6
- Size** H: 12,5 cm, W: 6 cm, L: 6 cm, Ø: 6 cm
- Material** Metal
- IP Class** IP20, Class 2
- Cable** Textile cable: Black/White 200 cm non replaceable
- Canopy** Color: Black/White, Material: Plastic  
Ø: 12,2 cm, H: 8,6 cm
- Light source** E27, Max. 40W, Excl. light source,
- Features** Contemporary and simple style, Organic shape,  
Design your own lamp with a decorative bulb

### Notti Table

- Masterbox** Qty 3
- Size** H: 34,5 cm, W: 15 cm, L: 15 cm, Shade Ø: 15 cm
- Material** Metal/Glass
- IP Class** IP20, Class 2
- Cable** Textile cable: Black/White 150 cm non replaceable  
Switch on cable
- Light source** E14, Max. 25W, Excl. light source,
- Features** Contemporary and simple style, Organic shape,  
White opal mouthblown glass and black matte metal


# Meet the Andy's



no. 2011103003



no. 48473009



no. 48485009



no. 48491009


The Andy series has been inspired by old vintage lamps and has an antique air about it. The rust-coloured and rough surface adds edge and personality and is a great contrast to a bright, Nordic decor.








NEW



Rusty brown - Rusty brown inside the shade  
2011103003



### Andy Pendant

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 16,8 cm, W: 20 cm, L: 80 cm, Shade Ø: 20 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 200 cm non replaceable
<b>Canopy</b>	Color: Rusty, Material: Metal Ø: 35x9 cm, H: 2,5 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Industrial style, Rust colour and rough surface, Three lamp heads that emits a good practical light



Rusty brown - Rusty brown inside the shade  
48473009

### Andy 30 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	Shade Ø: 30 cm, Shade H: 18 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 200 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 12,3 cm, H: 8,7 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Industrial style, Rust colour and rough surface



Rusty brown - Rusty brown inside the shade  
48485009

### Andy Table


<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 40 cm, Shade Ø: 20 cm, Base Ø: 15 cm, Tilt angle: 30°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 150 cm non replaceable Switch on cable
<b>Light source</b>	E14, Max. 15W, Excl. light source,
<b>Features</b>	Industrial style, Rust colour and rough surface



Rusty brown - Rusty brown inside the shade  
48491009

### Andy Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 23 cm, D: 27 cm, Shade Ø: 20 cm, Base mount: Ø12 cm Tilt angle: 30°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 150 cm replaceable Switch on cable
<b>Light source</b>	E27, Max. 15W, Excl. light source,
<b>Features</b>	Industrial style, Rust colour and rough surface





White, Opal white  
63233001

Replaceable rings  
for 63233001



Black  
63233003

Replaceable rings  
for 63233003



Chrome, Opal  
white  
63233033

### Ray 2-Kit Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 16,5 cm, Shade Ø: 12 cm, Shade H: 9 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White 180 cm non replaceable
<b>Canopy</b>	Color: White, Material: Plastic Ø: 9,2 cm, H: 7,2 cm
<b>Light source</b>	E14, Max. 40W, Excl. light source,
<b>Features</b>	Contemporary and simple style

### Ray 2-Kit Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 16,5 cm, Shade Ø: 12 cm, Shade H: 9 cm
<b>Material</b>	Metal - Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black/Clear 180 cm non replaceable
<b>Canopy</b>	Color: Black/White, Material: Plastic Ø: 7,2 cm, H: 7,2 cm
<b>Light source</b>	E14, Max. 2X40W, Excl. light source,
<b>Features</b>	Contemporary and simple style



Black  
63191003



Chrome, Opal  
white  
63191033



Chrome, Opal white  
63201033

Replaceable rings  
for 63201003




Black  
63201003

### Ray Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 20 cm, D: 23 cm, Shade Ø: 12 cm, Shade H: 9 cm, Pipe Ø: 1,2 cm, Base mount: Ø11 cm
<b>Material</b>	Metal - Metal/Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black/Clear 180 cm replaceable Switch on fixture
<b>Light source</b>	E14, Max. 40W, Excl. light source,
<b>Features</b>	Contemporary and simple style

### Ray Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 46 cm, D: 22 cm, Shade Ø: 12 cm, Shade H: 9 cm, Pipe Ø: 1,2 cm, Base Ø: 15 cm
<b>Material</b>	Metal - Metal/Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black/Clear 180 cm non replaceable Switch on cable
<b>Light source</b>	E14, Max. 40W, Excl. light source,
<b>Features</b>	Contemporary and simple style



Chrome, Opal white  
63214033




Chrome, White  
72224033

### Ray Dim Floor

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 164 cm, Shade Ø: 12 cm, Flex arm: 19 cm, Shade H: 9 cm, Pipe Ø: 1,6 cm, Base Ø: 28 cm
<b>Material</b>	Metal - Metal/Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black/Clear 180 cm non replaceable Switch on fixture
<b>Light source</b>	E14, Max. 2X40W, Excl. light source, Incl. Rotate dimmer,
<b>Features</b>	Contemporary and simple style

### Ray Floor

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 155 cm, Shade Ø: 12 cm, Flex arm: 21 cm, Shade H: 9 cm, Pipe Ø: 1,6 cm, Base Ø: 25 cm
<b>Material</b>	Metal - Metal/Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black/Clear 180 cm non replaceable Switch on cable
<b>Light source</b>	E14, Max. 40W, Excl. light source,
<b>Features</b>	Contemporary and simple style



Chrome, Opal white  
63224033

### Ray Floor

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 155 cm, Shade Ø: 12 cm, Flex arm: 21 cm, Shade H: 9 cm, Pipe Ø: 1,6 cm, Base Ø: 25 cm
<b>Material</b>	Metal - Metal/Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 180 cm non replaceable Switch on cable
<b>Light source</b>	E14, Max. 2X40W, Excl. light source,
<b>Features</b>	Contemporary and simple style



White  
45833001



Black  
45833003



Light blue  
45833006



Green  
45833023



Anthracite  
45833050



White  
45983001



Black  
45983003

## Pop Pendant


<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 23 cm, Shade Ø: 21,5 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 200 cm non replaceable
<b>Canopy</b>	Color: White/Black, Material: Plastic Ø: 11,8 cm, H: 5,8 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Contemporary and simple style

## Pop Maxi Pendant

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 28,5 cm, Shade Ø: 35 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 200 cm non replaceable
<b>Canopy</b>	Color: White/Black, Material: Plastic Ø: 11,8 cm, H: 5,8 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Contemporary and simple style



White  
45841001



Black  
45841003



Green  
45841023



Anthracite  
45841050

## Pop Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 20 cm, W: 15,5 cm, D: 19 cm, Shade Ø: 15,5 cm, Pipe Ø: 1,3 cm, Base mount: Ø11 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 180 cm replaceable Switch on cable
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Contemporary and simple style



White  
48733001



Anthracite  
48733011

Pop Rough has a rough surface and brushed brass detail

### Pop Rough Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	Shade Ø: 21,5 cm, Shade H: 23 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 200 cm non replaceable
<b>Canopy</b>	Color: White/Black, Material: Plastic Ø: 12,3 cm, H: 8,7 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Contemporary and simple style




White  
48745001

Anthracite  
48745011

Pop Rough has a rough surface and brushed brass detail

### Pop Rough Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 47 cm, Shade Ø: 15 cm, Base Ø: 23 cm, Tilt angle: 30°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 150 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 15W, Excl. light source,
<b>Features</b>	Contemporary and simple style




Anthracite  
48754011

White  
48754001

Pop Rough has a rough surface and brushed brass detail

### Pop Rough Floor

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 145 cm, Shade Ø: 15 cm, Base Ø: 15 cm, Tilt angle: 30°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 150 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 15W, Excl. light source,
<b>Features</b>	Contemporary and simple style



White  
46553001



Black - Black inside the shade  
46553003

### Aslak Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	Shade Ø: 20 cm, Shade H: 24,5 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 300 cm non replaceable
<b>Canopy</b>	Color: White/Black, Material: Plastic Ø: 11,7 cm, H: 6 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source, Not dimmable




Black -  
Black inside the shade  
46685003

White  
46685001

### Aslak Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 48 cm, Shade Ø: 15 cm, Base Ø: 15 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White 180 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 15W, Excl. light source,
<b>Features</b>	Industrial style



White  
46724001

Black - Black inside the shade  
46724003

### Aslak Floor

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 140 cm, Shade Ø: 23 cm, Base Ø: 15 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 200 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 15W, Excl. light source,
<b>Features</b>	Industrial style





White  
45721001



Black -  
Black inside  
the shade  
45721003



Black - Black inside the shade  
45730103



White  
45730101

### Aslak Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 10,5 cm, D: 18,5 cm, Shade Ø: 8 cm, Base mount: Ø8 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 200 cm replaceable Switch on cable
<b>Light source</b>	GU10, Max. 35W, Excl. light source,
<b>Features</b>	Industrial style

### Aslak SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	L: 32,5 cm, D: 20 cm, Shade Ø: 8 cm, Base mount: Ø9 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	GU10, Max. 35W, Excl. light source,
<b>Features</b>	Industrial style



White  
45740101



Black -  
Black inside  
the shade  
45740103

### Aslak SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	L: 56,5 cm, D: 20 cm, Shade Ø: 8 cm, Base mount: Ø9 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	GU10, Max. 35W, Excl. light source,
<b>Features</b>	Industrial style



Black  
48783003



Grey  
48783011



Rough surface  
Adjustable screws  
Light through screws



Grey  
48793011



Black  
48793003



Rough surface  
Adjustable screws  
Light through screws

### Adrian 16 Pendant


<b>Masterbox</b>	Qty 6
<b>Size</b>	Shade Ø: 16 cm, Shade H: 22 cm, Tilt angle: 180°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black/White/Black 200 cm non replaceable
<b>Canopy</b>	Color: Black/Grey, Material: Metal Ø: 12 cm, H: 7 cm
<b>Light source</b>	E27, Max. 25W, Excl. light source,
<b>Features</b>	Industrial style, Tilttable shade

### Adrian 25 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	Shade Ø: 25 cm, Shade H: 28 cm, Tilt angle: 180°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black/White/Black 200 cm non replaceable
<b>Canopy</b>	Color: Black/Grey, Material: Metal Ø: 12 cm, H: 7 cm
<b>Light source</b>	E27, Max. 25W, Excl. light source,
<b>Features</b>	Industrial style, Tilttable shade



Black  
48801003



Grey  
48801011



Rough surface  
Adjustable screws  
Light through screws



Black  
48815003



Grey  
48815011




Rough surface  
Adjustable screws  
Light through screws

### Adrian Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 22 cm, D: 17 cm, Shade Ø: 12,5 cm, Base mount: Ø10 cm Tilt angle: 180°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black/White/Black 150 cm replaceable Switch on cable
<b>Light source</b>	E27, Max. 25W, Excl. light source,
<b>Features</b>	Industrial style, Adjustable head

### Adrian Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 47 cm, Shade Ø: 12,5 cm, Pipe Ø: 1,5 cm, Base Ø: 16 cm, Tilt angle: 180°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black/White/Black 150 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 25W, Excl. light source,
<b>Features</b>	Industrial style, Adjustable head



Grey  
48824011



Rough surface  
Adjustable screws  
Light through screws


Black  
48824003

### Adrian Floor

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 151 cm, Shade Ø: 12,5 cm, Pipe Ø: 1,5 cm, Base Ø: 23 cm, Tilt angle: 360°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black/White/Black 180 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 25W, Excl. light source,
<b>Features</b>	Industrial style, Flexible tube to direct light where needed



Grey -  
Grey inside  
the shade  
**46563010**

  
White  
**46563001**

### Eik Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 22,5 cm, Shade Ø: 30 cm, Shade H: 20 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 300 cm non replaceable
<b>Canopy</b>	Color: White/Black, Material: Plastic Ø: 11,7 cm, H: 6 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Contemporary and simple style




White  
**46695001**

Grey - Grey inside the shade  
**46695010**

### Eik Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 46 cm, Shade Ø: 15 cm, Base Ø: 15 cm, Tilt angle: 80°
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 180 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 15W, Excl. light source,
<b>Features</b>	Contemporary and simple style



Grey -  
Grey inside  
the shade  
**46734010**

White  
**46734001**

### Eik Floor

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 144 cm, Shade Ø: 15 cm, Base Ø: 19 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 200 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 15W, Excl. light source,
<b>Features</b>	Contemporary and simple style



White  
45761001



Grey -  
Grey inside  
the shade  
45761010



Grey - Grey inside the shade  
45770110



White  
45770101

### Eik Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 11 cm, D: 15 cm, Shade Ø: 8,6 cm, Base mount: Ø8 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 200 cm replaceable Switch on cable
<b>Light source</b>	GU10, Max. 35W, Excl. light source,
<b>Features</b>	Contemporary and simple style

### Eik SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	L: 28,5 cm, D: 15 cm, Shade Ø: 8,6 cm, Base mount: 26,0 x 3,7 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	GU10, Max. 35W, Excl. light source,
<b>Features</b>	Contemporary and simple style



White  
45780101



Grey -  
Grey inside  
the shade  
45780110

### Eik SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	L: 45 cm, D: 15 cm, Shade Ø: 8,6 cm, Base mount: 45 x 3,7 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	GU10, Max. 35W, Excl. light source,
<b>Features</b>	Contemporary and simple style



Black  
48673003



Black  
48621003

### Alexander Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	Shade Ø: 30 cm, Shade H: 26 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 200 cm non replaceable
<b>Canopy</b>	Color: White/Black, Material: Plastic Ø: 12,3 cm, H: 8,7 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Contemporary and simple style

### Alexander Wall

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 28 cm, D: 35 cm, Shade Ø: 16 cm, Base mount: Ø13 cm Tilt angle: 30°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 150 cm replaceable On wall base
<b>Light source</b>	E27, Max. 15W, Excl. light source,
<b>Features</b>	Contemporary and simple style



Black  
48635003



White  
48654001

### Alexander Table

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 54 cm, Shade Ø: 16 cm, Base Ø: 18 cm, Tilt angle: 30°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 150 cm non replaceable Switch on the base
<b>Light source</b>	E27, Max. 15W, Excl. light source,
<b>Features</b>	Contemporary and simple style

### Alexander Floor

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 140 cm, Shade Ø: 16 cm, Base Ø: 25 cm, Tilt angle: 30°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 150 cm non replaceable Switch on fixture
<b>Light source</b>	E27, Max. 15W, Excl. light source,
<b>Features</b>	Contemporary and simple style



### Julian 13 Pendant

<b>Masterbox</b>	Qty 6
<b>Size</b>	Shade Ø: 13 cm, Shade H: 14 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: White 200 cm non replaceable
<b>Canopy</b>	Color: White, Material: Plastic Ø: 12,3 cm, H: 8,7 cm
<b>Light source</b>	E14, Max. 25W, Excl. light source,
<b>Features</b>	Contemporary and simple style, Beautiful brass decoration tube



### Julian 23 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	Shade Ø: 23 cm, Shade H: 22 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: White 200 cm non replaceable
<b>Canopy</b>	Color: White, Material: Plastic Ø: 12,3 cm, H: 8,7 cm
<b>Light source</b>	E27, Max. 25W, Excl. light source,
<b>Features</b>	Contemporary and simple style, Beautiful brass decoration tube



### Julian 32 Pendant

<b>Masterbox</b>	Qty 2
<b>Size</b>	Shade Ø: 32 cm, Shade H: 28 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: White 200 cm non replaceable
<b>Canopy</b>	Color: White, Material: Plastic Ø: 12,3 cm, H: 8,7 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Contemporary and simple style, Beautiful brass decoration tube



### Julian Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 40 cm, Shade Ø: 13 cm, Base Ø: 19 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White 150 cm non replaceable
<b>Light source</b>	E14, Max. 25W, Excl. light source,
<b>Features</b>	Contemporary and simple style, Beautiful brass decoration



White  
47051001



Black  
47051003



Black  
47060003



White  
47060001

## Largo Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 18 cm, D: 26 cm, Shade Ø: 12 cm, Base mount: Ø10 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 180 cm replaceable Switch on fixture
<b>Light source</b>	E27, Max. 25W, Excl. light source,
<b>Features</b>	Industrial style

## Largo SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	W: 35,8 cm, D: 26 cm, Shade Ø: 12 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	E27, Max. 25W, Excl. light source,
<b>Features</b>	Industrial style



White  
47070001



Black  
47070003



Black  
46655003

## Largo SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	W: 55 cm, D: 26 cm, Shade Ø: 12 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	E27, Max. 25W, Excl. light source,
<b>Features</b>	Industrial style

## Largo Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 51,5 cm, Shade Ø: 17 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 150 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Industrial style






White  
72711001



Black  
72711003



White  
72704001



Black  
72704003

## Vanila Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 17 cm, W: 14,5 cm, D: 28,5 cm, Shade Ø: 14,5 cm, Base mount: Ø9.5 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Clear/Black 210 cm replaceable Switch on fixture
<b>Light source</b>	E14, Max. 40W, Excl. light source,
<b>Features</b>	Contemporary and simple style



White  
72695001



Black  
72695003

## Vanila Table

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 44 cm, Shade Ø: 14,5 cm, Shade H: 23 cm, Pipe Ø: 1 cm, Base Ø: 18 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 200 cm non replaceable Switch on fixture
<b>Light source</b>	E14, Max. 40W, Excl. light source,
<b>Features</b>	Contemporary and simple style

## Vanila Floor

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 129 cm, Shade Ø: 14,5 cm, Shade H: 23 cm, Pipe Ø: 1,5 cm, Base Ø: 24 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Clear/Black 210 cm non replaceable Switch on fixture
<b>Light source</b>	E14, Max. 40W, Excl. light source,
<b>Features</b>	Contemporary and simple style



Black  
72991003

White  
72991001

### Cyclone Wall

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 37 cm, W: 12,5 cm, D: 37 cm, Shade Ø: 11 cm, Pipe Ø: 1,1 cm, Base mount: Ø12,5 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	E14, Max. 15W, Excl. light source,
<b>Features</b>	Contemporary and simple style



Black  
73065003

White  
73065001

### Cyclone Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 33 cm, Shade Ø: 11 cm, Flex arm: 8,7 cm, Shade H: 14 cm, Pipe Ø: 1,4 cm, Base Ø: 15 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 155 cm non replaceable Switch on cable
<b>Light source</b>	E14, Max. 15W, Excl. light source,
<b>Features</b>	Contemporary and simple style



Black  
47141003

White  
47141001

### Texas Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 18 cm, W: 13 cm, D: 20 cm, Shade Ø: 12,5 cm, Base mount: Ø12,5 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 180 cm Switch on fixture
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Contemporary and simple style



White  
47615001

Black  
47615003

### Texas Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 40 cm, Shade Ø: 12,5 cm, Flex arm: 15 cm, Base Ø: 14 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 150 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Contemporary and simple style



White  
73072001



Black  
73072003

## Cyclone Clamp

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 27 cm, Shade Ø: 11 cm, Flex arm: 16 cm, Shade H: 17 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 200 cm non replaceable Switch on cable
<b>Light source</b>	E14, Max. 15W, Excl. light source,
<b>Features</b>	Contemporary and simple style



Aluminium  
59372029

## Photo Clamp

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 16 cm, D: 29 cm, Shade Ø: 9,5 cm, Shade H: 16 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 200 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Industrial style



White  
3001601

### Trio 45 Ceiling


<b>Masterbox</b>	Qty 6
<b>Size</b>	D: 15 cm, Shade Ø: 45 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White 200 cm Switch on cable
<b>Light source</b>	E27, Max. 40W, Excl. light source,



Black  
19861003

### Break Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 34 cm, W: 29 cm, D: 53 cm, Shade Ø: 29 cm, Pipe Ø: 1,2 cm, Base mount: Ø12 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 170 cm non replaceable Switch on fixture
<b>Light source</b>	E27, Max. 40W, Excl. light source,



Black  
19874003

### Break Floor


<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 158 cm, Shade Ø: 44 cm, Shade H: 29 cm, Pipe Ø: 2 cm, Base Ø: 25,5 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 200 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 40W, Excl. light source,



Black  
75554003

## Lelio Floor

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 155 cm, Shade Ø: 16 cm, Flex arm: 30 cm, Shade H: 16 cm, Pipe Ø: 1,5 cm, Base Ø: 23 cm
<b>Material</b>	Metal/Textile
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 180 cm non replaceable Switch on cable
<b>Light source</b>	E14, Max. 2X40W, Excl. light source,



Black  
46533003

White  
46533001



Black -  
Black inside  
the shade  
48443003


White  
48443001

### Ames Pendant

<b>Masterbox</b>	Qty 2
<b>Size</b>	Shade Ø: 30 cm, Shade H: 33 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 1
<b>Cable</b>	Cable: White/Black 300 cm non replaceable
<b>Canopy</b>	Color: White/Black, Material: Metal Ø: 12 cm, H: 2,5 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Contemporary and simple style

### William 20 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	Shade Ø: 20 cm, Shade H: 20 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 200 cm non replaceable
<b>Canopy</b>	Color: White/Black, Material: Plastic Ø: 12,3 cm, H: 8,7 cm
<b>Light source</b>	E27, Max. 25W, Excl. light source,
<b>Features</b>	Industrial style



Black  
46403003



Blue  
46403006



Rose  
46403057

White  
46403001



Black  
46413003



Blue  
46413006



Rose  
46413057

White  
46413001

### Circus 21 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	Shade Ø: 21 cm, Shade H: 26,5 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: White/Black 300 cm non replaceable
<b>Canopy</b>	Color: White/Black, Material: Plastic Ø: 11,84 cm, H: 7,35 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Contemporary and simple style, Upward and downward light

### Circus 27 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	Shade Ø: 27 cm, Shade H: 30,5 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: White/Black 300 cm non replaceable
<b>Canopy</b>	Color: White/Black, Material: Plastic Ø: 11,84 cm, H: 7,35 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Contemporary and simple style, Upward and downward light



Black -  
Black inside  
the shade  
48453003

White  
48453001

### William 27 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	Shade Ø: 27 cm, Shade H: 27 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 200 cm non replaceable
<b>Canopy</b>	Color: White/Black, Material: Plastic Ø: 12,3 cm, H: 8,7 cm
<b>Light source</b>	E27, Max. 25W, Excl. light source,
<b>Features</b>	Industrial style



Black -  
Black inside  
the shade  
48463003

White  
48463001

### William 32 Pendant

<b>Masterbox</b>	Qty 2
<b>Size</b>	Shade Ø: 32 cm, Shade H: 32 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 200 cm non replaceable
<b>Canopy</b>	Color: White/Black, Material: Plastic Ø: 12,3 cm, H: 8,7 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Industrial style



White  
39489901

### Bretagne Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 17 cm, Shade Ø: 38 cm, Shade H: 17 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 1
<b>Cable</b>	Cable: White 200 cm non replaceable
<b>Canopy</b>	Color: White, Material: Metal Ø: 7,9 cm, H: 8,3 cm
<b>Light source</b>	G9, Max. 40W, Excl. light source,



Black  
76633003

White  
76633001

### Anniversary Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 16 cm, Shade Ø: 35 cm, Shade H: 16 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 210 cm non replaceable
<b>Canopy</b>	Color: White/Black, Material: Plastic Ø: 11,7 cm, H: 9 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Contemporary and simple style



Black, Opal white  
46333003



White, Opal white  
46333001



Black, Opal white  
46343003



White, Opal white  
46343001

### Skip 35 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	Shade Ø: 35 cm, Shade H: 17,3 cm
<b>Material</b>	Metal/Acrylic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: White/Black 300 cm non replaceable
<b>Canopy</b>	Color: White/Black, Material: Plastic Ø: 11,8 cm, H: 7,35 cm
<b>Light source</b>	Fixed LED, Incl. 14W LED, Lumen 1.230, Kelvin 3000, Life hours 30.000, RA 80, Beam angle 120°, Dimmable
<b>Features</b>	Minimalistic design, 5 year LED guarantee

### Skip 57 Pendant


<b>Masterbox</b>	Qty 1
<b>Size</b>	Shade Ø: 57,8 cm, Shade H: 20 cm
<b>Material</b>	Metal/Acrylic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: White/Black 300 cm non replaceable
<b>Canopy</b>	Color: White/Black, Material: Plastic Ø: 11,8 cm, H: 7,35 cm
<b>Light source</b>	Fixed LED, Incl. 14W LED, Lumen 1.230, Kelvin 3000, Life hours 30.000, RA 80, Beam angle 120°, Dimmable
<b>Features</b>	Minimalistic design, 5 year LED guarantee



Black, Opal white  
48843003



White, Opal white  
48843001



White, Opal white  
48853001



Black, Opal white  
48853003

### Emma 18 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	Shade Ø: 18 cm, Shade H: 23 cm
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 200 cm non replaceable
<b>Canopy</b>	Color: White/Black, Material: Metal Ø: 12,3 cm, H: 8,7 cm
<b>Light source</b>	GU10, Max. 10W, Excl. light source,

### Emma 25 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	Shade Ø: 25 cm, Shade H: 23 cm
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 200 cm non replaceable
<b>Canopy</b>	Color: White/Black, Material: Metal Ø: 12,3 cm, H: 8,7 cm
<b>Light source</b>	GU10, Max. 10W, Excl. light source,





### Houston 30 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 23 cm, Shade Ø: 30 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 300 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 11,7 cm, H: 6 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Industrial style, The holes in the shade gives a beautiful light



### Houston 18 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 24 cm, Shade Ø: 18 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 300 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 11,7 cm, H: 6 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Industrial style, The holes in the shade gives a beautiful light



### Lyne Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 20 cm, Shade Ø: 29 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 250 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 11,8 cm, H: 5,8 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Industrial style



### Kingston Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 25 cm, Shade Ø: 30 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 1
<b>Cable</b>	Cable: Black 300 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Metal Ø: 13 cm, H: 2,5 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Industrial style



### Step 17 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	Shade Ø: 17 cm, Shade H: 20 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 300 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 11,8 cm, H: 7,35 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Industrial style, Upward and downward light, Rough surface with brass decoration detail

### Step 27 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	Shade Ø: 27 cm, Shade H: 20 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 300 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 11,8 cm, H: 7,35 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Industrial style, Upward and downward light, Rough surface with brass decoration detail



### Trude Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 22,5 cm, Shade Ø: 21,5 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 300 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 11,8 cm, H: 5,8 cm
<b>Light source</b>	E27, Max. 42W, Excl. light source,
<b>Features</b>	Industrial style

### Aud Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 11,9 cm, Ø: 6,5 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 300 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 10,6 cm, H: 7,2 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source

Please see our decorative bulbs from page 294



### Step 36 Pendant


<b>Masterbox</b>	Qty 3
<b>Size</b>	Shade Ø: 36,5 cm, Shade H: 20 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 300 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 11,8 cm, H: 7,35 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Industrial style, Upward and downward light, Rough surface with brass decoration detail



### Pendant Suspension Additional

<b>Masterbox</b>	Qty 12
<b>Size</b>	L: 200 cm
<b>Canopy</b>	Color: White, Material: Plastic
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White 200 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source

Please see our decorative bulbs from page 294



### Avra Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 10,2 cm, Ø: 5,1 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 200 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 9,2 cm, H: 7,2 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Industrial style

Please see our decorative bulbs from page 294

### Spiral Suspension Additional

<b>Masterbox</b>	Qty 1
<b>Size</b>	L: 137 cm, Ø: 9 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White 120 cm
<b>Canopy</b>	Color: White, Material: Plastic
<b>Light source</b>	E27, Max. 60W, Excl. light source,





### Tees Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 34 cm, Shade Ø: 29 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 250 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 11,8 cm, H: 5,8 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Industrial style

Please see our decorative bulbs from page 294

### Aire Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 34 cm, Shade Ø: 28 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 250 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 11,8 cm, H: 5,8 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Industrial style


Please see our decorative bulbs from page 294



### Esk Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 27 cm, Shade Ø: 36 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 250 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 11,8 cm, H: 5,8 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Industrial style

Please see our decorative bulbs from page 294





### Agnes Wall

**Masterbox** Qty 6  
**Size** H: 12 cm, W: 9 cm, D: 14 cm, Shade Ø: 5,8 cm, Base mount: Ø9 cm  
 Tilt angle: 150°  
**Material** Metal/Plastic  
**IP Class** IP20, Class 2  
**Cable** Cable: White 150 cm replaceable  
 Switch on cable  
**Light source** G9, Max. 35W, Excl. light source,  
**Features** Industrial style

### Agnes SpotLight

**Masterbox** Qty 3  
**Size** L: 30 cm, D: 14,5 cm, Shade Ø: 5,8 cm, Base mount: Ø9 cm  
 Tilt angle: 150°  
**Material** Metal/Plastic  
**IP Class** IP20, Class 2  
**Light source** G9, Max. 2X35W, Excl. light source,  
**Features** Industrial style




### Agnes SpotLight

**Masterbox** Qty 3  
**Size** L: 45 cm, D: 14,5 cm, Shade Ø: 5,8 cm, Base mount: Ø9 cm  
 Tilt angle: 150°  
**Material** Metal/Plastic  
**IP Class** IP20, Class 2  
**Light source** G9, Max. 3X35W, Excl. light source,  
**Features** Industrial style


### Agnes SpotLight

**Masterbox** Qty 3  
**Size** D: 12 cm, Shade Ø: 5,8 cm, Base mount: Ø18 cm  
 Tilt angle: 150°  
**Material** Metal/Plastic  
**IP Class** IP20, Class 2  
**Light source** G9, Max. 3X35W, Excl. light source,  
**Features** Industrial style




### Agnes SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	L: 80 cm, D: 14,5 cm, Shade Ø: 5,8 cm, Base mount: Ø9 cm Tilt angle: 150°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	G9, Max. 4X35W, Excl. light source,
<b>Features</b>	Industrial style



### Frida Wall

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 11,5 cm, D: 11,5 cm, Shade Ø: 5,1 cm, Base mount: 8,5x8,5 cm Tilt angle: 90°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White 150 cm replaceable Switch on cable
<b>Light source</b>	GU10, Max. 35W, Excl. light source,
<b>Features</b>	Contemporary and simple style



### Frida SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	W: 8 cm, L: 29 cm, D: 11,5 cm, Shade Ø: 5,1 cm, Base mount: 29x6 cm Tilt angle: 90°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	GU10, Max. 2X35W, Excl. light source,
<b>Features</b>	Contemporary and simple style



### Frida SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	W: 23 cm, L: 23 cm, D: 11,5 cm, Shade Ø: 5,1 cm, Base mount: Ø20 cm Tilt angle: 90°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	GU10, Max. 4X35W, Excl. light source,
<b>Features</b>	Contemporary and simple style



### Alfred Wall

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 12 cm, D: 8,5 cm, Shade Ø: 5,1 cm, Base mount: Ø9 cm Tilt angle: 90°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 150 cm replaceable Switch on cable
<b>Light source</b>	G9, Max. 40W, Excl. light source,
<b>Features</b>	Industrial style



### Alfred SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	L: 39 cm, D: 13 cm, Shade Ø: 5,1 cm, Base mount: Ø9 cm Tilt angle: 90°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	G9, Max. 2X40W, Excl. light source,
<b>Features</b>	Industrial style



### Alfred SpotLight


<b>Masterbox</b>	Qty 3
<b>Size</b>	L: 55 cm, D: 16 cm, Shade Ø: 5,1 cm, Base mount: Ø9 cm Tilt angle: 90°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	G9, Max. 3X40W, Excl. light source,
<b>Features</b>	Industrial style



### Avenue LED wall

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 10 cm, W: 8 cm, D: 13 cm, Shade Ø: 3,8 cm, Base mount: Ø8 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	GU10, Max. 3W, Incl. 3W LED, Lumen 230, Kelvin 3000, Life hours 15.000, RA 80, Beam angle 120°, Not dimmable Light source energy class A+





### Avenue SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	L: 38,5 cm, D: 12 cm, Base mount: Ø9 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	GU10, Max. 2X28W, Incl. 2X3W LED, Lumen 2X230, Kelvin 3000, Life hours 15.000, RA 80, Beam angle 120°, Not dimmable Light source energy class A+




### Avenue LED SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	L: 56,5 cm, D: 13 cm, Shade Ø: 3,8 cm, Base mount: Ø8,5 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	GU10, Max. 3X35W, Incl. 3X3W LED, Lumen 3X230, Kelvin 3000, Life hours 15.000, RA 80, Beam angle 120°, Not dimmable Light source energy class A+



### Avenue LED SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 13 cm, Shade Ø: 3,8 cm, Base mount: Ø25 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	GU10, Max. 3X3W, Incl. 3X3W LED, Lumen 3X230, Kelvin 3000, Life hours 15.000, RA 80, Beam angle 120°, Not dimmable Light source energy class A+




### Avenue SpotLight

<b>Masterbox</b>	Qty 2
<b>Size</b>	L: 119 cm, D: 13 cm, Shade Ø: 3,8 cm, Base mount: Ø9 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	GU10, Max. 3W, Incl. 6X3W LED, Lumen 6X230, Kelvin 3000, Life hours 15.000, RA 80, Beam angle 120°, Not dimmable Light source energy class A+




### Chicago Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 10 cm, W: 8 cm, D: 14 cm, Base mount: Ø8 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	GU10, Max. 10W, Incl. 4,6W GU10, Lumen 345, Kelvin 2700, Life hours 50.000, RA 80, Beam angle 36°, Not dimmable Light source energy class A+
<b>Features</b>	Industrial style



### Chicago SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	W: 10 cm, L: 35 cm, D: 16,8 cm, Base mount: Ø8 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	GU10, Max. 10W, Incl. 2X4,6W GU10, Lumen 2X345, Kelvin 2700, Life hours 50.000, RA 80, Beam angle 36°, Not dimmable Light source energy class A+
<b>Features</b>	Industrial style



### Chicago SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	W: 12 cm, L: 64,5 cm, D: 16,8 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	GU10, Max. 10W, Incl. 4X4,6W GU10, Lumen 4X345, Kelvin 2700, Life hours 50.000, RA 80, Beam angle 36°, Not dimmable Light source energy class A+
<b>Features</b>	Industrial style



White  
72091001



Black  
72091003

### Explore Wall

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 8 cm, W: 5,5 cm, D: 14 cm, Shade Ø: 5,5 cm, Pipe Ø: 1,3 cm, Base mount: Ø8 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Clear 200 cm replaceable, Switch on fixture
<b>Light source</b>	GU10, Max. 7W, Incl. 3W LED SMD, Lumen 200, Kelvin 2700, Candela 90, Life hours 25.000, RA 80, Beam angle 110°, Not dimmable Light source energy class A+
<b>Features</b>	Contemporary and simple style



White  
74811001



Black  
74811003

### Explore Wall

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 12 cm, W: 8 cm, D: 24 cm, Shade Ø: 5,5 cm, Flex arm: 21,5 cm, Pipe Ø: 1 cm, Base mount: Ø8 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Clear 200 cm replaceable, Switch on fixture
<b>Light source</b>	GU10, Max. 7W, Incl. 3W LED SMD, Lumen 200, Kelvin 2700, Candela 90, Life hours 25.000, RA 80, Beam angle 110°, Not dimmable Light source energy class A+
<b>Features</b>	Contemporary and simple style




Black  
74830003



White  
74830001

### Explore SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 16,5 cm, L: 48 cm, D: 16,5 cm, Shade Ø: 5,5 cm, Pipe Ø: 1,6 cm, Base mount: Ø9 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	GU10, Max. 3X7W, Incl. 3X3W LED, Lumen 3X200, Kelvin 2700, Candela 90, Life hours 25.000, RA 80, Beam angle 110°, Not dimmable Light source energy class A+
<b>Features</b>	Contemporary and simple style




### Lotus Wall

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 14 cm, D: 16 cm, Shade Ø: 6,6 cm, Base mount: Ø9 cm Tilt angle: 150°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 150 cm replaceable Switch on cable
<b>Light source</b>	E14, Max. 40W, Excl. light source,
<b>Features</b>	Industrial style

### Lotus SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	L: 37 cm, D: 20 cm, Shade Ø: 6,6 cm, Base mount: Ø9 cm Tilt angle: 150°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	E14, Max. 2X40W, Excl. light source,
<b>Features</b>	Industrial style



### Lotus SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	L: 58 cm, D: 20 cm, Shade Ø: 6,6 cm, Base mount: Ø9 cm Tilt angle: 150°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	E14, Max. 3X40W, Excl. light source,
<b>Features</b>	Industrial style

### Lotus SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	L: 78 cm, D: 20 cm, Shade Ø: 6,6 cm, Base mount: Ø9 cm Tilt angle: 150°
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	E14, Max. 4X40W, Excl. light source,
<b>Features</b>	Industrial style



Nickel  
61024111012

### Foggia 1 Spot GU10 4,3W SpotLight

<b>Masterbox</b>	Qty 12
<b>Size</b>	D: 12 cm, Ø: 8 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	GU10, Max. 42W, Incl. 4,3W LED, Lumen 345, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable Light source energy class A+

\*Only for Benelux & France



Nickel  
61024221012

### Foggia 2 Spot GU10 4,3W SpotLight

<b>Masterbox</b>	Qty 12
<b>Size</b>	L: 32 cm, D: 16 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	GU10, Max. 42W, Incl. 4,3W LED, Lumen 345, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable Light source energy class A+

\*Only for Benelux & France



Nickel  
61024331012

### Foggia 3 Spot GU10 4,3W SpotLight

<b>Masterbox</b>	Qty 8
<b>Size</b>	D: 13 cm, Ø: 19 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	GU10, Max. 42W, Incl. 4,3W LED, Lumen 345, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable Light source energy class A+

\*Only for Benelux & France



Nickel  
61024421012

### Foggia 4 Spot GU10 4,3W SpotLight

<b>Masterbox</b>	Qty 6
<b>Size</b>	L: 80 cm, D: 15 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	GU10, Max. 42W, Incl. 4,3W LED, Lumen 345, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable Light source energy class A+

\*Only for Benelux & France



Chrome  
64008711032



Chrome  
64008811032

### Eagle 30 E27 7,4W Pendant

**Masterbox** Qty 4  
**Size** H: 120 cm, Ø: 30 cm  
**Material** Metal  
**IP Class** IP20, Class 1  
**Light source** E27, Max. 60W, Incl. 7,4W LED,  
 Lumen 806, Kelvin 2700, Life hours 15.000, RA 80,  
 Beam angle 360°, Not dimmable  
 Light source energy class A+

\*Only for Benelux & France

### Eagle 40 E27 7,4W Pendant

**Masterbox** Qty 2  
**Size** L: 120 cm, Ø: 40 cm  
**Material** Metal  
**IP Class** IP20, Class 1  
**Light source** E27, Max. 60W, Incl. 7,4W LED,  
 Lumen 806, Kelvin 2700, Life hours 15.000, RA 80,  
 Beam angle 360°, Not dimmable  
 Light source energy class A+

\*Only for Benelux & France



Chrome  
61014061032



Chrome  
64008891032

### Eagle 6 Spot G9 3,4W Ceiling

**Masterbox** Qty 1  
**Size** H: 35 cm, L: 45 cm, Ø: 45 cm, Shade Ø: 10 cm  
**Material** Metal  
**IP Class** IP20, Class 1  
**Light source** G9, Max. 28W, Incl. 3,4W LED,  
 Lumen 350, Kelvin 3000, Life hours 15.000, RA 80,  
 Beam angle 280°, Not dimmable  
 Light source energy class A++

\*Only for Benelux & France

### Eagle 9 Spot G9 3,4W Ceiling

**Masterbox** Qty 2  
**Size** H: 120 cm, Ø: 52 cm  
**Material** Metal  
**IP Class** IP20, Class 1  
**Light source** G9, Max. 28W, Incl. 3,4W LED,  
 Lumen 350, Kelvin 3000, Life hours 15.000, RA 80,  
 Beam angle 280°, Not dimmable  
 Light source energy class A++

\*Only for Benelux & France



Chrome  
61014111032

### Eagle 1 Spot G9 3,4W SpotLight

**Masterbox** Qty 20  
**Size** L: 10 cm, D: 17 cm, Base mount: 10 cm  
**Material** Metal  
**IP Class** IP20, Class 1  
**Light source** G9, Max. 28W, Incl. 3,4W LED,  
 Lumen 350, Kelvin 3000, Life hours 15.000, RA 80,  
 Beam angle 280°, Not dimmable  
 Light source energy class A++

\*Only for Benelux & France



Chrome  
61014221032

### Eagle 2 Spot G9 3,4W SpotLight

**Masterbox** Qty 18  
**Size** L: 26 cm, D: 17 cm, Shade Ø: 10 cm  
**Material** Metal  
**IP Class** IP20, Class 1  
**Light source** G9, Max. 28W, Incl. 3,4W LED,  
 Lumen 350, Kelvin 3000, Life hours 15.000, RA 80,  
 Beam angle 280°, Not dimmable  
 Light source energy class A++

\*Only for Benelux & France



Chrome  
61014031032

### Eagle 3 Spot G9 3,4W Ceiling

**Masterbox** Qty 6  
**Size** H: 30 cm, L: 40 cm, Shade Ø: 10 cm  
**Material** Metal  
**IP Class** IP20, Class 1  
**Light source** G9, Max. 28W, Incl. 3,4W LED,  
 Lumen 350, Kelvin 3000, Life hours 15.000, RA 80,  
 Beam angle 280°, Not dimmable  
 Light source energy class A++

\*Only for Benelux & France



Chrome  
61014431032

### Eagle 3 Spiral G9 3,4W SpotLight

**Masterbox** Qty 8  
**Size** L: 40 cm, D: 17 cm  
**Material** Metal  
**IP Class** IP20, Class 1  
**Light source** G9, Max. 28W, Incl. 3,4W LED,  
 Lumen 350, Kelvin 3000, Life hours 15.000, RA 80,  
 Beam angle 280°, Not dimmable  
 Light source energy class A++

\*Only for Benelux & France



Chrome  
61014041032

### Eagle 4 Spot G9 3,4W Ceiling

**Masterbox** Qty 4  
**Size** L: 83,5 cm, D: 18 cm, Shade Ø: 10 cm  
**Material** Metal  
**IP Class** IP20, Class 1  
**Light source** G9, Max. 28W, Incl. 3,4W LED,  
 Lumen 350, Kelvin 3000, Life hours 15.000, RA 80,  
 Beam angle 280°, Not dimmable  
 Light source energy class A++

\*Only for Benelux & France



Chrome  
61014241032

### Eagle 4 Spot G9 3,4W SpotLight

**Masterbox** Qty 10  
**Size** L: 83,5 cm, D: 18 cm, Shade Ø: 10 cm, Base mount: 10 cm  
**Material** Metal  
**IP Class** IP20, Class 1  
**Light source** G9, Max. 28W, Incl. 3,4W LED,  
 Lumen 350, Kelvin 3000, Life hours 15.000, RA 80,  
 Beam angle 280°, Not dimmable  
 Light source energy class A++

\*Only for Benelux & France



Chrome  
61024112032

### Hawk 1 Spot G9 3,4W SpotLight

**Masterbox** Qty 20  
**Size** D: 15 cm, Ø: 12 cm, Shade Ø: 10 cm  
**Material** Metal/Glass  
**IP Class** IP20, Class 1  
**Light source** G9, Max. 28W, Incl. 3,4W LED,  
 Lumen 350, Kelvin 3000, Life hours 15.000, RA 80,  
 Beam angle 280°, Not dimmable  
 Light source energy class A++  
**Features** Glass

\*Only for Benelux & France



Chrome  
61024222032

### Hawk 2 Spot G9 3,4W SpotLight

**Masterbox** Qty 12  
**Size** L: 39 cm, D: 12 cm, Shade Ø: 10 cm  
**Material** Metal/Glass  
**IP Class** IP20, Class 1  
**Light source** G9, Max. 28W, Incl. 3,4W LED,  
 Lumen 350, Kelvin 3000, Life hours 15.000, RA 80,  
 Beam angle 280°, Not dimmable  
 Light source energy class A++  
**Features** Glass

\*Only for Benelux & France





Nickel  
61009221012

### Venezia 2 Spot GU10 5W SpotLight

<b>Masterbox</b>	Qty 8
<b>Size</b>	L: 32,2 cm, D: 15,4 cm, Ø: 9 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	GU10, Max. 42W, Incl. 5W LED, Lumen 345, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Dimmable Light source energy class A+

\*Only for Benelux & France



Nickel  
61009331012

### Venezia 3 Spot GU10 5W SpotLight

<b>Masterbox</b>	Qty 8
<b>Size</b>	D: 12,7 cm, Ø: 19 cm, Shade Ø: 9 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	GU10, Max. 42W, Incl. 5W LED, Lumen 345, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Dimmable Light source energy class A+

\*Only for Benelux & France



Nickel  
61009241012


### Venezia 4 Spot GU10 5W SpotLight

<b>Masterbox</b>	Qty 6
<b>Size</b>	L: 79,2 cm, D: 15,4 cm, Ø: 9 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	GU10, Max. 42W, Incl. 5W LED, Lumen 345, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Dimmable Light source energy class A+

\*Only for Benelux & France

LINK  
by nordlux






White  
79079901



Black  
79079903

### Link 1M Rail

Masterbox	Qty 3
Size	W: 3,5 cm, L: 107 cm, D: 1,8 cm
Material	Metal
IP Class	IP20, Class 1
Light source	Max. 690W
Features	Adaptor included



White  
79089901



Black  
79089903

### Link 2M Rail

Masterbox	Qty 3
Size	W: 3,5 cm, L: 207 cm, D: 1,8 cm
Material	Metal
IP Class	IP20, Class 1
Light source	Max. 690W
Features	Adaptor included





White  
86119901

### Link Frøya Rail

**Masterbox** Qty 3  
**Size** L: 10,9 cm, D: 8,8 cm, Shade Ø: 3,6 cm  
**Material** Metal/Plastic  
**IP Class** IP20, Class 2  
**Light source** GU10, Max. 50W, Excl. light source,



White  
86129901

### Link Munin Rail

**Masterbox** Qty 3  
**Size** H: 11,6 cm, L: 8 cm, D: 13,6 cm, Shade Ø: 6,1 cm  
**Material** Metal/Plastic  
**IP Class** IP20, Class 2  
**Light source** GU10, Max. 35W, Excl. light source,



White, Matt white  
86159901

### Link Sleeky Rail

**Masterbox** Qty 3  
**Size** H: 18,5 cm, W: 9 cm, L: 12 cm, Shade Ø: 9 cm, Tilt angle: 180°  
**Material** Aluminium/Plastic  
**IP Class** IP20, Class 2  
**Light source** Fixed LED, Incl. 4W LED,  
 Lumen 200, Kelvin 3000, Life hours 20.000, RA 80,  
 Beam angle 130°, Dimmable  
**Features** 5 year LED guarantee



White, Matt white  
86179901

### Link Bendy Rail

**Masterbox** Qty 3  
**Size** H: 21,3 cm, Shade Ø: 8 cm  
**Material** Silicone/Metal  
**IP Class** IP20, Class 2  
**Light source** Fixed LED, Incl. 4W LED,  
 Lumen 250, Kelvin 3000, Life hours 20.000, RA 80,  
 Beam angle 130°, Dimmable  
**Features** 5 year LED guarantee



White  
86189901



Black  
86189903



White  
86109901



Black  
86109903

### Link Explore Rail

<b>Masterbox</b>	Qty 6
<b>Size</b>	D: 28,5 cm, Shade Ø: 5,5 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	GU10, Max. 7W, Excl. light source,

### Link Single Rail

<b>Masterbox</b>	Qty 6
<b>Size</b>	L: 8 cm, D: 14,5 cm, Shade Ø: 8,5 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	GU10, Max. 35W, Excl. light source,



Black  
71669903



White  
71669901

### Link Mib 6 Rail by Bønnelycke mdd

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 32 cm, Shade Ø: 6 cm, Shade H: 20 cm, Pipe Ø: 1 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	GU10, Max. 8W, Excl. light source,



White  
359131

### Link Frøya 3-Kit + 1M Rail Rail

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 14,5 cm, W: 6,1 cm, L: 102 cm, D: 11,7 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	GU10, Max. 3X35W, Excl. light source,



White  
359531

### Link Munin 3-Kit + 1M Rail Rail

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 14,5 cm, W: 6 cm, L: 100 cm, Shade Ø: 6 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	GU10, Max. 3X35W, Excl. light source,



Black  
79029903



Black  
79059903

### Link Connect Turnable Rail

**Masterbox** Qty 6  
**Size** W: 3,5 cm, L: 12 cm, D: 1,8 cm  
**Material** Plastic  
**IP Class** IP20, Class 1

### Link Connect Rail

**Masterbox** Qty 6  
**Size** W: 3,5 cm, L: 6,5 cm, D: 1,8 cm  
**Material** Plastic  
**IP Class** IP20, Class 1  
**Light source** Max. 690W,



Black  
79039903



Black  
79049903

### Link Opposite Adaptor Rail

**Masterbox** Qty 3  
**Size** W: 3,5 cm, L: 6,5 cm, D: 1,8 cm  
**Material** Plastic  
**IP Class** IP20, Class 1

### Link Double Adaptor Rail

**Masterbox** Qty 3  
**Size** W: 3,5 cm, L: 9,5 cm, D: 1,8 cm  
**Material** Plastic  
**IP Class** IP20, Class 1





White  
79069901



White  
86059901

### Link Adaptor Rail

**Masterbox** Qty 6  
**Size** W: 3,5 cm, L: 8 cm, D: 5,5 cm  
**Material** Plastic  
**IP Class** IP20, Class 1  
**Light source** Max. 115W,

### Link T-Connector Right Rail

**Masterbox** Qty 6  
**Size** H: 1,8 cm, W: 10,3 cm, L: 17,2 cm  
**Material** Plastic/Metal  
**IP Class** IP20, Class 1  
**Light source** Max. 660W,



White  
86069901




White  
86079901

### Link T-Connector Left Rail

**Masterbox** Qty 6  
**Size** H: 1,8 cm, W: 10,3 cm, L: 17,2 cm  
**Material** Plastic/Metal  
**IP Class** IP20, Class 1  
**Light source** Max. 660W,

### Link X-Connector Rail


**Masterbox** Qty 6  
**Size** H: 1,8 cm, W: 17,2 cm, L: 17,2 cm  
**Material** Plastic/Metal  
**IP Class** IP20, Class 1  
**Light source** Max. 660W,




# Glass

Glass pendants and lamps can truly open a space and make it feel a lot more welcoming with the soft and diffuse light. We have included some exciting novelties into our collection, where we focus on mixing glass with other materials. A big trend is glass mixed with exclusive brushed brass. This will give glamour feeling, but in a more subtle and understated way than we have seen the previous years. You will also find glass mixed with industrial matt black metal for a more masculine look, mixing clear and opal white glass with each other and the use of smoked glass.


# Meet the Verona's



no. 2010863001



no. 2010875001



no. 2010884001

Verona is a traditional series in a classic Scandinavian design. Verona is constructed of two beautiful opal white glass shades that ensure a nice even distribution of light into the room.

Simultaneously, the contrast between the white opal glass and the matte black metal contributes to a modern look.





NEW



Black, Opal white  
2010863001

### Verona Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 18,8 cm, W: 40 cm, L: 40 cm, Shade Ø: 40 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 200 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 12,2 cm, H: 8,6 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Glass, Mouthblown opal glass that emits a soft light, Decorative black top

NEW




Black, Opal white  
2010875001

### Verona Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 40 cm, W: 27,5 cm, L: 27,5 cm, Shade Ø: 27,5 cm, Pipe Ø: 1,15 cm, Base Ø: 15 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 150 cm non replaceable Switch on fixture
<b>Light source</b>	E27, Max. 15W, Excl. light source,
<b>Features</b>	Glass, Mouthblown opal glass that emits a soft light, Decorative black top

NEW




Black, Opal white  
2010884001

### Verona Floor

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 150 cm, W: 40 cm, L: 40 cm, Shade Ø: 40 cm, Pipe Ø: 1,55 cm, Base Ø: 30 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 150 cm non replaceable Switch on fixture
<b>Light source</b>	E27, Max. 25W, Excl. light source,
<b>Features</b>	Glass, Mouthblown opal glass that emits a soft light, Decorative black top

# Meet Jelly



no. 2010783001

All the unnecessary is removed in the Jelly pendant in favor of the simple shape and inviting expression the glass provides. Jelly consists of two layers of glass with the inner shade in white opal glass and the outer shade in clear glass, which gives the light a soft and warm glow. A small detail is the gracious brass top, which adds an exclusive expression to the lamp. Jelly is perfect above the dining table or to light up any corner that needs a little extra light.







Amber  
45263027



Smoked  
45263047

### Jelly Pendant

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 22,8 cm, W: 39 cm, L: 39 cm, Shade Ø: 39 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: White 200 cm non replaceable
<b>Canopy</b>	Color: Brass, Material: Metal Ø: 12,5 cm, H: 2,5 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Mouthblown glass, Adjustable balance construction with wire, Opal inner shade, that creates a nice soft light

### Alrun Pendant

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 20 cm, Shade Ø: 26 cm
<b>Material</b>	Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 300 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 12,7 cm, H: 2,5 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Mouthblown glass



Amber  
46483027



Smoked  
46483047



Amber  
46645027



Smoked  
46645047

### Hollywood Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	Shade Ø: 10,8 cm, Shade H: 17,7 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 300 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 11 cm, H: 7 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Glass

### Hollywood Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 12,8 cm, Ø: 10,8 cm
<b>Material</b>	Glass/Plastic - Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 180 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Glass



Amber  
45823027



Clear  
45823000

### Disa Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 21,5 cm, Shade Ø: 18,5 cm
<b>Material</b>	Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 300 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 11,8 cm, H: 5,8 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Mouthblown glass



Smoked  
45703047



White  
45703001

### Embla Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 30,5 cm, Shade Ø: 10 cm
<b>Material</b>	Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: White/Black 300 cm non replaceable
<b>Canopy</b>	Color: White/Black, Material: Plastic Ø: 11,8 cm, H: 5,8 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Mouthblown glass



Smoked  
46473047

### Dillon Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 27,5 cm, Shade Ø: 20 cm
<b>Material</b>	Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 300 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 11,7 cm, H: 6 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Mouthblown glass



Light gray, Smoked  
48905011

Black, Smoked  
48905003


### Christina Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 30 cm, Shade Ø: 20 cm, Base Ø: 13 cm
<b>Material</b>	Concrete/Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 150 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 25W, Excl. light source,
<b>Features</b>	Industrial style, Mouthblown glass

# Meet the Alton's




no. 47303001 white  
no. 47303047 smoked




no. 47313001 white  
no. 47313047 smoked



no. 48973001 white  
no. 48973047 smoked



no. 2010506001 white  
no. 2010506047 smoked



no. 47645001 white  
no. 47645047 smoked



no. 2010514001 white  
no. 2010514047 smoked

Use warm, golden tones to contrast the Nordic minimalism. The Alton series creates a beautiful unison between the glass and the fine metal details. The metals are still hot in decor, and the combined metal and glass give the series a graceful appearance and complement each other in the finest of manners.






NEW



Black - Smoked  
2010506047



Bracket - Hole distance



Brass  
opal white  
2010506001

### Alton Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 24 cm, W: 27,5 cm, L: 27,5 cm, Shade Ø: 27,5 cm, Shade H: 21,5 cm
<b>Canopy</b>	Color: Brass/Black, Material: Metal Ø: 12,6 cm, H: 2,5 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	E27, Max. 25W, Excl. light source,
<b>Features</b>	Mouthblown glass, Modern and glamour style, Opal white mouthblown glass and exclusive brass

NEW



Brass, Opal white  
2010514001



Black, Smoked  
2010514047

### Alton Floor

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 150 cm, W: 28 cm, L: 28 cm, Shade Ø: 27,5 cm, Pipe Ø: 1,9 cm, Base Ø: 28 cm
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 150 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 25W, Excl. light source,
<b>Features</b>	Mouthblown glass, Modern and glamour style, Opal white mouthblown glass and exclusive brass



Brass, Opal white  
47645001



Black, Smoked  
47645047

### Alton Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 29 cm, Shade Ø: 20 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 150 cm non replaceable Switch on cable
<b>Light source</b>	E14, Max. 15W, Excl. light source,
<b>Features</b>	Mouthblown glass, Modern and glamour style, Opal white mouthblown glass and exclusive brass



### Alton 23 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 43 cm, Shade Ø: 23 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 1
<b>Cable</b>	Textile cable: White 300 cm non replaceable
<b>Canopy</b>	Color: White, Material: Metal Ø: 12 cm, H: 2,5 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Opal white mouthblown glass and exclusive brass, Changeable top in brass and black

### Alton 25 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 33 cm, Shade Ø: 25 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 1
<b>Cable</b>	Textile cable: White 300 cm non replaceable
<b>Canopy</b>	Color: White, Material: Metal Ø: 12 cm, H: 2,5 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Opal white mouthblown glass and exclusive brass, Changeable top in brass and black



### Alton 35 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 30 cm, Shade Ø: 35 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 1
<b>Cable</b>	Textile cable: White 300 cm non replaceable
<b>Canopy</b>	Color: White, Material: Metal Ø: 12 cm, H: 2,5 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Opal white mouthblown glass and exclusive brass, Changeable top in brass and black





### Alton 23 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 43 cm, Shade Ø: 23 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 1
<b>Cable</b>	Textile cable: Black 300 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Metal Ø: 12 cm, H: 2,5 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Modern mouthblown smoked glass and black metal



### Alton 25 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 33 cm, Shade Ø: 25 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 1
<b>Cable</b>	Textile cable: Black 300 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Metal Ø: 12 cm, H: 2,5 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Modern mouthblown smoked glass and black metal




### Alton 35 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 30 cm, Shade Ø: 35 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 1
<b>Cable</b>	Textile cable: Black 300 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Metal Ø: 12 cm, H: 2,5 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Modern mouthblown smoked glass and black metal


# Meet the Grant's




no. 2010553035




no. 2010563035




no. 2010573035



no. 2010583003 black  
no. 2010583035 brass



no. 47091003 black  
no. 47091025 brass



no. 46635003 black  
no. 46635025 brass

Grant balances simplicity and elegance in the best way imaginable, where all the unnecessary decorations are removed, allowing the shape and materials to stand out.

The beautiful luminous spherical glass dome is enclosed by its frame, creating a complete and decorative whole.





### Grant 15 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 29 cm, W: 15 cm, L: 15 cm, Shade Ø: 15 cm, Shade H: 15 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White 200 cm non replaceable
<b>Canopy</b>	Color: Brass, Material: Metal Ø: 12 cm, H: 6,8 cm
<b>Light source</b>	E14, Max. 15W, Excl. light source,
<b>Features</b>	Mouthblown glass, Glamorous style, Decorative brass canopy

### Grant 25 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 40 cm, W: 25 cm, L: 25 cm, Shade Ø: 25 cm, Shade H: 25 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White 200 cm non replaceable
<b>Canopy</b>	Color: Brass, Material: Metal Ø: 12 cm, H: 7,8 cm
<b>Light source</b>	E27, Max. 25W, Excl. light source,
<b>Features</b>	Mouthblown glass, Glamorous style, Decorative brass canopy



### Grant 35 Pendant

<b>Masterbox</b>	Qty 2
<b>Size</b>	W: 35 cm, L: 35 cm, Shade Ø: 35 cm, Shade H: 35 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White 200 cm non replaceable
<b>Canopy</b>	Color: Brass, Material: Metal Ø: 12 cm, H: 7,8 cm
<b>Light source</b>	E27, Max. 25W, Excl. light source,
<b>Features</b>	Mouthblown glass, Glamorous style, Decorative brass canopy




Black, Opal white  
46635003



Brass, Opal white  
46635025



Black, Opal white  
47091003



Brass, Opal white  
47091025

### Grant Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 41 cm, Shade Ø: 14,5 cm, Base Ø: 20 cm
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black/White 180 cm non replaceable Switch on cable
<b>Light source</b>	E14, Max. 40W, Excl. light source,
<b>Features</b>	Modern and glamour style, Mixed materials, metal and mouthblown glass


### Grant Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 16,4 cm, D: 20,7 cm, Shade Ø: 14,5 cm, Base mount: Ø10 cm
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black/White 200 cm replaceable Switch on cable
<b>Light source</b>	E14, Max. 40W, Excl. light source,
<b>Features</b>	Modern and glamour style, Mixed materials, metal and mouthblown glass

NEW



Brass  
2010583035



Black  
2010583003

### Grant Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 29,23 cm, W: 14,5 cm, L: 69,3 cm
<b>Canopy</b>	Color: Black/Brass, Material: Metal Ø: 10 cm, H: 2,5 cm
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	E14, Max. 25W, Excl. light source,
<b>Features</b>	Modern and glamour style, Mixed materials, metal and mouthblown glass Three glass domes that emits a soft light



Opal  
46573001



### Milford 20 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 33,5 cm, Shade Ø: 20 cm
<b>Material</b>	Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: White 300 cm non replaceable
<b>Canopy</b>	Color: White, Material: Plastic Ø: 11,7 cm, H: 9 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Glass, Opal mouthblown glass



Opal  
46583001



### Milford 30 Pendant

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 23,5 cm, Shade Ø: 30 cm
<b>Material</b>	Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: White 300 cm non replaceable
<b>Canopy</b>	Color: White, Material: Plastic Ø: 11,7 cm, H: 9 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Glass, Opal mouthblown glass



### Milford Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 20 cm, Shade Ø: 20 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 150 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 4W, Excl. light source,
<b>Features</b>	Glass, Opal mouthblown glass



### Milford Table


<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 21,7 cm, Shade Ø: 20 cm, Base Ø: 11 cm
<b>Material</b>	Glass/Wood
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: White 150 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Glass, Opal mouthblown glass, FSC certified ash wood base




### Milford Floor

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 139,4 cm, Shade Ø: 30 cm, Base Ø: 28 cm
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: White 180 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Glass, Opal mouthblown glass


# Meet Orbiform




no. 2010673047



no. 2010715047



no. 2010693047



no. 2010656047

Orbiform oozes of exclusivity and glamor. The series combines brushed brass with a pentagon-shaped glass dome adorned with a beautiful diamond pattern that enhances the luster of the glass and provides a unique light effect in the room. The beautiful glass gives associations to the period with crystal interior, which now again has become a popular decor element.







NEW



Brass, Smoked  
2010656047

### Orbiform Ceiling

- Masterbox** Qty 3
- Size** H: 25,3 cm, W: 23 cm, L: 23 cm, Shade Ø: 23 cm
- Canopy** Color: Brass, Material: Metal  
Ø: 15 cm, H: 2,5 cm
- Material** Glass/Metal
- IP Class** IP20, Class 2
- Light source** E27, Max. 40W, Excl. light source,
- Features** Glamorous style, Beautiful material mix - Brass and smoked glass, Structured glass that creates a beautiful light effect

NEW



Smoked  
2010673047

### Orbiform Pendant

- Masterbox** Qty 3
- Size** H: 21,5 cm, W: 23 cm, L: 23 cm, Shade Ø: 23 cm
- Material** Glass/Metal
- IP Class** IP20, Class 2
- Cable** Textile cable: Black 200 cm non replaceable
- Canopy** Color: Brass, Material: Metal  
Ø: 12 cm, H: 2,5 cm
- Light source** E27, Max. 40W, Excl. light source,
- Features** Glamorous style, Beautiful material mix - Brass and smoked glass, Structured glass that creates a beautiful light effect

NEW



Brass, Smoked  
2010693047

Ceiling bar

### Orbiform Pendant

- Masterbox** Qty 3
- Size** H: 15,2 cm, W: 15 cm, L: 71 cm, Shade Ø: 15 cm
- Material** Glass/Metal
- IP Class** IP20, Class 2
- Cable** Textile cable: Black 200 cm non replaceable
- Canopy** Color: Brass, Material: Metal  
Ø: 70x5 cm, H: 2,5 cm
- Light source** E14, Max. 25W, Excl. light source,
- Features** Glamorous style, Beautiful material mix - Brass and smoked glass, Structured glass that creates a beautiful light effect

NEW




Brass, Smoked  
2010715047

### Orbiform Table

- Masterbox** Qty 3
- Size** H: 46,8 cm, W: 23 cm, L: 23 cm, Shade Ø: 23 cm,  
Pipe Ø: 1,15 cm, Base Ø: 15 cm
- Material** Glass/Metal
- IP Class** IP20, Class 2
- Cable** Textile cable: Black 150 cm non replaceable  
Switch on cable
- Light source** E27, Max. 40W, Excl. light source,
- Features** Glamorous style, Beautiful material mix - Brass and smoked glass, Structured glass that creates a beautiful light effect



Black, Opal white  
48603003



Black, Opal white  
48613003




Brass, Opal white  
48603035

## Lilly Pendant

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 36,5 cm, W: 32 cm, Shade Ø: 15 cm
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 200 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 12,3 cm, H: 8,7 cm
<b>Light source</b>	E14, Max. 3X40W, Excl. light source,
<b>Features</b>	Modern and glamour style, Opal mouthblown glass

## Lilly Floor

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 150 cm, Shade Ø: 15 cm, Base Ø: 23 cm
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 150 cm non replaceable Switch on cable
<b>Light source</b>	E14, Max. 3X15W, Excl. light source,
<b>Features</b>	Modern style, Opal mouthblown glass



Black, Opal white  
48891003

## Lilly Wall

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 17 cm, Shade Ø: 13 cm, Base mount: Ø12 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 150 cm replaceable Switch on cable
<b>Light source</b>	E14, Max. 40W, Excl. light source,
<b>Features</b>	Modern style, Opal mouthblown glass

Black, Opal white  
4885003

## Lilly Table

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 17 cm, Shade Ø: 13 cm, Base Ø: 12 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Black 150 cm non replaceable Switch on cable
<b>Light source</b>	E14, Max. 40W, Excl. light source,
<b>Features</b>	Modern style, Opal mouthblown glass



### Read 14 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 18 cm, Shade Ø: 14 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: White 180 cm non replaceable
<b>Canopy</b>	Color: Chrome, Material: Metal Ø: 9 cm, H: 5,35 cm
<b>Light source</b>	E14, Max. 40W, Excl. light source,
<b>Features</b>	Mouthblown glass



### Read 20 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	Shade Ø: 20 cm, Shade H: 22 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: White 180 cm non replaceable
<b>Canopy</b>	Color: Chrome, Material: Metal Ø: 9 cm, H: 5,35 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Mouthblown glass




### Ripasso 15 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 41 cm, Shade Ø: 15 cm, Shade H: 37 cm
<b>Material</b>	Glass
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Clear 200 cm non replaceable
<b>Canopy</b>	Color: Chrome, Material: Metal Ø: 8,5 cm, H: 2,5 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Mouthblown glass



### Trumpet Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 35 cm, Shade Ø: 25,5 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: White 200 cm non replaceable
<b>Canopy</b>	Color: White, Material: Plastic Ø: 11,8 cm, H: 7,35 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Mouthblown glass



### Cafe 15 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 29 cm, Shade Ø: 15 cm, Shade H: 15 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Clear 180 cm non replaceable
<b>Canopy</b>	Color: White, Material: Plastic Ø: 12,5 cm, H: 8,5 cm
<b>Light source</b>	E27, Max. 15W, Excl. light source,
<b>Features</b>	Mouthblown glass



### Cafe 20 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 33 cm, Shade Ø: 20 cm, Shade H: 20 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Clear 180 cm non replaceable
<b>Canopy</b>	Color: White, Material: Plastic Ø: 7,9 cm, H: 8,3 cm
<b>Light source</b>	E27, Max. 15W, Excl. light source,
<b>Features</b>	Mouthblown glass



### Cafe 25 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 38 cm, Shade Ø: 25 cm, Shade H: 25 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Clear 180 cm non replaceable
<b>Canopy</b>	Color: White, Material: Plastic Ø: 7,9 cm, H: 8,3 cm
<b>Light source</b>	E27, Max. 25W, Excl. light source,
<b>Features</b>	Mouthblown glass



### Cafe 30 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 44 cm, Shade Ø: 30 cm, Shade H: 30 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: Clear 180 cm non replaceable
<b>Canopy</b>	Color: White, Material: Plastic Ø: 7,9 cm, H: 8,3 cm
<b>Light source</b>	E27, Max. 25W, Excl. light source,
<b>Features</b>	Mouthblown glass







### Parson Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 15 cm, D: 23 cm, Shade Ø: 11,5 cm, Base mount: Ø8,5 cm Tilt angle: 330°
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 180 cm replaceable Switch on cable
<b>Light source</b>	E14, Max. 25W, Excl. light source,
<b>Features</b>	Modern style, Mouthblown glass




### Parson SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	L: 36,5 cm, D: 25,5 cm, Shade Ø: 11,5 cm, Base mount: Ø9 cm Tilt angle: 330°
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	E14, Max. 2X25W, Excl. light source,
<b>Features</b>	Modern style, Mouthblown glass



### Parson SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	L: 52,5 cm, D: 25,5 cm, Shade Ø: 11,5 cm, Base mount: Ø9 cm Tilt angle: 330°
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	E14, Max. 3X25W, Excl. light source,
<b>Features</b>	Modern style, Mouthblown glass




# Nature

A big trend being played out across the whole interior design sphere is the nature theme. This trend contributes to a more down to earth and slow living lifestyle. The “back to nature” style is on-trend and we embrace this trend with materials such as bamboo, wood and translucent porcelain and with additional focus on organic shapes and more subdued colors. The soft round shapes have an ease about them that melds wonderfully with the Nordic décor and creates a soothing atmosphere.

# Meet Blossom



no. 2010053001




no. 2010073001

Blossom is characterized by its organic shape and grooved matte surface, which gives associations to beautiful flowers blooming. The series is made of the finest translucent porcelain that allows a soft and comfortable light to shine into the room.



# Meet Hang



no. 2010013001 white  
no. 2010013010 grey  
no. 2010013059 terracotta

Decorative bulbs are an incredibly popular trend, and with Hang socket, the decorative bulb gets a beautiful wrapping in a socket of porcelain with an elegant graphic pattern.

The organic shape and structure in the porcelain results in a beautiful lamp that creates a cozy atmosphere.





### Blossom 17 Pendant

<b>Masterbox</b>	Qty 6
<b>Size</b>	W: 17,5 cm, L: 17,5 cm, Shade Ø: 17,5 cm, Shade H: 25,5 cm
<b>Material</b>	Porcelain
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: White 200 cm non replaceable
<b>Canopy</b>	Color: White, Material: Plastic Ø: 12,2 cm, H: 8,5 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Nature style, Organic shape in translucent porcelain, Beautiful alone, in a cluster or in a window

### Blossom 22 Pendant

<b>Masterbox</b>	Qty 4
<b>Size</b>	W: 21,6 cm, L: 21,6 cm, Shade Ø: 21,6 cm, Shade H: 27,7 cm
<b>Material</b>	Porcelain
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: White 200 cm non replaceable
<b>Canopy</b>	Color: White, Material: Plastic Ø: 12,3 cm, H: 8,7 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Nature style, Organic shape in translucent porcelain, Beautiful alone, in a cluster or in a window



### Hang Pendant

<b>Masterbox</b>	Qty 6
<b>Size</b>	Shade Ø: 5,2 cm, Shade H: 9 cm
<b>Material</b>	Porcelain
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: White/Black 200 cm non replaceable
<b>Canopy</b>	Color: White/Black, Material: Plastic Ø: 12,2 cm, H: 8,5 cm
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Nature style, Porcelain with nice graphic pattern, Natural earthy colors Please see our decorative bulbs from page 294





White  
45875001



Black  
45875003



White  
45883001



Black  
45883003

### Siv Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 10,3 cm, Ø: 6 cm
<b>Material</b>	Marble
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White/Black 180 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Nature style

Please see our decorative bulbs from page 294

### Siv Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 10 cm, Ø: 6 cm
<b>Material</b>	Marble
<b>IP Class</b>	IP20, Class 1
<b>Cable</b>	Textile cable: White/Black 270 cm non replaceable
<b>Canopy</b>	Color: White/Black, Material: Metal Ø: 8,5 cm, H: 2,5 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Nature style

Please see our decorative bulbs from page 294



White  
14093501

White  
14094001

White  
14094801

### Rispapier 35 Pendant

<b>Masterbox</b>	Qty 12
<b>Size</b>	Shade Ø: 35 cm
<b>Material</b>	Paper
<b>IP Class</b>	IP20
<b>Light source</b>	Max. 60W Excl. suspension (no. 0100001)


### Rispapier 40 Pendant

<b>Masterbox</b>	Qty 12
<b>Size</b>	Shade Ø: 40 cm
<b>Material</b>	Paper
<b>IP Class</b>	IP20
<b>Light source</b>	Max. 60W Excl. suspension (no. 0100001)


### Rispapier 48 Pendant

<b>Masterbox</b>	Qty 12
<b>Size</b>	Shade Ø: 48 cm
<b>Material</b>	Paper
<b>IP Class</b>	IP20
<b>Light source</b>	Max. 60W Excl. suspension (no. 0100001)

# Meet Trinidad



no. 2011123015



no. 2011135015

The Trinidad series is made of the beautiful and natural bamboo material, which brings the nature into the interior in the finest way. The braided pattern of bamboo is handmade and provides a decorative light pattern in the room as the light shines through the braided bamboo beams, thus creating a warm and cozy atmosphere.





NEW



Nature (brown)  
2011123015



### Trinidad Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 28 cm, W: 35 cm, L: 35 cm, Ø: 35 cm
<b>Material</b>	Bamboo
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White 200 cm non replaceable
<b>Canopy</b>	Color: White, Material: Plastic Ø: 12,5 cm, H: 8,5 cm
<b>Light source</b>	E27, Max. 25W, Excl. light source,
<b>Features</b>	Nature style, Handmade

NEW



Nature (brown)  
2011135015



### Trinidad Table

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 25 cm, W: 19 cm, L: 19 cm, Ø: 19 cm
<b>Material</b>	Bamboo
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White 150 cm non replaceable Switch on cable
<b>Light source</b>	E27, Max. 15W, Excl. light source,
<b>Features</b>	Nature style, Handmade



### Chino 25 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 23 cm, Shade Ø: 25 cm
<b>Material</b>	Wood
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 250 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 11,8 cm, H: 5,8 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Nature style

### Chino 30 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 26 cm, Shade Ø: 30 cm
<b>Material</b>	Wood
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 250 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 11,8 cm, H: 5,8 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Nature style



### Chino 40 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 34 cm, Shade Ø: 40 cm
<b>Material</b>	Wood
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 250 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 11,8 cm, H: 5,8 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Nature style



### Tribeca 24 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	Shade Ø: 24 cm, Shade H: 30 cm
<b>Material</b>	Wood
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 300 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 11,7 cm, H: 6 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Nature style



### Tribeca 38 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	Shade Ø: 38 cm, Shade H: 30 cm
<b>Material</b>	Wood
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 300 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 11,7 cm, H: 6 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Nature style



### Groa 30 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 35,5 cm, Shade Ø: 31 cm
<b>Material</b>	Wood
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 300 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 11,8 cm, H: 5,8 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Nature style



### Groa 40 Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 47 cm, Shade Ø: 41,5 cm
<b>Material</b>	Wood
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Textile cable: Black 300 cm non replaceable
<b>Canopy</b>	Color: Black, Material: Plastic Ø: 11,8 cm, H: 5,8 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Nature style








# Bathroom

In the overall offer of DOMESTIC LIGHTING is besides outdoor lighting also BATHROOM LIGHTING a category with very specific safety regulations. Therefore NORDLUX is designing and producing BATHROOM SAFE LIGHTING specific for the different zones in the bathroom and taking all strict regulations for this type of lighting into consideration for typical wet areas with moisture, steam and flowing water!

In most countries, the bathroom lighting zones are divided into four zones - zone 0, zone 1, zone 2 and outside those zones. Please note that the regulations are guiding and can vary depending the country where you live.

The new concept BATHE IN LIGHT will combine now all those safety regulations with contemporary LED technology as CCT (Color Changing Temperature), night light, sensor, dimming just by using your standard wall switch (so no new installations necessary), RA/CRI90 (natural light), etc.


Forget all stress and BATHE IN LIGHT in your own bathroom ...



- 
**0 IP68**  
CI III
- 
**1 IP65**
- 
**2 IP44-IP65**

# Otis

BATHE IN LIGHT



Otis 40 2015401001 white - Otis 40 2015401033 chrome - Otis 40 2015401055 brushed nickel  
Otis 60 2015411001 white - Otis 60 2015411033 chrome - Otis 60 2015411055 brushed nickel



**On/Off and night light operated by standard wall switch**

**2-Step MOODMAKER™ switch**

1<sup>st</sup> Switch both Downlight and side/night light on 1300/1650lm

2<sup>nd</sup> Switch just the side/night light on 20/35lm

**RA90 – Natural Light**

**Memory & reset function when the light is turned off/on 5 times**

**Rotating reflector and adjustable depth (telescopic)**


**Vertical and horizontal installation**

**Cabinet bracket included**



# Helva Double

BATHE IN LIGHT



Helva Double 2015321033 chrome - Helva Double 2015321055 brushed nickel



**On/Off operated by standard wall switch**

**2-Step MOODMAKER™ scene select (touch)**

Short touch to switch between 3000K and 4000K (Kelvin) (Color Change Temperature)





Long touch to dim 0-100%-0% (Lumen), 3 seconds for full dimming cycle

**RA90 – Natural Light**

**Memory & reset function by 0,5 seconds program logic**


**Vertical and horizontal installation**

**Cabinet bracket included**



# Helva Double Basic

BATHE IN LIGHT



Helva Double Basic 2015311001 white - Helva Double Basic 2015311003 black



On/Off operated by standard wall switch

RA90 – Natural Light

Vertical and horizontal installation

Cabinet bracket included



# Helva Night

BATHE IN LIGHT



Helva Night 2015301001 white - Helva Night 2015301033 chrome



**On/Off operated by standard wall switch**

**2-Step MOODMAKER™ touch**

1<sup>st</sup> Touch both up & down light on 600lm (450lm + 150lm)

2<sup>nd</sup> Touch only night light on 60lm

**RA90 – Natural Light**


**Memory & reset function**





# Hester

BATHE IN LIGHT



Hester 2015391001 white - Hester 2015391003 black - Hester 2015391033 chrome



**On/Off and night light operated by standard wall switch**

**3-Step MOODMAKER™ switch**

1<sup>st</sup> Switch on 100% light (900lm)


2<sup>nd</sup> Switch on 50% light (450lm)

3<sup>rd</sup> Switch on night light (60lm)

**RA90 – Natural Light**

**Memory & reset function when the light is tuned off/on 5 times**

**Tempered frosted cutted glass**



# Oja IP54 Scene Select

BATHE IN LIGHT



Oja IP54 Scene Select 29 2015066103 black - Oja IP54 Scene Select 29 2015066133 white + chrome ring



Oja IP54 Scene Select 29 2015026103 black - Oja IP54 Scene Select 29 2015026133 white + chrome ring



Oja IP54 Scene Select 42 2015116103 black - Oja IP54 Scene Select 42 2015116133 white + chrome ring



**On/Off and special features operated by standard wall switch**

**3-Step MOODMAKER™ scene select (switch)**

1<sup>st</sup> Switch on 100% 4000 Kelvin

2<sup>nd</sup> Switch on 100% 3000 Kelvin

3<sup>rd</sup> Switch on 20% 3000 Kelvin (night light)

**Memory & reset function when the light is tuned off/on 5 times**


**Easy twist lock connection & easy installation by 1 person**

**White version with detachable chrome ring, 2 colors in one product**



# Noxy

BATHE IN LIGHT



Noxy 2015356101 white + black and chrome ring  
Noxy 2015356103 black + aluminium and brushed brass ring



**On/Off and special features operated by standard wall switch**

**3-Step MOODMAKER™ scene select (switch)**

1st Switch on 100% 4000 Kelvin

2nd Switch on 100% 3000 Kelvin

3rd Switch on 100lm 3000 Kelvin (night light)

**RA90 – Natural Light**

**Night light only backwards to the ceiling (indirect light effect)**


**Memory & reset function when the light is tuned off/on 5 times**

**Easy twist lock connection & easy installation by 1 person**



# Theros

BATHE IN LIGHT



Theros 2015376101 chrome



**On/Off and special features operated by standard wall switch**

**3-Step MOODMAKER™ scene select (switch)**

1<sup>st</sup> Switch on 100% 4000 Kelvin

2<sup>nd</sup> Switch on 100% 3000 Kelvin

3<sup>rd</sup> Switch on 100lm 3000 Kelvin (night light)

**RA90 – Natural Light**

**Night light only backwards to the ceiling (indirect light effect)**

**Memory & reset function when the light is tuned off/on 5 times**

**Easy twist lock connection & easy installation by 1 person**






# Montone IP44 Sensor

BATHE IN LIGHT



Montone 33 IP44 Sensor 2015226101 white



Montone 36 IP44 Sensor 2015236101 white



On/Off operated by standard wall switch

**PASSIVE INFRARED SENSOR**

Sensor 3-2.000 Lux (adjustable)

Sensor time min. 3-10 sec. Max. 1-12 min.

Sensor radius wall mounted 5-15m (adjustable)

Sensor radius ceiling mounted 1-8m (adjustable)


Optimal height wall mounted 1.5-3.5m

Optimal height ceiling mounted 2-6m



# Mahi IP65 1-Kit Downlight

BATHE IN LIGHT



Mahi IP65 2015430101 white - Mahi IP65 2015430103 black - Mahi IP65 2015430155 brushed nickel



On/Off operated by standard wall switch

3-Step MOODMAKER™ dim

1<sup>st</sup> Switch on 100% light (621lm)

2<sup>nd</sup> Switch on 55% light (345lm)

3<sup>rd</sup> Switch on 35% light (230lm)

Memory & reset function

External connector driver included

Easy connect

Inter connectable


180







White  
2015401001




White  
2015411001

### Otis 40 Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 7,2 cm, W: 14,6 cm, L: 40 cm, D: 7,2 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP44, Class 2
<b>Light source</b>	Fixed LED, Incl. 13W LED, Lumen 1.300, Kelvin 3000, Life hours 25.000, RA 90, Not dimmable
<b>Features</b>	2-Step MOODMAKER by wall switch: 100%-night light, Night Light Function 20lm memory, Cabinet bracket included, 5 year LED guarantee

### Otis 60 Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 7,2 cm, W: 14,6 cm, L: 60 cm, D: 7,2 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP44, Class 2
<b>Light source</b>	Fixed LED, Incl. 16W LED, Lumen 1.650, Kelvin 3000, Life hours 25.000, RA 90, Not dimmable
<b>Features</b>	2-Step MOODMAKER by wall switch: 100%-night light, Night Light Function 35lm memory, Cabinet bracket included, 5 year LED guarantee



White  
2015430101

Brushed Nickel  
2015430155



White  
2015391001



Chrome  
2015391033

### Mahi Downlight

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 4,5 cm, W: 8,5 cm, L: 8,5 cm
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP65, Class 2
<b>Light source</b>	Fixed LED, Incl. 8,5W LED, Lumen 621, Kelvin 3000, Candela 310, Life hours 20.000, RA 80, Beam angle 100°, Not dimmable
<b>Features</b>	3-Step MOODMAKER dim 100%-55%-35% 621/345/23lm, Inter Connectable, Easy Connect, 5 year LED guarantee

### Hester Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 25,6 cm, W: 9 cm, L: 20 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP44, Class 2
<b>Light source</b>	Fixed LED, Incl. 9W LED, Lumen 900, Kelvin 3000, Life hours 25.000, RA 90, Not dimmable
<b>Features</b>	3-Step MOODMAKER by wall switch: 100%-50%-20%, Night Light 60lm memory, Tempered frosted cutted glass, 5 year LED guarantee



### Helva Double Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 10,5 cm, W: 5,7 cm, L: 42,5 cm, D: 10,5 cm
<b>Material</b>	Plastic/Plastic
<b>IP Class</b>	IP44, Class 2
<b>Light source</b>	Fixed LED, Incl. 9W LED, Lumen 900, Kelvin 3000/4000, Life hours 25.000, RA 90, Not dimmable
<b>Features</b>	2-Step MOODMAKER scene select 3000K/4000K+dim, Stepless touch dimmer memory, Cabinet bracket included, 5 year LED guarantee.




### Helva Night Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 10,5 cm, W: 5,7 cm, L: 26,9 cm, D: 10,5 cm
<b>Material</b>	Plastic/Plastic
<b>IP Class</b>	IP44, Class 2
<b>Light source</b>	Fixed LED, Incl. 6.5W LED, Lumen 600, Kelvin 3000, Life hours 25.000, RA 90, Not dimmable
<b>Features</b>	2-Step MOODMAKER touch full+night light memory, Night light 60lm, Touch switch, 5 year LED guarantee



### Helva Double Basic Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 10,5 cm, W: 5,7 cm, L: 42,5 cm, D: 10,5 cm
<b>Material</b>	Plastic/Plastic
<b>IP Class</b>	IP44, Class 2
<b>Light source</b>	Fixed LED, Incl. 9W LED, Lumen 900, Kelvin 3000, Life hours 25.000, RA 90, Not dimmable
<b>Features</b>	ON/OFF switch, Cabinet bracket included, Vertical/horizontal installation possible, 5 year LED guarantee



### Noxy Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 5,1 cm, W: 35 cm, L: 35 cm, D: 5,1 cm
<b>Material</b>	Plastic/Aluminium
<b>IP Class</b>	IP44, Class 2
<b>Light source</b>	Fixed LED, Incl. 15W LED, Lumen 1.650, Kelvin 3000-4000, Life hours 25.000, RA 90, Not dimmable
<b>Features</b>	3-Step MOODMAKER 3000K/4000K+night light by switch, Back Night Light Function 100lm memory, 2 Detachable rings included, 5 year LED guarantee



NEW

2

White  
2015226101



NEW

2

White  
2015236101




### Montone IP44 Sensor 33 Ceiling

- Masterbox** Qty 3
- Size** H: 9,6 cm, W: 33 cm, L: 33 cm, D: 9,6 cm, Shade Ø: 33 cm
- Material** Metal/Plastic
- IP Class** IP44, Class 1
- Light source** Fixed LED, Incl. 18W LED,  
Lumen 2.000, Kelvin 3000, Life hours 30.000, RA 80,  
Beam angle 120°, Not dimmable
- Features** PIR movement SENSOR INSIDE, Adjustable sensor: lux, time  
sec./min. & radius, 5 year LED guarantee

### Montone IP44 Sensor 36 Ceiling

- Masterbox** Qty 3
- Size** H: 10 cm, W: 36 cm, L: 36 cm, D: 10 cm, Shade Ø: 36 cm
- Material** Metal/Plastic
- IP Class** IP44, Class 1
- Light source** Fixed LED, Incl. 24W LED,  
Lumen 2.400, Kelvin 3000, Life hours 30.000, RA 80,  
Beam angle 120°, Not dimmable
- Features** PIR movement SENSOR INSIDE, Adjustable sensor: lux, time  
sec./min. & radius, 5 year LED guarantee



NEW

2

Chrome  
2015376101



NEW

2

White + chrome ring  
2015066133



Black  
2015066103

### Theros Ceiling

- Masterbox** Qty 3
- Size** H: 4,8 cm, W: 35 cm, L: 35 cm, D: 4,8 cm
- Material** Plastic/Aluminium
- IP Class** IP44, Class 2
- Light source** Fixed LED, Incl. 15W LED,  
Lumen 1.650, Kelvin 3000/4000, Life hours 25.000, RA 90,  
Not dimmable
- Features** 3-Step MOODMAKER 3000K/4000K+night light by switch,  
Back Night Light Function 100lm memory, Easy Twist  
installation, 5 year LED guarantee

### Oja Square 29 IP54 3000/4000K Ceiling


- Masterbox** Qty 3
- Size** H: 2,3 cm, W: 29,4 cm, L: 29,4 cm, D: 2,3 cm
- Material** Plastic/Plastic
- IP Class** IP54, Class 2
- Light source** Fixed LED, Incl. 14,5W LED,  
Lumen 1.600, Kelvin 3000/4000, Life hours 30.000, RA 80,  
Beam angle 120°, Not dimmable
- Features** 3-Step MOODMAKER 3000K/4000K+night light by switch,  
Night light on 20% with back light effect, Memory & reset  
function, 5 year LED guarantee





### Oja 29 IP54 3000/4000K Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 2,3 cm, W: 29,4 cm, L: 29,4 cm, D: 2,3 cm, Shade Ø: 29,4 cm
<b>Material</b>	Plastic/Plastic
<b>IP Class</b>	IP54, Class 2
<b>Light source</b>	Fixed LED, Incl. 14,5W LED, Lumen 1.600, Kelvin 3000/4000, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	3-Step MOODMAKER 3000K/4000K+night light by switch, Night light on 20% with back light effect, Memory & reset function, 5 year LED guarantee



### Oja 42 IP54 3000/4000K Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 2,3 cm, W: 42,4 cm, L: 42,4 cm, D: 2,3 cm, Ø: 42,4 cm
<b>Material</b>	Plastic/Plastic
<b>IP Class</b>	IP54, Class 2
<b>Light source</b>	Fixed LED, Incl. 19W LED, Lumen 2.100, Kelvin 3000/4000, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	3-Step MOODMAKER 3000K/4000K+night light by switch, Night light on 20% with back light effect, Memory & reset function, 5 year LED guarantee



### Oja 29 IP54 2700K Dim Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 2,3 cm, Ø: 29,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP54, Class 2
<b>Light source</b>	Fixed LED, Incl. 17W LED, Lumen 1.550, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 120°, Dimmable
<b>Features</b>	Stepless dimmable 0-100% by wall dimmer excl., Back light effect, Easy twist lock connection & easy installation by 1 person, 5 year LED guarantee



### Oja 29 IP54 2700K Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 2,3 cm, Ø: 29,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP54, Class 2
<b>Light source</b>	Fixed LED, Incl. 18W LED, Lumen 1.600, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Ultra flat design, Back light effect, Easy twist lock connection & easy installation by 1 person, 5 year LED guarantee



White  
50056101

### Oja 42 IP54 2700K Dim Ceiling

- Masterbox** Qty 3
- Size** D: 2,3 cm, Ø: 42,4 cm
- Material** Plastic
- IP Class** IP54, Class 2
- Light source** Fixed LED, Incl. 24W LED, Lumen 2.150, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 120°, Dimmable
- Features** Stepless dimmable 0-100% by wall dimmer excl., Back light effect, Easy twist lock connection & easy installation by 1 person, 5 year LED guarantee



White  
78511001

### IP S4 SpotLight by Bønnelycke mdd

- Masterbox** Qty 3
- Size** D: 11 cm, Ø: 10 cm, Base mount: Ø 9,8 cm  
Tilt angle: 20°
- Material** Metal/Plastic
- IP Class** IP44, Class 2
- Light source** GU10, Max. 8W LED, Excl. light source,
- Features** Ideally suited for combination with NORDLUX SMART, Also ideal to install in other indoor rooms



Brushed steel  
78511032



White  
78521001

### IP S5 Bathroom by Bønnelycke mdd

- Masterbox** Qty 3
- Size** H: 11 cm, D: 15 cm, Ø: 10 cm, Base mount: 7,8 x 5,7 cm  
Tilt angle: 20°
- Material** Metal/Plastic
- IP Class** IP44, Class 2
- Light source** GU10, Max. 8W LED, Excl. light source,
- Features** Ideally suited for combination with NORDLUX SMART, Also ideal to install in other indoor rooms



Brushed steel  
78531032

### IP S6 Bathroom by Bønnelycke mdd

- Masterbox** Qty 3
- Size** H: 18 cm, D: 19 cm, Shade Ø: 12,1 cm, Shade H: 10,5 cm,  
Base mount: Ø 8,5 cm
- Material** Metal/Plastic
- IP Class** IP44, Class 2
- Light source** GU10, Max. 8W SMD LED, Excl. light source,
- Features** Ideally suited for combination with NORDLUX SMART, Adjustable reflector, Also ideal to install in other indoor rooms



White  
78531001



### IP S9 Bathroom by Bjørn + Balle

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 7,7 cm, Ø: 25 cm
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	Fixed LED, Incl. 12W LED, Lumen 960, Kelvin 3000, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	2 Detachable rings included, 5 year LED guarantee




### IP S10 Bathroom by Bønnelycke mdd

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 17 cm, Shade Ø: 30 cm, Base mount: Ø 14 cm
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP44, Class 2
<b>Cable</b>	Cable: White 180 cm replaceable Switch on fixture
<b>Light source</b>	Fixed LED, Incl. 8W LED, Lumen 630, Kelvin 3000, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	The mirror has 3x magnification, Adjustable mirror, 5 year LED guarantee



### IP S12 Bathroom by Bønnelycke mdd

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 9 cm, W: 8,5 cm, D: 10,5 cm, Base mount: 8,5 x 9 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP44, Class 2
<b>Light source</b>	Fixed LED, Incl. 5W LED, Lumen 400, Kelvin 3000, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Adjustable reflector, Also ideal to install in other indoor rooms, 5 year LED guarantee



### IP S13 Bathroom by Bønnelycke mdd

<b>Masterbox</b>	Qty 3
<b>Size</b>	L: 40,3 cm, D: 11,8 cm, Base mount: Ø9 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP44, Class 2
<b>Light source</b>	Fixed LED, Incl. 5.6W LED, Lumen 406, Kelvin 3000, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Adjustable reflector, Also ideal to install as picture light, 5 year LED guarantee






2



White  
83071001

Brushed steel  
83071032



2



White  
84531001

Chrome  
84531033

### IP S13 Bathroom by Bønnelycke mdd

- Masterbox** Qty 3
- Size** L: 60,3 cm, D: 11,8 cm, Base mount: Ø9 cm
- Material** Metal/Plastic
- IP Class** IP44, Class 2
- Light source** Fixed LED, Incl. 6.3W LED, Lumen 443, Kelvin 3000, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable
- Features** Adjustable reflector, Also ideal to install as picture light, 5 year LED guarantee

### IP S16 Bathroom by Bønnelycke mdd

- Masterbox** Qty 3
- Size** H: 7 cm, L: 59,5 cm, D: 6 cm
- Material** Metal/Plastic
- IP Class** IP44, Class 2
- Light source** Fixed LED, Incl. 7W+9W LED, Lumen 1.100, Kelvin 3000, Life hours 20.000, RA 80, Beam angle 120°, Dimmable
- Features** Up & down light effect 450-650lm, Stepless dimmable 0-100% by wall dimmer excl., Also ideal to install in other indoor rooms, 5 year LED guarantee



2

Brushed steel  
17131032



2

Chrome  
17141029



Brushed steel  
17141032

### Tangens Bathroom

- Masterbox** Qty 3
- Size** H: 18,5 cm, W: 6 cm, D: 9,5 cm, Shade Ø: 6 cm, Base mount: 6 x 6 cm
- Material** Glass/Metal
- IP Class** IP44, Class 2
- Light source** E14, Max. 40W, Excl. light source,
- Features** Ideally suited for combination with NORDLUX SMART, Manually blown frosted glass

### Tangens Bathroom


- Masterbox** Qty 3
- Size** H: 6 cm, W: 31 cm, D: 9,5 cm, Shade Ø: 6 cm, Base mount: 6 x 6 cm
- Material** Glass/Metal
- IP Class** IP44, Class 2
- Light source** E14, Max. 2X25W, Excl. light source,
- Features** Ideally suited for combination with NORDLUX SMART, Manually blown frosted glass, Vertical/horizontal installation possible



Chrome  
62329933

## Marina Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 14 cm, W: 8,6 cm, D: 15 cm, Shade Ø: 5,5 cm, Base mount: 5,5 x 5,5 cm
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP44, Class 2
<b>Light source</b>	G9, Max. 40W, Excl. light source,




# Functional

The 20/21 functional collection reflects how the constant development of technology creates new opportunities for offering products, that makes everyday life easier and better with lighting. At Nordlux we aim to lift people's quality of life with light and therefore this year's functional collection is based on flexibility and functionality.


This year's collection emphasizes our dedication to creating functional products with the right balance between high quality and low prices. Our functional products have a long lifetime and contains some of the leading LED technology, however, we also focus on creating lamps that are able to do more than just light up the room. This is possible because of the combination of our own production, own research and development team consisting of professional engineers and collaboration with different world-class suppliers.

Therefore, this year's collection embraces that functional lighting should be a beautiful as well as functional part of the interior design.

# Fallon 1-kit small/long build on spot



Fallon 47540101 white - Fallon 47540103 black - Fallon 47540132 white/brushed steel



Fallon Long 47540101 white - Fallon Long 47540103 black - Fallon Long 47540132 white/brushed steel

## On/Off and special features operated by standard wall switch

### 4-Step MOODMAKER™ switch

1<sup>st</sup> Switch on both rings (in & out)

2<sup>nd</sup> Switch on inner ring 100%

3<sup>rd</sup> Switch on inner ring 50%

4<sup>th</sup> Switch on outer ring

**Parallel connection possible**

**Memory & reset**

**Connector block included**






# Oja IP20 Scene Select



Oja 29 Scene Select IP20 2015056101 white - Oja 29 Scene Select IP20 2015056155 white + brushed nickel ring



Oja 29 Scene Select IP20 2015016101 white - Oja 29 Scene Select IP20 2015016155 white + brushed nickel ring



Oja 42 Scene Select IP20 2015106101 white - Oja 42 Scene Select IP20 2015106155 white + brushed nickel ring

**On/Off and special features operated by standard wall switch**

**3-Step MOODMAKER™ scene select (switch)**

1<sup>st</sup> Switch on 100% 4000 Kelvin

2<sup>nd</sup> Switch on 100% 3000 Kelvin


3<sup>rd</sup> Switch on 20% 3000 Kelvin (night light)

**Memory & reset function when the light is tuned off/on 5 times**


**Easy twist lock connection & easy installation by 1 person**

**White version with detachable brushed nickel ring, 2 colors in one product**


**OJA is also available as Smart Light, see page 327**




# Montone IP20 - New generation




Montone 28 IP20 49976101 white



Montone 25 IP20 49936101 white



Montone 30 IP20 49956101 white




Montone 36 IP20 2015206101 white


On/Off operated by standard wall switch  
High lumen 800 – 2.000 lumen




# Montone IP44 - New generation




Montone 18 IP44 2015156101 white



Montone 25 IP44 2015176101 white



Montone 30 IP44 2015196101 white




Montone 36 IP44 2015216101 white


On/Off operated by standard wall switch  
High lumen 500 – 2.000 lumen



# Bity under cabinet



Bity 40 2015486101 white - Bity 40 2015486154 silver




Bity 55 2015496101 white - Bity 55 2015496154 silver

On/Off operated by PIR hand movement (motion) sensor  
Installation brackets included  
Rear cable entry





# Latona under cabinet



Latona 47416101 white



Latona 47426101 white



Latona 47436101 white

**On/Off operated by switch on body**  
**2-Step MOODMAKER™ scene select (switch)**


1<sup>st</sup> Switch on 3000 Kelvin

2<sup>nd</sup> Switch on 4000 Kelvin

**Parallel connection possible**



# Kitchenio under cabinet



Kitchenio 1-KIT 2015450101 white - Kitchenio 1-KIT 2015450103 black - Kitchenio 1-KIT 2015450155 brushed nickel  
Kitchenio 3-KIT 2015460101 white - Kitchenio 3-KIT 2015460103 black - Kitchenio 3-KIT 22015460155 brushed nickel

**On/Off operated by switch (to be installed)**

**2-Step MOODMAKER™ scene select (switch)**

1<sup>st</sup> Switch on 3000 Kelvin

2<sup>nd</sup> Switch on 4000 Kelvin

**Parallel connection possible (1-Kit)**

**Flexible installation - recessed or surface mounting (screws & double tape included)**

**Memory & reset function**


**2 or 4 wire connector block included**

**1x or 3x 60cm cable included**


**1-KIT and 3-KIT available**



# Oakland IP65 - New generation



Oakland 60 IP65 12W 47416101 white



Oakland 60 IP65 23W 47426101 white



Oakland 120 IP65 23W 47436101 white



Oakland 120 IP65 54W 47446101 white



Oakland 150 IP65 29W 47456101 white



Oakland 150 IP65 61W 47466101 white

**On/Off operated by standard wall switch**

**Parallel connection possible between 5 and 15 pieces (depending on model)**


**Twist lock**

**Easy connect**

**Centered wiring with new higher brackets (cable lead)**

**Lumen uplift**

**In and outdoor use**



# Works IP65



Works 1x9W 27386101 grey



Works 1x18W 27586101 grey



Works 2x9W 27396101 grey



Works 2x18W 27596101 grey

**On/Off operated by standard wall switch**


**Easy connect**

**In and outdoor use**





# Tiaki 1-Kit Downlight



Tiaki 49570101 white - Tiaki 49570155 brushed nickel

**On/Off and special features operated by standard wall switch**

**2-Step MOODMAKER™ scene select (switch)**

1<sup>st</sup> Switch on 2700 Kelvin (345lm)

2<sup>nd</sup> Switch on 4000 Kelvin (600lm)


**Parallel connection possible**

**Memory & reset**


**External connector block included**



# Clyde 8-15 1-Kit Downlight



Clyde 8 47500101 white



Clyde 15 47510101 white

**On/Off and special features operated by standard wall switch**

**2700K or 4000K available**

**3-Step MOODMAKER™ switch**

1<sup>st</sup> Switch on both rings (in & out)

2<sup>nd</sup> Switch on inner ring

3<sup>rd</sup> Switch on outer ring


**Parallel connection possible**

**Memory & reset**


**Connector block intergrated**



# Elkton 8-14 1-Kit Downlight



Elkton 8 47500101 white



Elkton 15 47510101 white

**On/Off and special features operated by standard wall switch**

**3-Step MOODMAKER™ switch**

1<sup>st</sup> Switch on both rings (in & out)

2<sup>nd</sup> Switch on inner ring

3<sup>rd</sup> Switch on outer ring

**Parallel connection possible**

**Memory & reset**

**Connector block intergrated**





### Oja 29 IP20 3000/4000K Ceiling

- Masterbox** Qty 3
- Size** H: 2,3 cm, W: 29,4 cm, L: 29,4 cm, D: 2,3 cm, Shade Ø: 29,4 cm
- Material** Plastic/Plastic
- IP Class** IP20, Class 2
- Light source** Fixed LED, Incl. 14,5W LED, Lumen 1.600, Kelvin 3000-4000, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable
- Features** 3-Step MOODMAKER 3000K/4000K+night light by switch, Night light on 20% with back light effect, Memory & reset function, 5 year LED guarantee

### Oja 42 IP20 3000/4000K Ceiling

- Masterbox** Qty 3
- Size** H: 2,3 cm, W: 42,4 cm, L: 42,4 cm, D: 2,3 cm, Shade Ø: 42,4 cm
- Material** Plastic/Plastic
- IP Class** IP20, Class 2
- Light source** Fixed LED, Incl. 19W LED, Lumen 2.100, Kelvin 3000-4000, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable
- Features** 3-Step MOODMAKER 3000K/4000K+night light by switch, Night light on 20% with back light effect, Memory & reset function, 5 year LED guarantee



### Oja Square 29 IP20 3000/4000K Ceiling

- Masterbox** Qty 3
- Size** H: 2,3 cm, W: 29,4 cm, L: 29,4 cm, D: 2,3 cm
- Material** Plastic/Plastic
- IP Class** IP20, Class 2
- Light source** Fixed LED, Incl. 14,5W LED, Lumen 1.600, Kelvin 3000/4000, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable
- Features** 3-Step MOODMAKER 3000K/4000K+night light by switch, Night light on 20% with back light effect, Memory & reset function, 5 year LED guarantee

### Oja 24 IP20 2700K Ceiling

- Masterbox** Qty 3
- Size** D: 2,3 cm, Ø: 24,4 cm
- Material** Plastic
- IP Class** IP20, Class 2
- Light source** Fixed LED, Incl. 15W LED, Lumen 1.250, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
- Features** Ultra flat design, Back light effect, Easy twist lock connection & easy installation, 5 year LED guarantee





### Oja 29 IP20 2700K Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 2,3 cm, Ø: 29,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 18W LED, Lumen 1.600, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Ultra flat design, Back light effect, Easy twist lock connection & easy installation, 5 year LED guarantee



### Oja 42 IP20 2700K Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 2,3 cm, Ø: 42,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 22W LED, Lumen 2.100, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Ultra flat design, Back light effect, Easy twist lock connection & easy installation, 5 year LED guarantee



### Oja IP20 2700K 3-step Dim Ceiling


<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 2,3 cm, Ø: 29,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 18W LED, Lumen 1.600, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	3-Step MOODMAKER dim 100-50-20% by wall switch, Night light on 20% with back light effect, Memory & reset function, 5 year LED guarantee



### Oja IP20 2700K 3-step Dim Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 2,3 cm, Ø: 42,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 22W LED, Lumen 2.100, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	3-Step MOODMAKER dim 100-50-20% by wall switch, Night light on 20% with back light effect, Memory & reset function, 5 year LED guarantee

\*OJA is also available as Smart Light, see page 327



### Oja 60 2700K Step-Dim Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 3,2 cm, W: 60 cm, L: 60 cm, D: 3,2 cm
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	Fixed LED, Incl. 38W LED, Lumen 3.000, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	3-Step MOODMAKER dim 100-50-20% by wall switch, Night light on 20% with back light effect memory, Memory & reset function when the light is tuned off/on 5 times, 5 year LED guarantee



### Oja 29 IP54 4000K Dim Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 2,3 cm, W: 29,4 cm, L: 29,4 cm, Ø: 29,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP54, Class 2
<b>Light source</b>	Fixed LED, Incl. 17W LED, Lumen 1.700, Kelvin 4000, Life hours 30.000, RA 80, Beam angle 120°, Dimmable
<b>Features</b>	Stepless dimmable 0-100% by wall dimmer excl., Back light effect, Easy twist lock connection & easy installation by 1 person, 5 year LED guarantee

**\*Only for Benelux & France**



### Oja 42 IP54 4000K Dim Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 2,3 cm, W: 42,4 cm, L: 42,4 cm, Ø: 42,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP54, Class 2
<b>Light source</b>	Fixed LED, Incl. 24W LED, Lumen 2.400, Kelvin 4000, Life hours 30.000, RA 80, Beam angle 120°, Dimmable
<b>Features</b>	Stepless dimmable 0-100% by wall dimmer excl., Back light effect, Easy twist lock connection & easy installation by 1 person, 5 year LED guarantee

**\*Only for Benelux & France**



### Oja 60 IP20 4000K 3-Step Dim Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 3,2 cm, Ø: 60 cm
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	Fixed LED, Incl. 38W LED, Lumen 3.400, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Dimmable
<b>Features</b>	3-Step MOODMAKER dim 100-50-20% by wall switch, Night light on 20% with back light effect, Memory & reset function, 5 year LED guarantee

**\*Only for Benelux & France**



### Oja 29 IP20 4000K 3-step Dim Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 2,3 cm, Shade Ø: 29,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 18W LED, Lumen 1.700, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	3-Step MOODMAKER dim 100-50-20% by wall switch, Night light on 20% with back light effect, Memory & reset function, 5 year LED guarantee

\*Only for Benelux & France



### Oja 42 IP20 4000K 3-Step Dim Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 2,3 cm, Shade Ø: 42,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 22W LED, Incl. 3-Step MOODMAKER TM, Lumen 2.200, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	3-Step MOODMAKER dim 100-50-20% by wall switch, Night light on 20% with back light effect, Memory & reset function, 5 year LED guarantee

\*Only for Benelux & France



### Oja 24 IP20 4000K non-dim Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 2,3 cm, Ø: 24,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 15W LED, Lumen 1.250, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Ultra flat design, Back light effect, Easy twist lock connection & easy installation by 1 person, 5 year LED guarantee

\*Only for Benelux & France



### Oja 29 IP20 4000K non-dim Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 2,3 cm, Ø: 29,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 18W LED, Lumen 1.600, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Ultra flat design, Back light effect, Easy twist lock connection & easy installation by 1 person, 5 year LED guarantee

\*Only for Benelux & France

\*OJA is also available as Smart Light, see page 327



White  
47966001

### Oja 42 IP20 4000K non-dim Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 2,3 cm, Ø: 42,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 22W LED, Lumen 2.100, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Ultra flat design, Back light effect, Easy twist lock connection & easy installation by 1 person, 5 year LED guarantee

\*Only for Benelux & France

NEW



White  
49956101

### Montone 30 2700K Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 9,5 cm, W: 30 cm, L: 30 cm, D: 9,5 cm, Ø: 30 cm, Shade Ø: 30 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	Fixed LED, Incl. 10W LED, Lumen 1.000, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	DOB: Driver-on-Board LED technology, 5 year LED guarantee



White  
49936101

### Montone 25 2700K Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 8 cm, W: 25 cm, L: 25 cm, D: 8 cm, Ø: 25 cm, Shade Ø: 25 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	Fixed LED, Incl. 8W LED, Lumen 800, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	DOB: Driver-on-Board LED technology, 5 year LED guarantee

NEW



White  
2015206101

### Montone 36 Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 10 cm, W: 36 cm, L: 36 cm, D: 10 cm, Ø: 36 cm, Shade Ø: 36 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	Fixed LED, Incl. 18W LED, Lumen 2.000, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	DOB: Driver-on-Board LED technology, 5 year LED guarantee

NEW



White  
2015156101

### Montone 18 Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 7,5 cm, W: 18 cm, L: 18 cm, D: 7,5 cm, Ø: 18 cm, Shade Ø: 18 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	Fixed LED, Incl. 5W LED, Lumen 500, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	DOB: Driver-on-Board LED technology, Ideally suited for bathroom zone 2, 5 year LED guarantee

NEW



White  
2015176101

### Montone 25 Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 8 cm, W: 25 cm, L: 25 cm, D: 8 cm, Ø: 25 cm, Shade Ø: 25 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	Fixed LED, Incl. 8W LED, Lumen 800, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	DOB: Driver-on-Board LED technology, Ideally suited for bathroom zone 2, 5 year LED guarantee

NEW



White  
2015196101

### Montone 30 Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 9,5 cm, W: 30 cm, L: 30 cm, D: 9,5 cm, Shade Ø: 30 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	Fixed LED, Incl. 10W LED, Lumen 1.000, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	DOB: Driver-on-Board LED technology, Ideally suited for bathroom zone 2, 5 year LED guarantee

NEW



White  
2015216101

### Montone 36 Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 10 cm, W: 36 cm, L: 36 cm, D: 10 cm, Shade Ø: 36 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	Fixed LED, Incl. 18W LED, Lumen 2.000, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	DOB: Driver-on-Board LED technology, Ideally suited for bathroom zone 2, 5 year LED guarantee



White  
49976101



White  
50026101



### Montone 28X28 2700K Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 9 cm, W: 28 cm, L: 28 cm, D: 9 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	Fixed LED, Incl. 13W LED, Lumen 1.000, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	5 year LED guarantee

\*Only for Benelux & France

### Montone 28 4000K Sensor Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 9 cm, Ø: 28 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	Fixed LED, Incl. 15W LED, Lumen 800, Kelvin 4000, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	5 year LED guarantee

\*Only for Benelux & France



White  
50016101



White  
45356001

### Montone 30 4000K Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 9,5 cm, Ø: 30 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	Fixed LED, Incl. 13W LED, Lumen 1.000, Kelvin 4000, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	5 year LED guarantee

\*Only for Benelux & France


### Ask 28 Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 9,5 cm, Shade Ø: 28 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	Fixed LED, Incl. 12W LED, Lumen 1.050, Kelvin 3000, Candela 192, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Ideally suited for bathroom zone 2, Matt diffusor, 5 year LED guarantee



### Ask 36 Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 10,5 cm, Shade Ø: 36 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	Fixed LED, Incl. 18W LED, Lumen 1.450, Kelvin 3000, Candela 364, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Ideally suited for bathroom zone 2, Matt diffusor, 5 year LED guarantee



### Ask 36 Sensor Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 10,5 cm, Shade Ø: 36 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	Fixed LED, Incl. 18W LED, Lumen 1.450, Kelvin 3000, Candela 364, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Microwave movement SENSOR INSIDE, Adjustable sensor: lux, time sec./min. & radius, Ideally suited for bathroom zone 2, 5 year LED guarantee



### Ask 41 Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 11,5 cm, Shade Ø: 41 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	Fixed LED, Incl. 32W LED, Lumen 3.000, Kelvin 3000, Candela 669, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Ideally suited for bathroom zone 2, Matt diffusor, 5 year LED guarantee



### Leroy 2700K Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 3,7 cm, Ø: 22 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 15W LED, Lumen 1.260, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 110°, Not dimmable
<b>Features</b>	Matt diffusor, 5 year LED guarantee



White  
47680101



White  
47906001



Grey  
47906010

### Leroy 4000K Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 3,7 cm, Ø: 22 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 15W LED, Lumen 1.400, Kelvin 4000, Life hours 30.000, RA 80, Beam angle 110°, Not dimmable
<b>Features</b>	5 year LED guarantee

\*Only for Benelux & France

### Altus 4000K Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 9 cm, Ø: 29,8 cm
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	Fixed LED, Incl. 13W LED, Lumen 900, Kelvin 4000, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	5 year LED guarantee

\*Only for Benelux & France



White  
47206001



Grey  
47206010



45606001

### Altus 2700K Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 9 cm, Ø: 29,8 cm
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	Fixed LED, Max. 4W, Incl. 13W LED, Lumen 850, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	5 year LED guarantee

### Mani 25 Ceiling

<b>Masterbox</b>	Qty 6
<b>Size</b>	D: 9,5 cm, Shade Ø: 25,5 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	Fixed LED, Incl. 12W LED, Lumen 700, Kelvin 3000, Candela 205, Life hours 30.000, RA 80, Beam angle 118°, Not dimmable
<b>Features</b>	Matt diffusor, 5 year LED guarantee





45616001

### Mani 32 Ceiling

<b>Masterbox</b>	Qty 6
<b>Size</b>	D: 10,5 cm, Shade Ø: 32,5 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	Fixed LED, Incl. 18W LED, Lumen 1.000, Kelvin 3000, Candela 297, Life hours 30.000, RA 80, Beam angle 118°, Not dimmable
<b>Features</b>	Matt diffusor, 5 year LED guarantee



White  
77656001

### Melo 28 Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 9 cm, Shade Ø: 28,5 cm
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	Fixed LED, Incl. 9W LED, Lumen 630, Kelvin 3000, Life hours 20.000, RA 80, Beam angle 130°, Not dimmable
<b>Features</b>	Upgraded generation, 5 year LED guarantee



White  
63246001

### Melo 34 Ceiling


<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 10 cm, Shade Ø: 34 cm
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	Fixed LED, Incl. 12W LED, Lumen 840, Kelvin 3000, Candela 800, Life hours 20.000, RA 80, Beam angle 130°, Not dimmable
<b>Features</b>	Upgraded generation, 5 year LED guarantee



White  
77666001

### Melo 40 Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 11 cm, Shade Ø: 40 cm
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	Fixed LED, Incl. 18W LED, Lumen 1.277, Kelvin 3000, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Upgraded generation, 5 year LED guarantee



### Melo 34 Sensor Ceiling

- Masterbox** Qty 3
- Size** D: 10 cm, Shade Ø: 34 cm
- Material** Plastic/Metal
- IP Class** IP20, Class 1
- Light source** Fixed LED, Incl. 12W LED, Lumen 840, Kelvin 3000, Life hours 20.000, RA 80, Beam angle 130°, Not dimmable
- Features** Microwave movement SENSOR INSIDE, Upgraded generation, Adjustable sensor: lux, time sec./min. & radius, 5 year LED guarantee

### Petri 30 Ceiling

- Masterbox** Qty 3
- Size** D: 9 cm, Shade Ø: 30 cm
- Material** Glass/Metal
- IP Class** IP20, Class 1
- Light source** E27, Max. 60W, Excl. light source,
- Features** Ideally suited for combination with NORDLUX SMART



### Spinner Ceiling

- Masterbox** Qty 3
- Size** D: 7 cm, Shade Ø: 28 cm
- Material** Metal/Glass
- IP Class** IP20, Class 1
- Light source** E27, Max. 60W, Excl. light source,
- Features** Ideally suited for combination with NORDLUX SMART

### Standard Ceiling

- Masterbox** Qty 3
- Size** D: 7,5 cm, Shade Ø: 25 cm
- Material** Glass/Metal
- IP Class** IP20, Class 1
- Light source** E27, Max. 60W, Excl. light source,
- Features** Ideally suited for combination with NORDLUX SMART




### Ufo Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 10,5 cm, Shade Ø: 22,5 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP44/43, Class 1
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Ideally suited for combination with NORDLUX SMART, Ideally suited for bathroom zone 2 IP44



### Ufo Maxi Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 11 cm, Shade Ø: 29,5 cm
<b>Material</b>	Glass/Metal
<b>IP Class</b>	IP44/43, Class 1
<b>Light source</b>	E27, Max. 2X40W, Excl. light source,
<b>Features</b>	Ideally suited for combination with NORDLUX SMART, Ideally suited for bathroom zone 2 IP44



### Ancona LED Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 5 cm, Shade Ø: 18,4 cm
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP43/44, Class 1
<b>Light source</b>	Fixed LED, Incl. 6W LED, Lumen 330, Kelvin 3000, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Ideally suited for bathroom zone 2 IP44, 5 year LED guarantee



### Ancona Maxi E27 Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 8 cm, Shade Ø: 31,5 cm
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP44/43, Class 1
<b>Light source</b>	E27, Max. 2X40W, Excl. light source,
<b>Features</b>	Ideally suited for combination with NORDLUX SMART



White  
25246101



Brushed steel  
25246132



White  
47540101



Black  
47540103



White/  
brushed steel  
47540132

### Ancona Maxi LED Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 9,5 cm, Shade Ø: 31,5 cm
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP43/44, Class 1
<b>Light source</b>	Fixed LED, Incl. 12W LED, Lumen 1.020, Kelvin 3000, Life hours 20.000, RA 80, Beam angle 130°, Not dimmable
<b>Features</b>	Ideally suited for bathroom zone 2 IP44, 5 year LED guarantee

### Fallon Built-On

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 6 cm, Ø: 10 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 8,5W LED, Lumen 500, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 110°, Not dimmable
<b>Features</b>	4-Step MOODMAKER dim both/inner100%-50%/outer ring, Memory & reset function, Parallel connection possible, External onnector block, 5 year LED guarantee



White  
47550101




Black  
47550103



White/  
brushed steel  
47550132


### Fallon Long Built-On

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 12 cm, Ø: 10 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 8.5W LED, Lumen 500, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 110°, Not dimmable
<b>Features</b>	4-Step MOODMAKER dim both/inner100%-50%/outer ring, Memory & reset function, Parallel connection possible, External connector block, 5 year LED guarantee



### Clyde 8 Downlight


<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 3,5 cm, Ø: 8,2 cm, Mounting min. height: 5 cm Cut-out Ø: 6,5 cm
<b>Material</b>	Plastic/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 5W LED, Incl. 3-Step MOODMAKER TM, Lumen 350, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	3-Step MOODMAKER dimmer both/inner/outer rings, Connector block included, Parallel connection possible, 5 year LED guarantee



### Clyde 8 4000K Downlight


<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 3,5 cm, Ø: 8,2 cm, Mounting min. height: 5 cm Cut-out Ø: 6,5 cm
<b>Material</b>	Plastic/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 5,5W LED, Incl. 3-Step MOODMAKER TM, Lumen 400, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee

**\*Only for Benelux & France**



### Clyde 15 Downlight


<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 3,3 cm, Ø: 14,5 cm, Mounting min. height: 5 cm Cut-out Ø: 13 cm
<b>Material</b>	Plastic/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 12W LED, Incl. 3-Step MOODMAKER TM, Lumen 350, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	3-Step MOODMAKER dimmer both/inner/outer rings, Parallel connection possible, Connector block included, 5 year LED guarantee



### Clyde 15 4000K Downlight

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 3,3 cm, Ø: 14,5 cm, Mounting min. height: 5 cm Cut-out Ø: 13 cm
<b>Material</b>	Plastic/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 12W LED, Incl. 3-Step MOODMAKER TM, Lumen 900, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee


**\*Only for Benelux & France**



White  
49570101

### Tiaki 2700K/4000K Downlight


- Masterbox** Qty 3
- Size** H: 4,5 cm, Ø: 8,5 cm, Mounting min. height: 5,5 cm
- Material** Plastic/Metal
- IP Class** IP65, Class 2
- Light source** Fixed LED, Incl. 5,7-8,6W, Lumen 345, Kelvin 2700/4000, Candela 150, Life hours 20.000, RA 80, Beam angle 100°, Dimmable
- Features** 2-Step MOODMAKER™ 2700K345lm 4000K600lm-switch, Ideally suited for bathroom zone 1-2 IP65, Parallel connection possible, 5 year LED guarantee, External connector block



White  
47520101

### Elkton 8 Downlight


- Masterbox** Qty 3
- Size** H: 4,2 cm, Ø: 8,2 cm, Mounting min. height: 5 cm  
Cut-out Ø: 6,5 cm
- Material** Plastic/Plastic
- IP Class** IP20, Class 2
- Light source** Fixed LED, Incl. 5,5W LED, Incl. 3-Step MOODMAKER™, Lumen 350, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
- Features** 3-Step MOODMAKER dimmer both/inner/outer rings, Connector block included, Parallel connection possible, 5 year LED guarantee



White  
47530101

### Elkton 14 Downlight


- Masterbox** Qty 3
- Size** H: 3,8 cm, Ø: 14,5 cm, Mounting min. height: 5 cm  
Cut-out Ø: 13 cm
- Material** Plastic/Plastic
- IP Class** IP20, Class 2
- Light source** Fixed LED, Incl. 12W LED, Incl. 3-Step MOODMAKER™, Lumen 800, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
- Features** 3-Step MOODMAKER dimmer both/inner/outer rings, Connector block included, Parallel connection possible, 5 year LED guarantee



White  
49430101

### Dorado 2700K 1-Kit Dim Downlight

- Masterbox** Qty 3
- Size** H: 3,6 cm, Ø: 8,5 cm, Mounting min. height: 4,6 cm  
Cut-out Ø: 7,2 cm
- Material** Plastic/Metal
- IP Class** IP65, Class 2
- Light source** Fixed LED, Incl. 5,5W LED, Lumen 345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 100°, Dimmable
- Features** Stepless dimmable 0-100% by wall dimmer excl., Ideally suited for bathroom zone 1-2 IP65, Parallel connection possible, 5 year LED guarantee




Chrome  
49430133



Nickel  
49430155


\*Dorado is also available as Smart Light, see page 327



### Dorado 4000K 1-Kit Dim Downlight


<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 3,6 cm, Ø: 8,5 cm, Mounting min. height: 4,6 cm Cut-out Ø: 7,2 cm
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP65, Class 2
<b>Light source</b>	Fixed LED, Incl. 5,5W LED, Lumen 380, Kelvin 4000, Life hours 20.000, RA 80, Beam angle 100°, Dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee

\*Only for Benelux & France



### Dorado 2700K 3-Kit Dim Downlight

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 3,6 cm, Ø: 8,5 cm, Mounting min. height: 4,6 cm Cut-out Ø: 7,2 cm
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP65, Class 2
<b>Light source</b>	Fixed LED, Incl. 3X5,5W LED, Lumen 3X345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 100°, Dimmable
<b>Features</b>	Ideally suited for bathroom zone 1-2 IP65, Stepless dimmable 0-100% by wall dimmer excl., Parallel connection possible, 5 year LED guarantee



### Dorado 4000K 3-Kit Dim Downlight

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 3,6 cm, Ø: 8,5 cm, Mounting min. height: 4,6 cm Cut-out Ø: 7,2 cm
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP65, Class 2
<b>Light source</b>	Fixed LED, Incl. 3X5,5W LED, Lumen 3X380, Kelvin 4000, Life hours 20.000, RA 80, Beam angle 100°, Dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee

\*Only for Benelux & France



### Dorado 2700K 3-Kit Dim Tilt Downlight

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 6,8 cm Cut-out Ø: 7,2 cm, Tilt angle: 12°
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 3X5,5W LED, Lumen 3X345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 36°, Dimmable
<b>Features</b>	Stepless dimmable 0-100% by wall dimmer excl., Connector block included, Parallel connection possible, 5 year LED guarantee

\*Dorado is also available as Smart Light, see page 327





### Dorado 4000K 3-Kit Dim Tilt Downlight

- Masterbox** Qty 3
- Size** H: 5,4 cm, Ø: 8,5 cm,  
Mounting min. height: 6,8 cm  
Cut-out Ø: 7,2 cm, Tilt angle: 12°
- Material** Plastic/Metal
- IP Class** IP20, Class 2
- Light source** Fixed LED, Incl. 3X5,5W LED,  
Lumen 3X380, Kelvin 4000, Life hours 20.000, RA 80,  
Beam angle 36°, Dimmable
- Features** Parallel connection possible, 5 year LED guarantee

\*Only for Benelux & France

### Dorado 2700K 3-Kit Dim Tilt Downlight

- Masterbox** Qty 3
- Size** H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 6,8 cm  
Cut-out Ø: 7,2 cm, Tilt angle: 12°
- Material** Plastic/Metal
- IP Class** IP20, Class 2
- Light source** Fixed LED, Incl. 3X5,5W LED,  
Lumen 3X345, Kelvin 2700, Life hours 20.000, RA 80,  
Beam angle 36°, Dimmable
- Features** Stepless dimmable 0-100% by wall dimmer excl.,  
Parallel connection possible, Connector block included,  
5 year LED guarantee



### Dorado square 4000K 3-Kit Dim Tilt Downlight



- Masterbox** Qty 3
- Size** H: 5,4 cm, Ø: 8,5 cm,  
Mounting min. height: 6,8 cm  
Cut-out Ø: 7,2 cm, Tilt angle: 12°
- Material** Plastic/Metal
- IP Class** IP20, Class 2
- Light source** Fixed LED, Incl. 3X5,5W LED,  
Lumen 3X380, Kelvin 4000, Life hours 20.000, RA 80,  
Beam angle 36°, Dimmable
- Features** Parallel connection possible, 5 year LED guarantee

\*Only for Benelux & France

### Leonis 2700K IP23 3-Kit Tilt Downlight



- Masterbox** Qty 3
- Size** H: 4,2 cm, Ø: 8,5 cm, Mounting min. height: 5,2 cm  
Cut-out Ø: 6,8 cm, Tilt angle: 15°
- Material** Plastic
- IP Class** IP23, Class 2
- Light source** Fixed LED, Incl. 3X4,5W LED,  
Lumen 345, Kelvin 2700, Life hours 20.000, RA 80,  
Beam angle 110°, Not dimmable
- Features** Parallel connection possible, 5 year LED guarantee






### Leonis 2700K IP65 3-Kit Downlight

- Masterbox** Qty 3
- Size** H: 3,6 cm, Ø: 8,5 cm, Mounting min. height: 4,6 cm  
Cut-out Ø: 6,8 cm
- Material** Plastic
- IP Class** IP65, Class 2
- Light source** Fixed LED, Incl. 3x4,5W LED,  
Lumen 345, Kelvin 2700, Life hours 20.000, RA 80,  
Beam angle 110°, Not dimmable
- Features** Ideally suited for bathroom zone 1-2 IP65,  
Parallel connection possible, Integrated connector block,  
5 year LED guarantee




### Leonis 2700K IP65 3-Kit Downlight

- Masterbox** Qty 3
- Size** H: 3,6 cm, Ø: 8,5 cm, Mounting min. height: 4,6 cm  
Cut-out Ø: 6,8 cm
- Material** Plastic
- IP Class** IP65, Class 2
- Light source** Fixed LED, Incl. 3x4,5W LED,  
Lumen 345, Kelvin 2700, Life hours 20.000, RA 80,  
Beam angle 110°, Not dimmable
- Features** Ideally suited for bathroom zone 1-2 IP65,  
Parallel connection possible, Integrated connector block,  
5 year LED guarantee



### Leonis 2700K IP65 5-Kit Downlight





- Masterbox** Qty 3
- Size** H: 3,6 cm, Ø: 8,5 cm, Mounting min. height: 4,6 cm  
Cut-out Ø: 6,8 cm
- Material** Plastic
- IP Class** IP65, Class 2
- Light source** Fixed LED, Incl. 5x4,5W LED,  
Lumen 345, Kelvin 2700, Life hours 20.000, RA 80,  
Beam angle 110°, Not dimmable
- Features** Parallel connection possible, Ideally suited for bathroom  
zone 1-2 IP65, Parallel connection possible,  
5 year LED guarantee



### Leonis 4000K IP65 3-Kit Downlight

- Masterbox** Qty 3
- Size** H: 3,6 cm, Ø: 8,5 cm,  
Mounting min. height: 4,6 cm  
Cut-out Ø: 6,8 cm
- Material** Plastic
- IP Class** IP65, Class 2
- Light source** Fixed LED, Incl. 3x4,5W LED,  
Lumen 400, Kelvin 4000, Life hours 20.000, RA 80,  
Beam angle 110°, Not dimmable
- Features** Parallel connection possible, 5 year LED guarantee

\*Only for Benelux & France







### Clarkson 2700K 3-Kit Downlight

- Masterbox** Qty 3  
**Size** H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 6,8 cm  
 Cut-out Ø: 7,2 cm  
**Material** Plastic/Metal  
**IP Class** IP65, Class 2  
**Light source** Fixed LED, Incl. 3X4,8W LED,  
 Lumen 3X345, Kelvin 2700, Life hours 20.000, RA 80,  
 Beam angle 100°, Not dimmable  
**Features** Parallel connection possible, Ideally suited for bathroom  
 zone 1-2 IP65, Parallel connection possible,  
 5 year LED guarantee

### Clarkson 2700K 3-Kit Downlight

- Masterbox** Qty 3  
**Size** H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 6,8 cm  
 Cut-out Ø: 7,2 cm  
**Material** Plastic/Metal  
**IP Class** IP65, Class 2  
**Light source** Fixed LED, Incl. 3X4,8W LED,  
 Lumen 3X345, Kelvin 2700, Life hours 20.000, RA 80,  
 Beam angle 100°, Not dimmable  
**Features** Parallel connection possible, Ideally suited for bathroom  
 zone 1-2 IP65, Parallel connection possible,  
 5 year LED guarantee



### Clarkson Round IP65 3-Kit 4000K Downlight



- Masterbox** Qty 3  
**Size** H: 5,4 cm, Ø: 8,5 cm,  
 Mounting min. height: 6,8 cm  
 Cut-out Ø: 7,2 cm  
**Material** Plastic/Metal  
**IP Class** IP65, Class 2  
**Light source** Fixed LED, Incl. 3X4,8W LED,  
 Lumen 3X380, Kelvin 4000, Life hours 20.000, RA 80,  
 Beam angle 100°, Not dimmable  
**Features** Parallel connection possible, 5 year LED guarantee

### Clarkson Square IP65 3-Kit 4000K Downlight

- Masterbox** Qty 3  
**Size** H: 5,4 cm, Ø: 8,5 cm,  
 Mounting min. height: 6,8 cm  
 Cut-out Ø: 7,2 cm  
**Material** Plastic/Metal  
**IP Class** IP65, Class 2  
**Light source** Fixed LED, Incl. 3X4,8W LED,  
 Lumen 3X380, Kelvin 4000, Life hours 20.000, RA 80,  
 Beam angle 100°, Not dimmable  
**Features** Parallel connection possible, 5 year LED guarantee



\*Only for Benelux & France

\*Only for Benelux & France





### Fremont 2700K 1-Kit Downlight

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 6,8 cm Cut-out Ø: 7,2 cm, Tilt angle: 12°
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP23, Class 2
<b>Light source</b>	Fixed LED, Incl. 5,5W LED, Lumen 345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 36°, Dimmable
<b>Features</b>	Stepless dimmable 0-100% by wall dimmer excl., Parallel connection possible, Parallel connection possible, 5 year LED guarantee



### Fremont 2700K 3-Kit Downlight

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 6,8 cm Cut-out Ø: 7,2 cm, Tilt angle: 12°
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP23, Class 2
<b>Light source</b>	Fixed LED, Incl. 3X5,5W LED, Lumen 3X345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 36°, Dimmable
<b>Features</b>	Stepless dimmable 0-100% by wall dimmer excl., Parallel connection possible, 5 year LED guarantee





### Birla Downlight

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 5,75 cm, Ø: 9,5 cm, Mounting min. height: 6 cm Cut-out Ø: 7 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP44, Class 2
<b>Cable</b>	Cable: White 20 cm replaceable
<b>Light source</b>	Fixed LED, Incl. 6W LED, Lumen 600, Kelvin 3000, Candela 258, Life hours 30.000, RA 80, Beam angle 90°, Dimmable
<b>Features</b>	Can be mounted directly into insulation, Parallel connection possible, IP44 - In and outdoor use, Can be mounted directly in the insulation, 5 year LED guarantee

### Roar Dim Tilt Downlight

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 4,4 cm, Ø: 8,5 cm, Mounting min. height: 7 cm Cut-out Ø: 6,8 cm, Tilt angle: 30°
<b>Material</b>	Plastic
<b>IP Class</b>	IP23, Class 2
<b>Cable</b>	Cable: White 20 cm replaceable
<b>Light source</b>	Fixed LED, Incl. 6W LED, Lumen 550, Kelvin 3000, Candela 797, Life hours 30.000, RA 80, Beam angle 40°, Dimmable
<b>Features</b>	Parallel connection possible, Can be mounted directly into insulation, 5 year LED guarantee



### Apollo IP23 2700K 1-Kit Dim Tilt Downlight


<b>Masterbox</b>	Qty 10
<b>Size</b>	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 6,8 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP23, Class 2
<b>Light source</b>	Fixed LED, Incl. 4,8W LED, Lumen 345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 36°, Dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee

\*Only for Benelux & France

### Apollo IP23 2700K 3-Kit Tilt Downlight

<b>Masterbox</b>	Qty 10
<b>Size</b>	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 6,8 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP23, Class 2
<b>Light source</b>	Fixed LED, Incl. 3X4,8W LED, Lumen 3X345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 36°, Not dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee

\*Only for Benelux & France



### Apollo IP23 4000K 3-Kit Tilt Downlight



<b>Masterbox</b>	Qty 10
<b>Size</b>	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 6,8 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP23, Class 2
<b>Light source</b>	Fixed LED, Incl. 3X4,8W LED, Lumen 3X380, Kelvin 4000, Life hours 20.000, RA 80, Beam angle 36°, Not dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee

\*Only for Benelux & France

### Apollo IP23 4000K 5-Kit Tilt Downlight

<b>Masterbox</b>	Qty 10
<b>Size</b>	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 6,8 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP23, Class 2
<b>Light source</b>	Fixed LED, Incl. 5x4,8W LED, Lumen 380, Kelvin 4000, Life hours 20.000, RA 80, Beam angle 36°, Not dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee

\*Only for Benelux & France



### Apollo IP23 2700K 5-Kit Tilt Downlight



<b>Masterbox</b>	Qty 10
<b>Size</b>	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 6,8 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP23, Class 2
<b>Light source</b>	Fixed LED, Incl. 5x4,8W LED, Lumen 345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 36°, Not dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee

\*Only for Benelux & France

### Apollo IP65 2700K 3-Kit Downlight

<b>Masterbox</b>	Qty 10
<b>Size</b>	H: 3,6 cm, Ø: 8,5 cm, Mounting min. height: 5,4 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP65, Class 2
<b>Light source</b>	Fixed LED, Incl. 3X4,8W LED, Lumen 3X345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 36°, Not dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee

\*Only for Benelux & France



### Apollo IP65 2700K 3-Kit Downlight




<b>Masterbox</b>	Qty 10
<b>Size</b>	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 6,8 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP65, Class 2
<b>Light source</b>	Fixed LED, Incl. 3X4,8W LED, Lumen 3X345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 36°, Not dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee

\*Only for Benelux & France

### Apollo IP65 4000K 3-Kit Downlight

<b>Masterbox</b>	Qty 10
<b>Size</b>	H: 3,6 cm, Ø: 8,5 cm, Mounting min. height: 5,4 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP65, Class 2
<b>Light source</b>	Fixed LED, Incl. 3X4,8W LED, Lumen 3X380, Kelvin 4000, Life hours 20.000, RA 80, Beam angle 36°, Not dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee

\*Only for Benelux & France



### Apollo square IP23 2700K 1-Kit Dim Tilt Downlight





<b>Masterbox</b>	Qty 10
<b>Size</b>	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 6,8 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP23, Class 2
<b>Light source</b>	Fixed LED, Incl. 4,8W LED, Lumen 345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 36°, Dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee

\*Only for Benelux & France

### Apollo square IP23 2700K 3-Kit Tilt Downlight

<b>Masterbox</b>	Qty 10
<b>Size</b>	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 6,8 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP23, Class 2
<b>Light source</b>	Fixed LED, Incl. 3X4,8W LED, Lumen 3X345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 36°, Not dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee

\*Only for Benelux & France



### Apollo square IP65 2700K 3-Kit Downlight


<b>Masterbox</b>	Qty 10
<b>Size</b>	H: 3,6 cm, Ø: 8,5 cm, Mounting min. height: 5,4 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP65, Class 2
<b>Light source</b>	Fixed LED, Incl. 3X4,8W LED, Lumen 3X345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 36°, Not dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee

\*Only for Benelux & France

### Apollo square IP23 4000K 3-Kit Tilt Downlight

<b>Masterbox</b>	Qty 10
<b>Size</b>	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 6,8 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP23, Class 2
<b>Light source</b>	Fixed LED, Incl. 3X4,8W LED, Lumen 3X380, Kelvin 4000, Life hours 20.000, RA 80, Beam angle 36°, Not dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee

\*Only for Benelux & France




Nickel  
49590155

White  
49590101

### Ankaa 2700K Downlight

- Masterbox** Qty 3
- Size** H: 10,3 cm, Ø: 8,5 cm, Mounting min. height: 11,3 cm  
Cut-out Ø: 7,2 cm, Tilt angle: 12°
- Material** Metal
- IP Class** IP20, Class 2
- Light source** GU10, Max. 50W, Incl. 6,7W LED,  
Lumen 540, Kelvin 2700, Life hours 15.000, RA 80,  
Beam angle 36°, Dimmable  
Light source energy class A+
- Features** Stepless dimmable 0-100% by wall dimmer excl.,  
Retrofit high lumen





Nickel  
49620155

White  
49620101

### Pavonis 2700K Dim Tilt Downlight

- Masterbox** Qty 3
- Size** H: 10,3 cm, Ø: 8,5 cm, Mounting min. height: 11,3 cm  
Cut-out Ø: 7,2 cm, Tilt angle: 12°
- Material** Metal
- IP Class** IP20, Class 2
- Light source** GU10, Max. 50W, Incl. 5,5W LED,  
Lumen 345, Kelvin 2700, Life hours 25.000, RA 90,  
Beam angle 36°, Dimmable  
Light source energy class A+
- Features** Stepless dimmable 0-100% by wall dimmer excl.




Nickel  
49520155

White  
49520101

### Carina 2700K 1-Kit Dim Tilt Downlight

- Masterbox** Qty 3
- Size** H: 10,3 cm, Ø: 8,5 cm, Mounting min. height: 11,3 cm  
Cut-out Ø: 7,2 cm, Tilt angle: 12°
- Material** Metal
- IP Class** IP20, Class 2
- Light source** GU10, Max. 50W, Incl. 5W LED,  
Lumen 345, Kelvin 2700, Life hours 15.000, RA 80,  
Beam angle 36°, Dimmable  
Light source energy class A+
- Features** Stepless dimmable 0-100% by wall dimmer excl.



Chrome  
49490133




Nickel  
49490155

White  
49490101

### Carina 2700K 3-Kit Dim Tilt Downlight

- Masterbox** Qty 3
- Size** H: 10,3 cm, Ø: 8,5 cm, Mounting min. height: 11,3 cm  
Cut-out Ø: 7,2 cm, Tilt angle: 12°
- Material** Metal
- IP Class** IP20, Class 2
- Light source** GU10, Max. 50W, Incl. 3X5W LED,  
Lumen 3X345, Kelvin 2700, Life hours 15.000, RA 80,  
Beam angle 36°, Dimmable  
Light source energy class A+
- Features** Stepless dimmable 0-100% by wall dimmer excl.

\*Carina is also available as Smart Light, see page 328




Nickel  
49500155

White  
49500101

### Carina 2700K 3-Kit Dim Downlight

- Masterbox** Qty 3
- Size** H: 10,3 cm, Ø: 8,5 cm, Mounting min. height: 11,3 cm  
Cut-out Ø: 7,2 cm
- Material** Metal
- IP Class** IP20, Class 2
- Light source** GU10, Max. 50W, Incl. 3X5W LED,  
Lumen 3X345, Kelvin 2700, Life hours 15.000, RA 80,  
Beam angle 36°, Dimmable  
Light source energy class A+
- Features** Stepless dimmable 0-100% by wall dimmer excl.




Nickel  
49510155

White  
49510101

### Carina 2700K 3-Kit Dim Tilt Downlight

- Masterbox** Qty 3
- Size** H: 10,3 cm, Ø: 8,5 cm,  
Mounting min. height: 11,3 cm  
Cut-out Ø: 7,2 cm, Tilt angle: 12°
- Material** Metal
- IP Class** IP20, Class 2
- Light source** GU10, Max. 50W, Incl. 3X5W LED,  
Lumen 3X345, Kelvin 2700, Life hours 15.000, RA 80,  
Beam angle 36°, Dimmable  
Light source energy class A+
- Features** Stepless dimmable 0-100% by wall dimmer excl.




Nickel  
49320155

White  
49320101

### Canis 2700K 1-Kit Dim Tilt Downlight

- Masterbox** Qty 3
- Size** H: 11 cm, Ø: 8,5 cm, Mounting min. height: 11,5 cm  
Cut-out Ø: 6,5 cm, Tilt angle: 30°
- Material** Metal
- IP Class** IP20, Class 2
- Light source** GU10, Max. 50W, Incl. 4,9W LED,  
Lumen 345, Kelvin 2700, Life hours 15.000, RA 80,  
Beam angle 36°, Dimmable  
Light source energy class A+
- Features** Stepless dimmable 0-100% by wall dimmer excl.





Nickel  
49300155

White  
49300101

### Canis 2700K 3-Kit Tilt Downlight

- Masterbox** Qty 3
- Size** H: 11 cm, Ø: 8,5 cm, Mounting min. height: 11,5 cm  
Cut-out Ø: 6,5 cm, Tilt angle: 30°
- Material** Metal
- IP Class** IP20, Class 2
- Light source** GU10, Max. 50W, Incl. 3x3,7W LED,  
Lumen 230, Kelvin 2700, Life hours 15.000, RA 80,  
Beam angle 36°, Not dimmable  
Light source energy class A+







### Canis 2700K 5 -Kit Dim Tilt Downlight

**Masterbox** Qty 3  
**Size** H: 11 cm, Ø: 8,5 cm, Mounting min. height: 11,5 cm  
 Cut-out Ø: 6,5 cm, Tilt angle: 30°  
**Material** Metal  
**IP Class** IP20, Class 2  
**Light source** GU10, Max. 50W, Incl. 5x3,7W LED,  
 Lumen 230, Kelvin 2700, Life hours 15.000, RA 80,  
 Beam angle 36°, Not dimmable  
 Light source energy class A+

### Canis 2700K 5-Kit Tilt Downlight

**Masterbox** Qty 3  
**Size** H: 5,5 cm, Ø: 8,5 cm, Mounting min. height: 11,5 cm  
 Cut-out Ø: 6,5 cm, Tilt angle: 30°  
**IP Class** IP20, Class 2  
**Light source** GU10,  
 Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°,  
 Not dimmable




### Canis 2700K 3-Kit Dim Tilt Downlight

**Masterbox** Qty 3  
**Size** H: 11 cm, Ø: 8,5 cm, Mounting min. height: 11,5 cm  
 Cut-out Ø: 6,5 cm, Tilt angle: 30°  
**Material** Metal  
**IP Class** IP20, Class 2  
**Light source** GU10, Max. 50W, Incl. 3x4,9W LED,  
 Lumen 345, Kelvin 2700, Life hours 15.000, RA 80,  
 Beam angle 36°, Dimmable  
 Light source energy class A+  
**Features** Stepless dimmable 0-100% by wall dimmer excl.

### Canis 2700K 3-Kit Dim Tilt Downlight

**Masterbox** Qty 3  
**Size** H: 11 cm, Ø: 8,5 cm,  
 Mounting min. height: 11,5 cm  
 Cut-out Ø: 6,5 cm, Tilt angle: 30°  
**Material** Metal  
**IP Class** IP20, Class 2  
**Light source** GU10, Max. 50W, Incl. 3x4,9W LED,  
 Lumen 345, Kelvin 2700, Life hours 15.000, RA 80,  
 Beam angle 36°, Dimmable  
 Light source energy class A+


\*Only for Benelux & France



White  
49350101



Nickel  
49350155



White  
49340101



Nickel  
49340155

### Canis 2700K 3-Kit Downlight


**Masterbox** Qty 3  
**Size** H: 11 cm, Ø: 8,5 cm,  
 Mounting min. height: 11,5 cm  
 Cut-out Ø: 6,5 cm, Tilt angle: 30°  
**Material** Metal  
**IP Class** IP20, Class 2  
**Light source** GU10, Max. 50W, Incl. 3X4,8W LED,  
 Lumen 3X345, Kelvin 2700, Life hours 15.000, RA 80,  
 Beam angle 36°, Not dimmable  
 Light source energy class A+

**\*Only for Benelux & France**

### Canis 2700K 3-Kit Dim Downlight

**Masterbox** Qty 3  
**Size** H: 11 cm, Ø: 8,5 cm,  
 Mounting min. height: 11,5 cm  
 Cut-out Ø: 6,5 cm, Tilt angle: 30°  
**Material** Metal  
**IP Class** IP20, Class 2  
**Light source** GU10, Max. 50W, Incl. 3x4,9W LED,  
 Lumen 345, Kelvin 2700, Life hours 15.000, RA 80,  
 Beam angle 36°, Dimmable  
 Light source energy class A+

**\*Only for Benelux & France**



White  
49360101



Nickel  
49360155



White  
49370101



Nickel  
49370155

### Canis 4000K 1-Kit Dim Tilt Downlight



**Masterbox** Qty 3  
**Size** H: 11 cm, Ø: 8,5 cm,  
 Mounting min. height: 11,5 cm  
 Cut-out Ø: 6,5 cm, Tilt angle: 30°  
**Material** Metal  
**IP Class** IP20, Class 2  
**Light source** GU10, Max. 50W, Incl. 4,9W LED,  
 Lumen 360, Kelvin 4000, Life hours 15.000, RA 80,  
 Beam angle 36°, Dimmable  
 Light source energy class A+

**\*Only for Benelux & France**

### Canis 4000K 3-Kit Dim Tilt Downlight

**Masterbox** Qty 3  
**Size** H: 11 cm, Ø: 8,5 cm,  
 Mounting min. height: 11,5 cm  
 Cut-out Ø: 6,5 cm, Tilt angle: 30°  
**Material** Metal  
**IP Class** IP20, Class 2  
**Light source** GU10, Max. 50W, Incl. 3x4,9W LED,  
 Lumen 360, Kelvin 4000, Life hours 15.000, RA 80,  
 Beam angle 36°, Dimmable  
 Light source energy class A+


**\*Only for Benelux & France**



### Canis 6500K 1-Kit Dim Tilt Downlight

**Masterbox** Qty 3  
**Size** H: 11 cm, Ø: 8,5 cm,  
 Mounting min. height: 11,5 cm  
 Cut-out Ø: 6,5 cm, Tilt angle: 30°  
**Material** Metal  
**IP Class** IP20, Class 2  
**Light source** GU10, Max. 50W, Incl. 4,9W LED,  
 Lumen 360, Kelvin 6500, Life hours 15.000, RA 80,  
 Beam angle 36°, Dimmable  
 Light source energy class A+


**\*Only for Benelux & France**



### Canis 6500K 3-Kit Dim Tilt Downlight

**Masterbox** Qty 3  
**Size** H: 11 cm, Ø: 8,5 cm,  
 Mounting min. height: 11,5 cm  
 Cut-out Ø: 6,5 cm, Tilt angle: 30°  
**Material** Metal  
**IP Class** IP20, Class 2  
**Light source** GU10, Max. 50W, Incl. 3x4,9W LED,  
 Lumen 360, Kelvin 6500, Life hours 15.000, RA 80,  
 Beam angle 36°, Dimmable  
 Light source energy class A+



**\*Only for Benelux & France**



### Canis 6500K 5-Kit Tilt Downlight





**Masterbox** Qty 3  
**Size** H: 5,5 cm, Ø: 8,5 cm,  
 Mounting min. height: 11,5 cm  
 Cut-out Ø: 6,5 cm, Tilt angle: 12°  
**Material** Metal/Plastic  
**IP Class** IP20, Class 2  
**Light source** GU10,  
 Kelvin 6500, Life hours 15.000, RA 80, Beam angle 36°,  
 Not dimmable

**\*Only for Benelux & France**



### Octans 2700K 3-Kit Step Tilt Downlight

**Masterbox** Qty 3  
**Size** H: 9 cm, Ø: 8,5 cm, Mounting min. height: 10,5 cm  
 Cut-out Ø: 6,8 cm, Tilt angle: 27°  
**Material** Plastic  
**IP Class** IP20, Class 2  
**Light source** GU10, Max. 7,5W LED, Incl. 3X4,8W LED,  
 Lumen 3X345, Kelvin 2700, Life hours 15.000, RA 80,  
 Beam angle 36°, Not dimmable  
 Light source energy class A+




### Octans 2700K 5-Kit Downlight

**Masterbox** Qty 3  
**Size** H: 9 cm, Ø: 8,5 cm, Mounting min. height: 10,5 cm  
 Cut-out Ø: 6,8 cm, Tilt angle: 27°  
**Material** Plastic  
**IP Class** IP20, Class 2  
**Light source** GU10, Max. 7,5W LED, Incl. 5x4,8W LED,  
 Lumen 345, Kelvin 2700, Life hours 15.000, RA 80,  
 Beam angle 36°, Not dimmable  
 Light source energy class A+

### Octans 2700K 3-kit Downlight

**Masterbox** Qty 3  
**Size** H: 9 cm, Ø: 8,5 cm, Mounting min. height: 10,5 cm  
 Cut-out Ø: 6,8 cm, Tilt angle: 27°  
**Material** Plastic  
**IP Class** IP20, Class 2  
**Light source** GU10, Max. 7,5W LED, Incl. 3x4,8W LED,  
 Lumen 3x345, Kelvin 2700, Life hours 15.000, RA 80,  
 Beam angle 36°, Not dimmable  
 Light source energy class A+



### Octans 4000K 3-Kit Downlight





**Masterbox** Qty 3  
**Size** H: 9 cm, Ø: 8,5 cm,  
 Mounting min. height: 10,5 cm  
 Cut-out Ø: 6,8 cm, Tilt angle: 27°  
**Material** Plastic  
**IP Class** IP20, Class 2  
**Light source** GU10, Max. 7,5W LED, Incl. 3x4,8W LED,  
 Lumen 3x380, Kelvin 4000, Life hours 15.000, RA 80,  
 Beam angle 36°, Not dimmable  
 Light source energy class A+

\*Only for Benelux & France

### Octans 4000K 5-Kit Downlight

**Masterbox** Qty 3  
**Size** H: 9 cm, Ø: 8,5 cm,  
 Mounting min. height: 10,5 cm  
 Cut-out Ø: 6,8 cm, Tilt angle: 27°  
**Material** Plastic  
**IP Class** IP20, Class 2  
**Light source** GU10, Max. 7,5W LED, Incl. 5x4,8W LED,  
 Lumen 380, Kelvin 4000, Life hours 15.000, RA 80,  
 Beam angle 36°, Not dimmable  
 Light source energy class A+

\*Only for Benelux & France






### Triton 3-kit Downlight

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 8,7 cm, Ø: 9 cm, Mounting min. height: 15 cm Cut-out Ø: 7,5 cm, 5.4 Ltr. Tilt angle: 25°
<b>Material</b>	Metal
<b>IP Class</b>	IP23, Class 2
<b>Light source</b>	GU10, Max. 3X35W, Excl. light source,
<b>Features</b>	Parallel connection possible

### Recess 3-Kit LED COB Downlight

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 7,95 cm, Ø: 8,15 cm, Mounting min. height: 15 cm Cut-out Ø: 7,5 cm, 5.4 Ltr., Tilt angle: 25°
<b>Material</b>	Metal
<b>IP Class</b>	IP23, Class 2
<b>Cable</b>	Cable: Black 200 cm replaceable
<b>Light source</b>	GU10, Max. 3X35W, Incl. 3X3W COB, Lumen 3X175, Kelvin 3000, Candela 350, Life hours 25.000, RA 80, Beam angle 38°, Not dimmable Light source energy class A+




### Mixit Pro Downlight

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 7,2 cm, Ø: 8,5 cm, Mounting min. height: 6,5 cm Cut-out Ø: 7,6 cm, Tilt angle: 30°
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP23, Class 2
<b>Light source</b>	GU10, Max. 8W LED, Excl. light source,
<b>Features</b>	Ideally suited for combination with NORDLUX SMART, Can be mounted directly in the insulation


### Mixit Downlight

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 13,5 cm, Ø: 8,5 cm, Mounting min. height: 14 cm Cut-out Ø: 7,6 cm, Tilt angle: 25°
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP23, Class 2
<b>Light source</b>	GU10, Max. 8W LED, Excl. light source,
<b>Features</b>	Ideally suited for combination with NORDLUX SMART, Can be mounted directly in the insulation



## Tip Downlight

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 8,5 cm, Ø: 8 cm, Mounting min. height: 15 cm Cut-out Ø: 7,2 cm, 5.4 Ltr. Tilt angle: 35°
<b>Material</b>	Metal
<b>IP Class</b>	IP23, Class 2
<b>Light source</b>	GU10, Max. 35W, Excl. light source,
<b>Features</b>	Parallel connection possible, IP23 - In and outdoor use, Parallel connection possible, 15 year anti corrosion guarantee on Metal





### Bity Under cabinet

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 2,3 cm, W: 5,8 cm, L: 40 cm, D: 2,3 cm
<b>Material</b>	Plastic/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 6W LED, Lumen 540, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	On/Off by PIR hand movement motion sensor, Installation brackets included, Rear cable entry, 5 year LED guarantee

### Bity Under cabinet

<b>Masterbox</b>	Qty 4
<b>Size</b>	H: 2,3 cm, W: 5,8 cm, L: 55 cm, D: 2,3 cm
<b>Material</b>	Plastic/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 9W LED, Lumen 800, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	On/Off by PIR hand movement motion sensor, Installation brackets included, Rear cable entry, 5 year LED guarantee





### Kitchenio 1-kit Under cabinet

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 2,1 cm, W: 6,4 cm, L: 6,4 cm, D: 2,1 cm, Ø: 6,4 cm
<b>Material</b>	Plastic/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 2W LED, Lumen 170, Kelvin 3000-4000, Life hours 25.000, RA 80, Beam angle 110°, Not dimmable
<b>Features</b>	2-Step MOODMAKER 3000K/4000K by switch optional, Parallel connection possible memory+reset option, Recessed or surface mounting screw/taped incl., 5 year LED guarantee

### Kitchenio 3-kit Under cabinet

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 2,1 cm, W: 6,4 cm, L: 6,4 cm, Ø: 6,4 cm
<b>Material</b>	Plastic/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 3X2W LED, Lumen 3X170, Kelvin 3000/4000, Life hours 25.000, RA 80, Beam angle 110°, Not dimmable
<b>Features</b>	2-Step MOODMAKER 3000K/4000K by switch optional, Parallel connection possible memory+reset option, Recessed or surface mounting screw/taped incl., 5 year LED guarantee




### Latona 31,2 9W Under cabinet

<b>Masterbox</b>	Qty 6
<b>Size</b>	W: 2,4 cm, L: 31,2 cm, D: 3,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 5W LED, Incl. 2-Step MOODMAKER TM, Lumen 420, Kelvin 3000/4000, Life hours 25.000, RA 80, Beam angle 130°, Not dimmable
<b>Features</b>	2-Step MOODMAKER 3000K/4000K by switch on body, Ideally suited for under cabinet lighting, Parallel connection possible, 5 year LED guarantee

### Latona 56,2 9W Under cabinet


<b>Masterbox</b>	Qty 6
<b>Size</b>	W: 2,4 cm, L: 56,2 cm, D: 3,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 9W LED, Incl. 2-Step MOODMAKER TM, Lumen 730, Kelvin 3000/4000, Life hours 25.000, RA 80, Beam angle 130°, Not dimmable
<b>Features</b>	2-Step MOODMAKER 3000K/4000K by switch on body, Ideally suited for under cabinet lighting, Parallel connection possible, 5 year LED guarantee



### Latona 91,2 12W Under cabinet

<b>Masterbox</b>	Qty 6
<b>Size</b>	W: 2,4 cm, L: 91,2 cm, D: 3,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 12W LED, Incl. 2-Step MOODMAKER TM, Lumen 1.050, Kelvin 3000/4000, Life hours 25.000, RA 80, Beam angle 130°, Not dimmable
<b>Features</b>	2-Step MOODMAKER 3000K/4000K by switch on body, Ideally suited for under cabinet lighting, Parallel connection possible, 5 year LED guarantee






White  
47776101

### Renton 30 Under cabinet


<b>Masterbox</b>	Qty 6
<b>Size</b>	W: 2,4 cm, L: 31,2 cm, D: 3,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 5W LED, Lumen 350, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 130°, Not dimmable
<b>Features</b>	Parallel connection possible, Ideally suited for under cabinet lighting, Connection cable included, 5 year LED guarantee



White  
47786101

### Renton 55 Under cabinet


<b>Masterbox</b>	Qty 6
<b>Size</b>	W: 2,4 cm, L: 56,2 cm, D: 3,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 9W LED, Lumen 650, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 130°, Not dimmable
<b>Features</b>	Parallel connection possible, Ideally suited for under cabinet lighting, Connection cable included, 5 year LED guarantee



White  
47796101

### Renton 90 Under cabinet


<b>Masterbox</b>	Qty 6
<b>Size</b>	W: 2,4 cm, L: 91,2 cm, D: 3,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 12W LED, Lumen 900, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 130°, Not dimmable
<b>Features</b>	Parallel connection possible, Ideally suited for under cabinet lighting, Connection cable included, 5 year LED guarantee



White  
47806101

### Renton 110 Under cabinet


<b>Masterbox</b>	Qty 6
<b>Size</b>	W: 2,4 cm, L: 111,2 cm, D: 3,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 15W LED, Lumen 1.100, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 130°, Not dimmable
<b>Features</b>	Parallel connection possible, Ideally suited for under cabinet lighting, Connection cable included, 5 year LED guarantee




White  
47816101

### Renton 150 Under cabinet

- Masterbox** Qty 6
- Size** W: 2,4 cm, L: 151,2 cm, D: 3,4 cm
- Material** Plastic
- IP Class** IP20, Class 2
- Light source** Fixed LED, Incl. 20W LED,  
Lumen 1.500, Kelvin 2700, Life hours 25.000, RA 80,  
Beam angle 130°, Not dimmable
- Features** Parallel connection possible, Ideally suited for under cabinet  
lighting, Connection cable included, 5 year LED guarantee



Aluminium  
79470029




Aluminium  
79440029

### Cambio 2W Under cabinet

- Masterbox** Qty 6
- Size** D: 1,1 cm, Ø: 6,5 cm,  
Mounting min. height: 1,1 cm  
Cut-out Ø: 6,2 cm
- Material** Plastic/Metal
- IP Class** IP20, Class 3
- Cable** Cable: White 200 cm
- Light source** Fixed LED, Incl. 2W LED,  
Lumen 150, Kelvin 3000, Candela 149, Life hours 30.000,  
RA 80, Beam angle 90°, Not dimmable
- Features** Ideally suited for under cabinet lighting,  
Connector block included, 5 year LED guarantee


### Cambio 2W 3-Kit Under cabinet

- Masterbox** Qty 3
- Size** H: 1,1 cm, D: 1,1 cm, Ø: 6,5 cm, H: 1,1 cm, Ø: 6,5 cm,  
Mounting min. height: 1,1 cm, Cut-out Ø: 6,2 cm
- Material** Plastic/Metal
- IP Class** IP20/23, Class 3
- Cable** Cable: White 200 cm  
Switch on cable
- Light source** Fixed LED, Incl. 3X2W LED,  
Lumen 3X150, Kelvin 3000, Candela 149, Life hours 30.000,  
RA 80, Beam angle 90°, Not dimmable
- Features** Ideally suited for under cabinet lighting,  
Connector block included, 5 year LED guarantee




### Lismore 4-kit 48W Under cabinet

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 0,8 cm, Ø: 6 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 3
<b>Cable</b>	Cable: Black 150 cm Switch on cable
<b>Light source</b>	Fixed LED, Incl. 4X0.7W LED, Lumen 4X75, Kelvin 3000, Candela 16, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Ideally suited for under cabinet lighting, Cable 1,5m included, Inline on/off switch, Ultra flat design, 5 year LED guarantee




### Trenton 23W Batten

<b>Masterbox</b>	Qty 3
<b>Size</b>	W: 16 cm, L: 60 cm, D: 5 cm
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	Fixed LED, Incl. 23W LED, Lumen 1.900, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Ultra flat design, 5 year LED guarantee



### Trenton 48W Batten

<b>Masterbox</b>	Qty 3
<b>Size</b>	W: 16 cm, L: 90 cm, D: 5 cm
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	Fixed LED, Incl. 48W LED, Lumen 3.800, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	5 year LED guarantee



### Trenton 56W Batten

<b>Masterbox</b>	Qty 3
<b>Size</b>	W: 16 cm, L: 117 cm, D: 5 cm
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	Fixed LED, Incl. 56W LED, Lumen 4.700, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Ultra flat design, 5 year LED guarantee



### Oakland 60 12W Batten

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 6,3 cm, W: 6,3 cm, L: 63,2 cm, D: 6,3 cm
<b>Material</b>	Plastic/Plastic
<b>IP Class</b>	IP65, Class 2
<b>Light source</b>	Fixed LED, Incl. 12W LED, Lumen 1.250, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable
<b>Features</b>	Upgraded generation - lumen uplift, Parallel connection possible, Twist lock - Easy connect, 5 year LED guarantee



### Oakland 60 23W Batten

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 6,5 cm, W: 8,3 cm, L: 63,2 cm, D: 6,5 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP65, Class 2
<b>Light source</b>	Fixed LED, Incl. 23W LED, Lumen 2.400, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable
<b>Features</b>	Upgraded generation - lumen uplift, Twist lock - Easy connect, Parallel connection possible, 5 year LED guarantee



### Oakland 120 23W Batten

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 6,3 cm, W: 6,3 cm, L: 123,2 cm, D: 6,3 cm
<b>Material</b>	Plastic/Plastic
<b>IP Class</b>	IP65, Class 2
<b>Light source</b>	Fixed LED, Incl. 23W LED, Lumen 2.400, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable
<b>Features</b>	Upgraded generation - lumen uplift, Parallel connection possible, Twist lock - Easy connect, 5 year LED guarantee



### Oakland 120 54W Batten

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 6,5 cm, W: 8,3 cm, L: 123,2 cm, D: 6,5 cm
<b>Material</b>	Plastic/Plastic
<b>IP Class</b>	IP65, Class 2
<b>Light source</b>	Fixed LED, Incl. 54W LED, Lumen 5.000, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable
<b>Features</b>	Upgraded generation - lumen uplift, Parallel connection possible, Twist lock - Easy connect, 5 year LED guarantee



White  
47756101

## Oakland 150 29W Batten

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 6,3 cm, W: 6,3 cm, L: 153,2 cm, D: 6,3 cm
<b>Material</b>	Plastic/Plastic
<b>IP Class</b>	IP65, Class 2
<b>Light source</b>	Fixed LED, Incl. 29W LED, Lumen 3.150, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable
<b>Features</b>	Upgraded generation - lumen uplift, Twist lock - Easy connect, Parallel connection possible, 5 year LED guarantee



White  
47766101

## Oakland 150 61W Batten

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 6,5 cm, W: 8,3 cm, L: 153,2 cm, D: 6,5 cm
<b>Material</b>	Plastic/Plastic
<b>IP Class</b>	IP65, Class 2
<b>Light source</b>	Fixed LED, Incl. 61W LED, Lumen 6.300, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable
<b>Features</b>	Upgraded generation - lumen uplift, Parallel connection possible, Twist lock - Easy connect, 5 year LED guarantee



### Westport 60 Batten

<b>Masterbox</b>	Qty 6
<b>Size</b>	W: 5,4 cm, L: 55,8 cm, D: 5,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP65, Class 2
<b>Light source</b>	Fixed LED, Incl. 11W LED, Lumen 1.050, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable
<b>Features</b>	IP65 - In and outdoor use, 5 year LED guarantee

### Westport 60 Batten

<b>Masterbox</b>	Qty 6
<b>Size</b>	W: 5,4 cm, L: 55,8 cm, D: 5,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP65, Class 2
<b>Light source</b>	Fixed LED, Incl. 23W LED, Lumen 2.100, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable
<b>Features</b>	IP65 - In and outdoor use, 5 year LED guarantee



### Westport 120 Batten

<b>Masterbox</b>	Qty 6
<b>Size</b>	W: 5,4 cm, L: 115,8 cm, D: 5,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP65, Class 2
<b>Light source</b>	Fixed LED, Incl. 23W LED, Lumen 2.160, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable
<b>Features</b>	IP65 - In and outdoor use, 5 year LED guarantee

### Westport 120 Batten

<b>Masterbox</b>	Qty 6
<b>Size</b>	W: 5,4 cm, L: 115,8 cm, D: 5,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP65, Class 2
<b>Light source</b>	Fixed LED, Incl. 43W LED, Lumen 4.400, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable
<b>Features</b>	IP65 - In and outdoor use, 5 year LED guarantee



Grey  
49686110

## Westport 150 Batten


<b>Masterbox</b>	Qty 6
<b>Size</b>	W: 5,4 cm, L: 152,5 cm, D: 5,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP65, Class 2
<b>Light source</b>	Fixed LED, Incl. 30W LED, Lumen 2.700, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable
<b>Features</b>	IP65 - In and outdoor use, 5 year LED guarantee



Grey  
49696110

## Westport 150 Batten

<b>Masterbox</b>	Qty 6
<b>Size</b>	W: 5,4 cm, L: 152,5 cm, D: 5,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP65, Class 2
<b>Light source</b>	Fixed LED, Incl. 57W LED, Lumen 5.600, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable
<b>Features</b>	IP65 - In and outdoor use, 5 year LED guarantee




### Works IP65 1x18W Batten

- Masterbox** Qty 6
- Size** W: 8,5 cm, L: 65,8 cm, D: 8,8 cm
- Material** Plastic
- IP Class** IP65, Class 1
- Light source** G13, Max. 18W, Incl. 18W T8, Lumen 1.200, Kelvin 4000, Life hours 12.000, RA 80, Beam angle 180°, Not dimmable
- Features** Parallel connection possible, IP65 - In and outdoor use, Easy Connect

### Works IP65 1x36W Batten

- Masterbox** Qty 6
- Size** W: 8,5 cm, L: 126,8 cm, D: 8,8 cm
- Material** Plastic
- IP Class** IP65, Class 1
- Light source** G13, Max. 36W, Incl. 36W T8, Lumen 2.500, Kelvin 4000, Life hours 16.000, RA 80, Beam angle 360°, Not dimmable
- Features** Parallel connection possible, IP65 - In and outdoor use, Easy Connect



### Works IP65 2x18W Batten

- Masterbox** Qty 3
- Size** H: 7,05 cm, W: 11,8 cm, L: 65,7 cm, D: 8,8 cm
- Material** Plastic/Plastic
- IP Class** IP65, Class 1
- Light source** G13, Max. 2X18W, Incl. 2X18W T8, Lumen 2X1.200, Kelvin 4000, Life hours 12.000, RA 80, Beam angle 180°, Not dimmable
- Features** Parallel connection possible, IP65 - In and outdoor use, Easy Connect

### Works IP65 2x36W Batten

- Masterbox** Qty 3
- Size** W: 11,5 cm, L: 127,4 cm, D: 8,2 cm
- Material** Plastic
- IP Class** IP65, Class 1
- Light source** G13, Max. 2X36W, Incl. 2X36W T8, Lumen 2X2.250, Kelvin 4000, Life hours 16.000, RA 80, Beam angle 360°, Not dimmable
- Features** Parallel connection possible, IP65 - In and outdoor use, Easy Connect





Can be placed  
indoor and outdoor



Grey  
27386101

### Works IP65 1X9W LED Batten

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 9 cm, W: 8,5 cm, L: 66 cm
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP65, Class 1
<b>Light source</b>	G13, Max. 9.9W, Incl. 9W T8 LED, Lumen 800, Kelvin 4000, Candela 335, Life hours 15.000, RA 80, Beam angle 110°, Not dimmable
<b>Features</b>	Parallel connection possible, IP65 - In and outdoor use, Easy Connect



Can be placed  
indoor and outdoor



Grey  
27396101

### Works IP65 1X18W LED Batten

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 9 cm, W: 8,5 cm, L: 126,6 cm
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP65, Class 1
<b>Light source</b>	G13, Max. 19.8W, Incl. 18W T8 LED, Lumen 1.500, Kelvin 4000, Candela 414, Life hours 15.000, RA 80, Beam angle 110°, Not dimmable
<b>Features</b>	Parallel connection possible, IP65 - In and outdoor use, Easy Connect



Can be placed  
indoor and outdoor



Grey  
27586101

### Works IP65 2x9W LED Batten

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 9 cm, W: 11,8 cm, L: 66 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP65, Class 1
<b>Light source</b>	G13, Max. 2X9W, Incl. 9W T8 LED, Lumen 800, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 200°, Not dimmable
<b>Features</b>	Parallel connection possible, IP65 - In and outdoor use, Easy Connect




Can be placed  
indoor and outdoor



Grey  
27596101

### Works IP65 2x18W LED Batten


<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 9 cm, W: 11,8 cm, L: 127 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP65, Class 1
<b>Light source</b>	G13, Max. 2X18W, Incl. 18W T8 LED, Lumen 1.700, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 200°, Not dimmable
<b>Features</b>	Parallel connection possible, IP65 - In and outdoor use, Easy Connect



White  
47826101

### Arlington 60 Batten


<b>Masterbox</b>	Qty 6
<b>Size</b>	W: 3,2 cm, L: 61 cm, D: 4,5 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 12W LED, Lumen 1.000, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 150°, Not dimmable
<b>Features</b>	Ideally suited for under cabinet lighting, 5 year LED guarantee



White  
47836101

### Arlington 120 Batten


<b>Masterbox</b>	Qty 6
<b>Size</b>	W: 3,2 cm, L: 121 cm, D: 4,5 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 21W LED, Lumen 1.900, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 150°, Not dimmable
<b>Features</b>	Ideally suited for under cabinet lighting, 5 year LED guarantee



White  
47846101

### Arlington 150 Batten

<b>Masterbox</b>	Qty 6
<b>Size</b>	W: 3,2 cm, L: 151 cm, D: 4,5 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 25W LED, Lumen 2.200, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 150°, Not dimmable
<b>Features</b>	Ideally suited for under cabinet lighting, 5 year LED guarantee



White  
27496101

### Boxline 13W Batten

<b>Masterbox</b>	Qty 3
<b>Size</b>	W: 7 cm, L: 55 cm, D: 2 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP21, Class 2
<b>Cable</b>	Cable: White 180 cm Switch on fixture
<b>Light source</b>	G5, Max. 13W, Incl. 13W T5, Lumen 800, Kelvin 4000, Life hours 8.000, RA 80, Beam angle 120°, Not dimmable Light source energy class A
<b>Features</b>	Cable included, Switch on body, Parallel connection possible



## Led-Cabinet Batten

<b>Masterbox</b>	Qty 12
<b>Size</b>	W: 1,75 cm, L: 50,4 cm, D: 0,87 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP20, Class 2
<b>Cable</b>	Cable: White 120 cm non replaceable
<b>Light source</b>	Fixed LED, Incl. 10W LED, Lumen 540, Kelvin 2700, Life hours 50.000, RA 80, Beam angle 160°, Not dimmable
<b>Features</b>	Ideally suited for under cabinet lighting, Cable included, Switch on body, 5 year LED guarantee



Can be placed  
indoor and outdoor



White  
79560000

### Nimba 3M RGB incl. remote Built-InOn

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 0,25 cm, W: 1 cm, L: 300 cm
<b>Material</b>	Metal/Rubber
<b>IP Class</b>	IP65, Class 3
<b>Cable</b>	Cable: White 150 cm, Switch on cable
<b>Light source</b>	Fixed LED, Incl. 20W LED, Lumen 720, Kelvin RGB, Life hours 15.000, RA 80, Beam angle 120°, Dimmable
<b>Features</b>	Stepless dimmable 0-100% by remote control incl., RGB by remote control incl., Cable 1,5m included/inline switch, 5 year LED guarantee



Can be placed  
indoor and outdoor



White  
79570000

### Nimba 5M Built-InOn

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 0,25 cm, W: 1 cm, L: 500 cm
<b>Material</b>	Metal/Rubber
<b>IP Class</b>	IP65, Class 3
<b>Cable</b>	Cable: White 150 cm, Switch on cable
<b>Light source</b>	Fixed LED, Incl. 30W LED, Lumen 1.200, Kelvin 3000, Life hours 15.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Cable 1,5m included/inline switch, IP65 - In and outdoor use, Ideally suited for bathroom zone 1-2 IP65/Ci.III, 5 year LED guarantee

# 260



47970000

### Led Strip 3M Rail


<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 0,7 cm, W: 1 cm, L: 300 cm
<b>Material</b>	Silicone/Plastic
<b>IP Class</b>	IP23, Class 3
<b>Cable</b>	Cable: White 120 cm
<b>Light source</b>	Fixed LED, Kelvin RGB, Life hours 30.000, Beam angle 120°, Dimmable
<b>Features</b>	Stepless dimmable 0-100% by remote control incl., RGB by remote control incl., Cable 1,2m included, 5 year LED guarantee



47980000

### Led Strip 5M Rail

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 0,2 cm, W: 0,8 cm, L: 500 cm
<b>Material</b>	Silicone/Plastic
<b>IP Class</b>	IP23, Class 3
<b>Cable</b>	Cable: White 120 cm
<b>Light source</b>	Fixed LED, Lumen 900, Kelvin 2700, Life hours 30.000, Beam angle 120°, Not dimmable
<b>Features</b>	Cable 1,2m included, IP23 - In and outdoor use, 5 year LED guarantee



262

# Bulbs

For this 20/21 collection, our sustained development has resulted in the largest bulb assortment ever and therefore we are pleased to present our Nordlux bulb portfolio

Our bulbs have a long lifetime and contains world leading LED technology, they have an elegant design, qualitative coating, good color rendering, high energy efficiency and a long lifetime.

You will find that our range is set up from low to high wattages and lumen, both in warm and cool white. Our functional Energetic branded bulbs exist in full glass, both clear and milky as well as a basic plastic range with value packs. Our added value bulbs, such as our newly deco range and popular Avra range, come into the Nordlux brand. We are sure that we can offer appropriate light for each unique Nordlux luminaire.

Lastly, we want to point out that with our new range, we changed all our bulb packaging to a sustainable solution. We are proud that all the packaging material used is recycled.

NEW



5181000121

### A60 Filament E27 2,5W 250lm 2700K Clear

**Masterbox** Qty 6  
**Size** H: 10,4 cm, Ø: 6 cm  
**Material** Glass  
**Light source** Lumen 250, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5181000921

### A60 Filament E27 4,6W 470lm 2700K Clear

**Masterbox** Qty 6  
**Size** H: 10,4 cm, Ø: 6 cm  
**Material** Glass  
**Light source** Lumen 470, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5181000321

### A60 Filament E27 7W 806lm 2700K Clear

**Masterbox** Qty 6  
**Size** H: 10,4 cm, Ø: 6 cm  
**Material** Glass  
**Light source** Lumen 806, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5181001321

### A60 Filament E27 8,2W 1055lm 2700K Clear

**Masterbox** Qty 6  
**Size** H: 10,4 cm, Ø: 6 cm  
**Material** Glass  
**Light source** Lumen 1.055, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
**Energy class** A++



NEW



5181003621

### A60 Filament E27 8,3W 806lm 2700K Dim Clear

**Masterbox** Qty 6  
**Size** H: 10,4 cm, Ø: 6 cm  
**Material** Glass  
**Light source** Lumen 806, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Dimmable  
**Energy class** A+

NEW



5181006521

### A60 Filament E27 8,6W 1055lm 2700K Dim Clear

**Masterbox** Qty 6  
**Size** H: 10,4 cm, Ø: 6 cm  
**Material** Glass  
**Light source** Lumen 1.055, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Dimmable  
**Energy class** A++

NEW



5181003321

### A60 Filament E27 7W 806lm 4000K Clear

**Masterbox** Qty 6  
**Size** H: 10,4 cm, Ø: 6 cm  
**Material** Glass  
**Light source** Lumen 806, Kelvin 4000, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5181011021

### A60 Filament E27 8,2W 1055lm 4000K Clear

**Masterbox** Qty 6  
**Size** H: 10,4 cm, Ø: 6 cm  
**Material** Glass  
**Light source** Lumen 1.055, Kelvin 4000, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5181001721

### A70 Filament E27 11W 1521lm 2700K Clear

**Masterbox** Qty 6  
**Size** H: 12,8 cm, Ø: 7 cm  
**Material** Glass  
**Light source** Lumen 1.521, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5181008121

### A70 Filament E27 12W 1521lm 2700K Dim Clear

**Masterbox** Qty 6  
**Size** H: 12,8 cm, Ø: 7 cm  
**Material** Glass  
**Light source** Lumen 1.521, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Dimmable  
**Energy class** A+

NEW



5191003621

### A70 Filament E27 11W 1521lm 4000K Clear

**Masterbox** Qty 6  
**Size** H: 12,8 cm, Ø: 7 cm  
**Material** Glass  
**Light source** Lumen 1.521, Kelvin 4000, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5181020921

### A60 Filament E27 2,5W 250lm 2700K Milky

**Masterbox** Qty 6  
**Size** H: 10,4 cm, Ø: 6 cm  
**Material** Glass  
**Light source** Lumen 250, Kelvin 2700, Life hours 15.000, RA 80,  
 Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5181021121

### A60 Filament E27 4,6W 470lm 2700K Milky

**Masterbox** Qty 6  
**Size** H: 10,4 cm, Ø: 6 cm  
**Material** Glass  
**Light source** Lumen 470, Kelvin 2700, Life hours 15.000, RA 80,  
 Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5181021321

### A60 Filament E27 7W 806lm 2700K Milky

**Masterbox** Qty 6  
**Size** H: 10,4 cm, Ø: 6 cm  
**Material** Glass  
**Light source** Lumen 806, Kelvin 2700, Life hours 15.000, RA 80,  
 Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5181021521

### A60 Filament E27 8,2W 1055lm 2700K Milky

**Masterbox** Qty 6  
**Size** H: 10,4 cm, Ø: 6 cm  
**Material** Glass  
**Light source** Lumen 1.055, Kelvin 2700, Life hours 15.000, RA 80,  
 Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5181021421

### A60 Filament B22 7W 806lm 2700K Milky

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 10,4 cm, Ø: 6 cm  
**Light source** Lumen 806, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5181021621

### A60 Filament B22 8,2W 1055lm 2700K Milky

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 10,4 cm, Ø: 6 cm  
**Light source** Lumen 1.055, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5181023121

### A60 Filament E27 8,3W 806lm 2700K Dim Milky

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 10,4 cm, Ø: 6 cm  
**Light source** Lumen 806, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Dimmable  
**Energy class** A+

NEW



5181023321

### A60 Filament E27 8,6W 1055lm 2700K Dim Milky

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 10,4 cm, Ø: 6 cm  
**Light source** Lumen 1.055, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Dimmable  
**Energy class** A++

NEW



5191001821

### A60 Filament E27 7W 806lm 4000K Milky

**Masterbox** Qty 6  
**Size** H: 10,4 cm, Ø: 6 cm  
**Material** Glass  
**Light source** Lumen 806, Kelvin 4000, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5191002021

### A60 Filament E27 8,2W 1055lm 4000K Milky

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 10,4 cm, Ø: 6 cm  
**Light source** Lumen 1.055, Kelvin 4000, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5181021721

### A70 Filament E27 11W 1521lm 2700K Milky

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 12,8 cm, Ø: 7 cm  
**Light source** Lumen 1.521, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5191002221

### A70 Filament E27 11W 1521lm 4000K Milky

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 12,8 cm, Ø: 7 cm  
**Light source** Lumen 1.521, Kelvin 4000, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5182015721

### G45 Filament E14 1,2W 140lm 2700K Clear

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 7,9 cm, Ø: 4,5 cm  
**Light source** Lumen 140, Kelvin 2700, Life hours 15.000, RA 80,  
Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5182000921

### G45 Filament E14 2,5W 250lm 2700K Clear

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 7,9 cm, Ø: 4,5 cm  
**Light source** Lumen 250, Kelvin 2700, Life hours 15.000, RA 80,  
Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5182000121

### G45 Filament E14 4W 470lm 2700K Clear

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 7,9 cm, Ø: 4,5 cm  
**Light source** Lumen 470, Kelvin 2700, Life hours 15.000, RA 80,  
Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5182007821

### G45 Filament E14 4W 470lm 40 00K Clear

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 7,9 cm, Ø: 4,5 cm  
**Light source** Lumen 470, Kelvin 4000, Life hours 15.000, RA 80,  
Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5182015821

### G45 Filament E27 1,2W 140lm 2700K Clear

<b>Masterbox</b>	Qty 6
<b>Material</b>	Glass
<b>Size</b>	H: 7,9 cm, Ø: 4,5 cm
<b>Light source</b>	Lumen 140, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable
<b>Energy class</b>	A++

NEW



5182001121

### G45 Filament E27 2,5W 250lm 2700K Clear

<b>Masterbox</b>	Qty 6
<b>Material</b>	Glass
<b>Size</b>	H: 7,9 cm, Ø: 4,5 cm
<b>Light source</b>	Lumen 250, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable
<b>Energy class</b>	A++

NEW



5182000321

### G45 Filament E27 4W 470lm 2700K Clear

<b>Masterbox</b>	Qty 6
<b>Material</b>	Glass
<b>Size</b>	H: 7,9 cm, Ø: 4,5 cm
<b>Light source</b>	Lumen 470, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable
<b>Energy class</b>	A++

NEW



5192001921

### G45 Filament E27 6,3W 806lm 2700K Clear

<b>Masterbox</b>	Qty 6
<b>Material</b>	Glass
<b>Size</b>	H: 7,9 cm, Ø: 4,5 cm
<b>Light source</b>	Lumen 806, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable
<b>Energy class</b>	A++

NEW



5182006321

### G45 Filament E27 4,8W 470lm 2700K Dim Clear

Masterbox	Qty 6
Material	Glass
Size	H: 7,9 cm, Ø: 4,5 cm
Light source	Lumen 470, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Dimmable
Energy class	A++

NEW



5182003721

### G45 Filament E27 4W 470lm 4000K Clear

Masterbox	Qty 6
Material	Glass
Size	H: 7,9 cm, Ø: 4,5 cm
Light source	Lumen 470, Kelvin 4000, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable
Energy class	A++

NEW



5192006521

### G45 Filament E27 6,3W 806lm 4000K Clear

Masterbox	Qty 6
Material	Glass
Size	H: 7,9 cm, Ø: 4,5 cm
Light source	Lumen 806, Kelvin 4000, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable
Energy class	A++



NEW



5182001721

### G45 Filament E14 1,2W 140lm 2700K Milky

<b>Masterbox</b>	Qty 6
<b>Material</b>	Glass
<b>Size</b>	H: 7,9 cm, Ø: 4,5 cm
<b>Light source</b>	Lumen 140, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable
<b>Energy class</b>	A++

NEW



5182014121

### G45 Filament E14 2,5W 250lm 2700K Milky

<b>Masterbox</b>	Qty 6
<b>Material</b>	Glass
<b>Size</b>	H: 7,9 cm, Ø: 4,5 cm
<b>Light source</b>	Lumen 250, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable
<b>Energy class</b>	A++

NEW



5182014521

### G45 Filament E14 4,6W 470lm 2700K Milky

<b>Masterbox</b>	Qty 6
<b>Material</b>	Glass
<b>Size</b>	H: 7,9 cm, Ø: 4,5 cm
<b>Light source</b>	Lumen 470, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable
<b>Energy class</b>	A++

NEW



5192003321

### G45 Filament E14 4,6W 470lm 4000K Milky

<b>Masterbox</b>	Qty 6
<b>Material</b>	Glass
<b>Size</b>	H: 7,9 cm, Ø: 4,5 cm
<b>Light source</b>	Lumen 470, Kelvin 4000, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable
<b>Energy class</b>	A++

NEW



5182001921

### G45 Filament E27 1,2W 140lm 2700K Milky

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 7,9 cm, Ø: 4,5 cm  
**Light source** Lumen 140, Kelvin 2700, Life hours 15.000, RA 80,  
 Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5182014321

### G45 Filament E27 2,5W 250lm 2700K Milky

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 7,9 cm, Ø: 4,5 cm  
**Light source** Lumen 250, Kelvin 2700, Life hours 15.000, RA 80,  
 Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5182014721

### G45 Filament E27 4,6W 470lm 2700K Milky

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 7,9 cm, Ø: 4,5 cm  
**Light source** Lumen 470, Kelvin 2700, Life hours 15.000, RA 80,  
 Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5192002321

### G45 Filament E27 6,3W 806lm 2700K Milky

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 7,9 cm, Ø: 4,5 cm  
**Light source** Lumen 806, Kelvin 2700, Life hours 15.000, RA 80,  
 Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5182015521

### G45 Filament E27 4,4W 470lm 2700K Dim Milky

<b>Masterbox</b>	Qty 6
<b>Material</b>	Glass
<b>Size</b>	H: 7,9 cm, Ø: 4,5 cm
<b>Light source</b>	Lumen 470, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Dimmable
<b>Energy class</b>	A++

NEW



5192003521

### G45 Filament E27 4,6W 470lm 4000K Milky

<b>Masterbox</b>	Qty 6
<b>Material</b>	Glass
<b>Size</b>	H: 7,9 cm, Ø: 4,5 cm
<b>Light source</b>	Lumen 470, Kelvin 4000, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable
<b>Energy class</b>	A++

NEW



5192006821

### G45 Filament E27 6,3W 806lm 4000K Milky

<b>Masterbox</b>	Qty 6
<b>Material</b>	Glass
<b>Size</b>	H: 7,9 cm, Ø: 4,5 cm
<b>Light source</b>	Lumen 806, Kelvin 4000, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable
<b>Energy class</b>	A++

NEW



5183014021

### C35 Filament E14 1,2W 140lm 2700K Clear

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 9,7 cm, Ø: 3,5 cm  
**Light source** Lumen 140, Kelvin 2700, Life hours 15.000, RA 80,  
Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5183000121

### C35 Filament E14 2,5W 250lm 2700K Clear

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 9,7 cm, Ø: 3,5 cm  
**Light source** Lumen 250, Kelvin 2700, Life hours 15.000, RA 80,  
Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5183001521

### C35 Filament E14 4W 470lm 2700K Clear

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 9,7 cm, Ø: 3,5 cm  
**Light source** Lumen 470, Kelvin 2700, Life hours 15.000, RA 80,  
Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5283018721

### C35 Filament E14 6,3W 806lm 2700K Clear

**Masterbox** Qty 6  
**Material** Glass  
**Light source** Lumen 806, Kelvin 2700, Life hours 15.000, RA 80,  
Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5183005421

### C35 Filament E14 4,8W 470lm 2700K Dim Clear

Masterbox	Qty 6
Material	Glass
Size	H: 9,7 cm, Ø: 3,5 cm
Light source	Lumen 470, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Dimmable
Energy class	A++

NEW



5183005321

### C35 Filament E14 4W 470lm 4000K Clear

Masterbox	Qty 6
Material	Glass
Size	H: 9,7 cm, Ø: 3,5 cm
Light source	Lumen 470, Kelvin 4000, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable
Energy class	A++

NEW



5283018821

### C35 Filament E14 6,3W 806lm 4000K Clear

Masterbox	Qty 6
Material	Glass
Size	H: 9,7 cm, Ø: 3,5 cm
Light source	Lumen 806, Kelvin 4000, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable
Energy class	A++

NEW



5183002921

### C35 Filament E14 1,2W 140lm 2700K Milky

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 9,7 cm, Ø: 3,5 cm  
**Light source** Lumen 140, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5183015921

### C35 Filament E14 2,5W 250lm 2700K Milky

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 9,7 cm, Ø: 3,5 cm  
**Light source** Lumen 250, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5183016321

### C35 Filament E14 4,6W 470lm 2700K Milky

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 9,7 cm, Ø: 3,5 cm  
**Light source** Lumen 470, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5193002421

### C35 Filament E14 6,3W 806lm 2700K Milky

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 9,7 cm, Ø: 3,5 cm  
**Light source** Lumen 806, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5183017921

### C35 Filament E14 5,4W 470lm 2700K Dim Milky

Masterbox	Qty 6
Material	Glass
Size	H: 9,7 cm, Ø: 3,5 cm
Light source	Lumen 470, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Dimmable
Energy class	A+

NEW



5193003221

### C35 Filament E14 4,6W 470lm 4000K Milky

Masterbox	Qty 6
Material	Glass
Size	H: 9,7 cm, Ø: 3,5 cm
Light source	Lumen 470, Kelvin 4000, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable
Energy class	A++

NEW



5193006021

### C35 Filament E14 6,3W 806lm 4000K Milky

Masterbox	Qty 6
Size	H: 9,7 cm, Ø: 3,5 cm
Light source	Lumen 806, Kelvin 4000, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable
Energy class	A++

NEW



5186000721

### G95 Filament E27 7W 806lm 2700K Clear

**Masterbox** Qty 3  
**Material** Glass  
**Size** H: 13,7 cm, Ø: 9,5 cm  
**Light source** Lumen 806, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5186000921

### G95 Filament E27 8,2W 1055lm 2700K Clear

**Masterbox** Qty 3  
**Material** Glass  
**Size** H: 13,7 cm, Ø: 9,5 cm  
**Light source** Lumen 1.055, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5186004221

### G95 Filament E27 8,2W 1055lm 2700K Milky

**Masterbox** Qty 3  
**Material** Glass  
**Size** H: 13,7 cm, Ø: 9,5 cm  
**Light source** Lumen 1.055, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5196000721

### G95 Filament E27 8,6W 1055lm 2700K Dim Milky

**Masterbox** Qty 3  
**Material** Glass  
**Size** H: 13,7 cm, Ø: 9,5 cm  
**Light source** Lumen 1.055, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Dimmable  
**Energy class** A++



NEW



5186001121

### G120 Filament E27 8,2W 1055lm 2700K Clear

Masterbox	Qty 3
Material	Glass
Size	H: 17,2 cm, Ø: 12 cm
Light source	Lumen 1.055, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable
Energy class	A++

NEW



5196002021

### G120 Filament E27 11W 1521lm 2700K Clear

Masterbox	Qty 3
Material	Glass
Size	H: 17,2 cm, Ø: 12 cm
Light source	Lumen 1.521, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable
Energy class	A++

NEW



5196002821

### G120 Filament E27 11W 1521lm 2700K Milky

Masterbox	Qty 3
Material	Glass
Size	H: 17,2 cm, Ø: 12 cm
Light source	Lumen 1.521, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable
Energy class	A++

NEW



5196002621

### G120 Filament E27 8,6W 1055lm 2700K Dim Milky

Masterbox	Qty 3
Material	Glass
Size	H: 17,2 cm, Ø: 12 cm
Light source	Lumen 1.055, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Dimmable
Energy class	A++

NEW



5174008521

### GU10 4W 230lm 2700K Glass

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 5,5 cm, Ø: 5 cm  
**Light source** Lumen 230, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable  
**Energy class** A+

NEW



5174008621

### GU10 4,6W 345lm 2700K Glass

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 5,5 cm, Ø: 5 cm  
**Light source** Lumen 345, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable  
**Energy class** A+

NEW



5164003721

### GU10 5W 345lm 2700K Dim Glass

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 5,5 cm, Ø: 5 cm  
**Light source** Lumen 345, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Dimmable  
**Energy class** A+

NEW



5184002821

### GU10 6,2W 450lm 2700K Dim Glass

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 5,5 cm, Ø: 5 cm  
**Light source** Lumen 450, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Dimmable  
**Energy class** A+

NEW



5184003621

### GU10 4,6W 345lm 4000K Glass

<b>Masterbox</b>	Qty 6
<b>Material</b>	Glass
<b>Size</b>	H: 5,5 cm, Ø: 5 cm
<b>Light source</b>	Lumen 380, Kelvin 4000, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable
<b>Energy class</b>	A+

NEW



5164005621

### GU10 5,3W 450lm 4000K Glass

<b>Masterbox</b>	Qty 6
<b>Material</b>	Glass
<b>Size</b>	H: 5,5 cm, Ø: 5 cm
<b>Light source</b>	Lumen 450, Kelvin 4000, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable
<b>Energy class</b>	A+

NEW



5194000421

### GU5.3 8,6W 621lm 2700K Dim Plastic

<b>Masterbox</b>	Qty 6
<b>Material</b>	Plastic
<b>Size</b>	H: 5 cm, Ø: 4,6 cm
<b>Light source</b>	Lumen 621, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Dimmable
<b>Energy class</b>	A+

NEW



5194001821

### R50 3,9W 250lm 2700K Dim Glass

<b>Masterbox</b>	Qty 6
<b>Material</b>	Plastic
<b>Size</b>	H: 8,1 cm, Ø: 5 cm
<b>Light source</b>	Lumen 250, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Dimmable
<b>Energy class</b>	A+

NEW



5194002421

### R63 5,2W 345lm 2700K Dim Glass

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 10 cm, Ø: 6,3 cm  
**Light source** Lumen 345, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Dimmable  
**Energy class** A+

NEW



5194003021

### R80 8,4W 667lm 2700K Glass

**Masterbox** Qty 6  
**Material** Glass  
**Size** H: 10,9 cm, Ø: 8 cm  
**Light source** Lumen 667, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable  
**Energy class** A+

NEW



5167003521

### T25 Filament E14 1,2W 100lm 2200K Clear

**Masterbox** Qty 8  
**Material** Glass  
**Size** H: 5,7 cm, Ø: 2,5 cm  
**Light source** Lumen 100, Kelvin 2200, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5187000321

### T25 Filament E14 4W 470lm 2700K Clear

**Masterbox** Qty 8  
**Material** Glass  
**Size** H: 8,5 cm, Ø: 2,5 cm  
**Light source** Lumen 470, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
**Energy class** A++

NEW



5195000621

### G4 1,8W 180lm 2700K

Masterbox	Qty 6
Material	Silicone
Size	H: 3,7 cm, Ø: 1 cm
Light source	Lumen 180, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 300°, Not dimmable
Energy class	A++

NEW



5195000221

### G9 3,3W 400lm 3000K Clear

Masterbox	Qty 6
Material	Plastic
Size	H: 5,7 cm, Ø: 1,8 cm
Light source	Lumen 400, Kelvin 3000, Life hours 15.000, RA 80, Beam angle 280°, Not dimmable
Energy class	A++

NEW



5195000321

### G9 3,3W 370lm 3000K Milky

Masterbox	Qty 6
Material	Plastic
Size	H: 5,7 cm, Ø: 1,8 cm
Light source	Lumen 370, Kelvin 3000, Life hours 15.000, RA 80, Beam angle 280°, Dimmable
Energy class	A++

NEW



5161009021

### A60 SMD Light Sensor E27 8W 806lm 2700K

Masterbox	Qty 6
Material	Plastic
Size	H: 10,9 cm, Ø: 6 cm
Light source	Lumen 806, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 240°, Not dimmable
Energy class	A+

NEW



5171013321

### A60 SMD E27 5,7W 470lm 2700K

**Masterbox** Qty 6  
**Material** Plastic  
**Size** H: 10,9 cm, Ø: 6 cm  
**Light source** Lumen 470, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 240°, Not dimmable  
**Energy class** A+

NEW



5171013323

### A60 SMD E27 5,7W 470lm 2700K 3PK

**Masterbox** Qty 5  
**Material** Plastic  
**Size** H: 10,9 cm, Ø: 6 cm  
**Light source** Lumen 470, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 240°, Not dimmable  
**Energy class** A+

NEW



5171013521

### A60 SMD E27 9,4W 806lm 2700K

**Masterbox** Qty 6  
**Material** Plastic  
**Size** H: 10,9 cm, Ø: 6 cm  
**Light source** Lumen 806, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 240°, Not dimmable  
**Energy class** A+

NEW



5171013523

### A60 SMD E27 9,4W 806lm 2700K 3PK

**Masterbox** Qty 5  
**Material** Plastic  
**Size** H: 10,9 cm, Ø: 6 cm  
**Light source** Lumen 806, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 240°, Not dimmable  
**Energy class** A+

NEW



5171013721

### A60 SMD E27 10,2W 1055lm 2700K

**Masterbox** Qty 6  
**Material** Plastic  
**Size** H: 10,9 cm, Ø: 6 cm  
**Light source** Lumen 1.055, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 240°, Not dimmable  
**Energy class** A+

NEW



5171013723

### A60 SMD E27 10,2W 1055lm 2700K 3PK

**Masterbox** Qty 5  
**Material** Plastic  
**Size** H: 10,9 cm, Ø: 6 cm  
**Light source** Lumen 1.055, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 240°, Not dimmable  
**Energy class** A+

NEW



5197001021

### A60 SMD E27 13,8W 1521lm 2700K

**Masterbox** Qty 6  
**Material** Plastic  
**Size** H: 10,9 cm, Ø: 6 cm  
**Light source** Lumen 1.521, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 200°, Not dimmable  
**Energy class** A+

NEW



5197001023

### A60 SMD E27 13,8W 1521lm 2700K 3PK

**Masterbox** Qty 5  
**Material** Plastic  
**Size** H: 10,9 cm, Ø: 6 cm  
**Light source** Lumen 1.521, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 200°, Not dimmable  
**Energy class** A+

NEW



5181014923

### A60 SMD E27 5,7W 470lm 4000K 3-PK

**Masterbox** Qty 5  
**Material** Plastic  
**Size** H: 10,9 cm, Ø: 6 cm  
**Light source** Lumen 470, Kelvin 4000, Life hours 15.000, RA 80, Beam angle 240°, Not dimmable  
**Energy class** A+

NEW



5181015523

### A60 SMD E27 9,4W 806lm 4000K 3-PK

**Masterbox** Qty 5  
**Material** Plastic  
**Size** H: 10,9 cm, Ø: 6 cm  
**Light source** Lumen 806, Kelvin 4000, Life hours 15.000, RA 80, Beam angle 240°, Not dimmable  
**Energy class** A+

NEW



5172013921

### G45 SMD E14 3,5W 250lm 2700K

**Masterbox** Qty 6  
**Material** Plastic  
**Size** H: 8,4 cm, Ø: 4,5 cm  
**Light source** Lumen 250, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 225°, Not dimmable  
**Energy class** A+

NEW



5172013923

### G45 SMD E27 3,5W 250lm 2700K 3PK

**Masterbox** Qty 5  
**Material** Plastic  
**Size** H: 8,4 cm, Ø: 4,5 cm  
**Light source** Lumen 250, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 225°, Not dimmable  
**Energy class** A+



NEW



5172014321

### G45 SMD E27 5,8W 470lm 2700K

<b>Masterbox</b>	Qty 6
<b>Material</b>	Plastic
<b>Size</b>	H: 8,4 cm, Ø: 4,5 cm
<b>Light source</b>	Lumen 470, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 225°, Not dimmable
<b>Energy class</b>	A+

NEW



5172014323

### G45 SMD E27 5,8W 470lm 2700K 3PK

<b>Masterbox</b>	Qty 5
<b>Material</b>	Plastic
<b>Size</b>	H: 8,4 cm, Ø: 4,5 cm
<b>Light source</b>	Lumen 470, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 225°, Not dimmable
<b>Energy class</b>	A+

NEW



5172014021

### G45 SMD E27 3,5W 250lm 2700K

<b>Masterbox</b>	Qty 6
<b>Material</b>	Plastic
<b>Size</b>	H: 8,4 cm, Ø: 4,5 cm
<b>Light source</b>	Lumen 250, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 225°, Not dimmable
<b>Energy class</b>	A+

NEW



5172014023

### G45 SMD E27 3,5W 250lm 2700K 3PK

<b>Masterbox</b>	Qty 5
<b>Size</b>	H: 8,4 cm, Ø: 4,5 cm
<b>Light source</b>	Lumen 250, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 225°, Not dimmable
<b>Energy class</b>	A+

NEW



5172014421

### G45 SMD E27 5,8W 470lm 2700K

**Masterbox** Qty 6  
**Material** Plastic  
**Size** H: 8,4 cm, Ø: 4,5 cm  
**Light source** Lumen 470, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 225°, Not dimmable  
**Energy class** A+

NEW



5172014423

### G45 SMD E27 5,8W 470lm 2700K 3PK

**Masterbox** Qty 5  
**Material** Plastic  
**Size** H: 8,4 cm, Ø: 4,5 cm  
**Light source** Lumen 470, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 225°, Not dimmable  
**Energy class** A+

NEW



5172003921

### G45 SMD E27 7,8W 806lm 2700K

**Masterbox** Qty 6  
**Material** Plastic  
**Size** H: 8,4 cm, Ø: 4,5 cm  
**Light source** Lumen 806, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 200°, Not dimmable  
**Energy class** A+

NEW



5172003923

### G45 SMD E27 7,8W 806lm 2700K 3PK

**Masterbox** Qty 5  
**Material** Plastic  
**Size** H: 8,4 cm, Ø: 4,5 cm  
**Light source** Lumen 806, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 200°, Not dimmable  
**Energy class** A+

NEW



5173018921

### C35 SMD E14 3,5W 2500lm 2700K

**Masterbox** Qty 6  
**Material** Plastic  
**Size** H: 10,7 cm, Ø: 3,5 cm  
**Light source** Lumen 250, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 300°, Not dimmable  
**Energy class** A+

NEW



5173018923

### C35 SMD E14 3,5W 250lm 2700K 3PK

**Masterbox** Qty 5  
**Material** Plastic  
**Size** H: 10,7 cm, Ø: 3,5 cm  
**Light source** Lumen 250, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 300°, Not dimmable  
**Energy class** A+

NEW



5173019321

### C35 SMD E14 5,8W 470lm 2700K

**Masterbox** Qty 6  
**Material** Plastic  
**Size** H: 10,7 cm, Ø: 3,5 cm  
**Light source** Lumen 470, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 300°, Not dimmable  
**Energy class** A+

NEW



5173019323

### C35 SMD E14 5,8W 470lm 2700K

**Masterbox** Qty 5  
**Material** Plastic  
**Size** H: 10,7 cm, Ø: 3,5 cm  
**Light source** Lumen 470, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 300°, Not dimmable  
**Energy class** A+

NEW



5174008823

### GU10 3,7W 230lm 2700K Plastic 3PK

Masterbox	Qty 5
Material	Plastic
Size	H: 5,5 cm, Ø: 5 cm
Light source	Lumen 230, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable
Energy class	A+

NEW



5174008923

### GU10 4,8W 345lm 2700K Plastic

Masterbox	Qty 5
Material	Plastic
Size	H: 5,5 cm, Ø: 5 cm
Light source	Lumen 345, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable
Energy class	A+

NEW



5181014521

### A60 SMD E27 5,7W 396lm 2400K Flame

Masterbox	Qty 6
Material	Plastic
Size	H: 10,9 cm, Ø: 6 cm
Light source	Lumen 396, Kelvin 2400, Life hours 15.000, RA 80, Beam angle 240°, Not dimmable
Energy class	A+

NEW



5182003421

### G45 SMD E27 3,5W 215lm 2400K Flame

Masterbox	Qty 6
Material	Plastic
Size	H: 8,4 cm, Ø: 4,5 cm
Light source	Lumen 225, Kelvin 2400, Life hours 15.000, RA 80, Beam angle 225°, Not dimmable
Energy class	A+

NEW



5182003321

### G45 SMD E14 3,5W 215lm 2400K Flame

Masterbox	Qty 6
Material	Plastic
Size	H: 8,4 cm, Ø: 4,5 cm
Light source	Lumen 225, Kelvin 2400, Life hours 15.000, RA 80, Beam angle 225°, Not dimmable
Energy class	A+

NEW




2080012758

### Classic Deco Standard Gold 5,4W E27

**Masterbox** Qty 6  
**Size** H: 10,4 cm, Ø: 6 cm  
**Material** Glass  
**Light source** Lumen 400, Kelvin 2500, Life hours 15.000, RA 80,  
Beam angle 360°, Dimmable  
**Energy class** A+

NEW



2080052758

### Classic Deco Edison Gold 5,4W E27

**Masterbox** Qty 6  
**Size** H: 14 cm, Ø: 6,4 cm  
**Material** Glass  
**Light source** Lumen 380, Kelvin 2500, Life hours 15.000, RA 80,  
Beam angle 360°, Dimmable  
**Energy class** A+

NEW



2080172758

### Classic Deco Globe Gold 5,4W E27

**Masterbox** Qty 6  
**Size** H: 13,7 cm, Ø: 9,5 cm  
**Material** Glass  
**Light source** Lumen 400, Kelvin 2500, Life hours 15.000, RA 80,  
Beam angle 360°, Dimmable  
**Energy class** A+

NEW



2080212758

### Classic Deco Globe Gold 5,4W E27

**Masterbox** Qty 3  
**Size** H: 17,2 cm, Ø: 12,4 cm  
**Material** Glass  
**Light source** Lumen 400, Kelvin 2500, Life hours 15.000, RA 80,  
Beam angle 360°, Dimmable  
**Energy class** A+

NEW



2080152758

### Classic Deco Mini-globe Gold 4,8W E27

**Masterbox** Qty 6  
**Size** H: 7,9 cm, Ø: 4,5 cm  
**Material** Glass  
**Light source** Lumen 400, Kelvin 2500, Life hours 15.000, RA 80,  
Beam angle 360°, Dimmable  
**Energy class** A+

NEW



2080161458

### Classic Deco Mini-globe Gold 4,8W E14

**Masterbox** Qty 6  
**Size** H: 7,9 cm, Ø: 4,5 cm  
**Material** Glass  
**Light source** Lumen 400, Kelvin 2500, Life hours 15.000, RA 80,  
Beam angle 360°, Dimmable  
**Energy class** A+

NEW



2080091458

### Classic Deco Candle Gold 4,8W E14

**Masterbox** Qty 6  
**Size** H: 9,7 cm, Ø: 3,5 cm  
**Material** Glass  
**Light source** Lumen 400, Kelvin 2500, Life hours 15.000, RA 80,  
Beam angle 360°, Dimmable  
**Energy class** A+

NEW



2080111458

### Classic Deco Candle Gold 4,8W E14

**Masterbox** Qty 6  
**Size** H: 12,3 cm, Ø: 3,5 cm  
**Material** Glass  
**Light source** Lumen 400, Kelvin 2500, Life hours 15.000, RA 80,  
Beam angle 360°, Dimmable  
**Energy class** A+

NEW



2080022758

### Spiral Deco Standard Gold 4,5W E27

**Masterbox** Qty 6  
**Size** H: 10,9 cm, Ø: 6 cm  
**Material** Glass  
**Light source** Lumen 250, Kelvin 2000, Life hours 15.000, RA 80,  
 Beam angle 330°, Dimmable  
**Energy class** A

NEW



2080032747

### Spiral Deco Standard Smokey 4,5W E27

**Masterbox** Qty 6  
**Size** H: 10,9 cm, Ø: 6 cm  
**Material** Glass  
**Light source** Lumen 120, Kelvin 1800, Life hours 15.000, RA 80,  
 Beam angle 330°, Dimmable  
**Energy class** B

NEW



2080062758

### Spiral Deco Edison Gold 5W E27

**Masterbox** Qty 6  
**Size** H: 10,9 cm, Ø: 6,4 cm  
**Material** Glass  
**Light source** Lumen 250, Kelvin 2000, Life hours 15.000, RA 80,  
 Beam angle 330°, Dimmable  
**Energy class** A

NEW



2080072747

### Spiral Deco Edison Smokey 5W E27

**Masterbox** Qty 6  
**Size** H: 14 cm, Ø: 6,4 cm  
**Material** Glass  
**Light source** Lumen 140, Kelvin 1800, Life hours 15.000, RA 80,  
 Beam angle 330°, Dimmable  
**Energy class** B



NEW



2080182758

### Spiral Deco Globe Gold 5W E27

**Masterbox** Qty 6  
**Size** H: 14 cm, Ø: 9,5 cm  
**Material** Glass  
**Light source** Lumen 250, Kelvin 2000, Life hours 15.000, RA 80,  
 Beam angle 330°, Dimmable  
**Energy class** A

NEW



2080192747

### Spiral Deco Globe Smokey 5W E27

**Masterbox** Qty 6  
**Size** H: 14 cm, Ø: 9,5 cm  
**Material** Glass  
**Light source** Lumen 140, Kelvin 1800, Life hours 15.000, RA 80,  
 Beam angle 330°, Dimmable  
**Energy class** B

NEW



2080222758

### Spiral Deco Globe Gold 5W E27

**Masterbox** Qty 3  
**Size** H: 17,8 cm, Ø: 12,5 cm  
**Material** Glass  
**Light source** Lumen 250, Kelvin 2000, Life hours 15.000, RA 80,  
 Beam angle 330°, Dimmable  
**Energy class** A

NEW



2080232747

### Spiral Deco Globe Smokey 5W E27

**Masterbox** Qty 3  
**Size** H: 17,8 cm, Ø: 12,5 cm  
**Material** Glass  
**Light source** Lumen 140, Kelvin 1800, Life hours 15.000, RA 80,  
 Beam angle 330°, Dimmable  
**Energy class** B

NEW



NEW



2080121458

### Spiral Deco Candle Gold 2,5W E14

**Masterbox** Qty 6  
**Size** H: 9,7 cm, Ø: 3,5 cm  
**Material** Glass  
**Light source** Lumen 136, Kelvin 2000, Life hours 15.000, RA 80,  
Beam angle 330°, Dimmable  
**Energy class** A+

### Spiral Candle Bent Tip Gold 2,5W E14

**Masterbox** Qty 6  
**Size** H: 12,3 cm, Ø: 3,5 cm  
**Material** Glass  
**Light source** Lumen 136, Kelvin 2000, Life hours 15.000, RA 80,  
Beam angle 330°, Dimmable  
**Energy class** A+

NEW



2080132758

NEW



2080252758

### Spiral Tubular Gold 4,5W E27

**Masterbox** Qty 6  
**Size** H: 11 cm, Ø: 4,5 cm  
**Material** Glass  
**Light source** Lumen 250, Kelvin 2000, Life hours 15.000, RA 80,  
Beam angle 330°, Dimmable  
**Energy class** A

### Spiral Tubular Gold 8,5W E27

**Masterbox** Qty 3  
**Size** H: 27 cm, Ø: 6,5 cm  
**Material** Glass  
**Light source** Lumen 600, Kelvin 2000, Life hours 15.000, RA 80,  
Beam angle 330°, Dimmable  
**Energy class** A

NEW



2080262758

### Spiral Deco Standard Gold 8,5W E27

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 29 cm, Ø: 16 cm
<b>Material</b>	Glass
<b>Light source</b>	Lumen 600, Kelvin 2000, Life hours 15.000, RA 80, Beam angle 330°, Dimmable
<b>Energy class</b>	A

NEW




2080272747

### Spiral Deco Standard Smokey 8,5W E27

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 29 cm, Ø: 16 cm
<b>Material</b>	Glass
<b>Light source</b>	Lumen 200, Kelvin 1800, Life hours 15.000, RA 80, Beam angle 330°, Dimmable
<b>Energy class</b>	B

NEW



2080292758

### Spiral Deco Globe Gold 8,5W E27

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 28,3 cm, Ø: 20 cm
<b>Material</b>	Glass
<b>Light source</b>	Lumen 600, Kelvin 2000, Life hours 15.000, RA 80, Beam angle 330°, Dimmable
<b>Energy class</b>	A

NEW



2080302747

### Spiral Deco Globe Smokey 8,5W E27

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 28,3 cm, Ø: 20 cm
<b>Material</b>	Glass
<b>Light source</b>	Lumen 200, Kelvin 1800, Life hours 15.000, RA 80, Beam angle 330°, Dimmable
<b>Energy class</b>	B

NEW



2080042758

### Retro Deco Standard Gold 2,3W E27

**Masterbox** Qty 6  
**Size** H: 11,2 cm, Ø: 6 cm  
**Material** Glass  
**Light source** Lumen 65, Kelvin 1800, Life hours 15.000, Beam angle 330°, Dimmable  
**Energy class** A

NEW



2080142758

### Retro Tubular Gold 3,5W E27

**Masterbox** Qty 6  
**Size** H: 11,2 cm, Ø: 4,5 cm  
**Material** Glass  
**Light source** Lumen 120, Kelvin 1800, Life hours 15.000, Beam angle 330°, Dimmable  
**Energy class** A

NEW



2080082758

### Retro Deco Edison Gold 3,5W E27

**Masterbox** Qty 6  
**Size** H: 14,2 cm, Ø: 6,4 cm  
**Material** Glass  
**Light source** Lumen 120, Kelvin 1800, Life hours 15.000, Beam angle 330°, Dimmable  
**Energy class** A

NEW



2080202758

### Retro Deco Globe Gold 2,3W E27

**Masterbox** Qty 6  
**Size** H: 14,4 cm, Ø: 9,5 cm  
**Material** Glass  
**Light source** Lumen 120, Kelvin 1800, Life hours 15.000, Beam angle 330°, Dimmable  
**Energy class** A

NEW



2080242758

### Retro Deco Globe Gold 3,5W E27

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 16,4 cm, Ø: 12,5 cm
<b>Material</b>	Glass
<b>Light source</b>	Lumen 120, Kelvin 1800, Life hours 15.000, Beam angle 330°, Dimmable
<b>Energy class</b>	A

NEW



2080282758

### Retro Deco Standard Gold 3,5W E27

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 30,3 cm, Ø: 16,8 cm
<b>Material</b>	Glass
<b>Light source</b>	Lumen 120, Kelvin 1800, Life hours 15.000, Beam angle 330°, Dimmable
<b>Energy class</b>	A



1423070

### Avra Diamond 2W E27

**Masterbox** Qty 6  
**Size** H: 14,5 cm, W: 10 cm, Ø: 10 cm  
**Material** Glass  
**Light source** Lumen 150, Kelvin 2200, Life hours 15.000, RA 80,  
Beam angle 360°, Not dimmable



1426070

### Avra Stripes 2W Smoke E27

**Masterbox** Qty 6  
**Size** H: 18 cm, W: 12,5 cm, Ø: 12,5 cm  
**Material** Glass  
**IP Class** IP20, Class 2  
**Light source** Lumen 140, Kelvin 2200, Life hours 15.000, RA 80,  
Beam angle 360°, Not dimmable



Clear  
1421070

### Avra Stripes 2W Clear E27

**Masterbox** Qty 6  
**Size** H: 17,3 cm, Ø: 12,5 cm  
**Material** Glass  
**Light source** Lumen 150, Kelvin 2200, Life hours 15.000, RA 80,  
Beam angle 360°, Not dimmable



1422070

### Avra Stripes 2W Amber E27

**Masterbox** Qty 6  
**Size** H: 17,3 cm, W: 12,5 cm, Ø: 12,5 cm  
**Material** Glass  
**Light source** Lumen 130, Kelvin 2200, Life hours 15.000, RA 80,  
Beam angle 360°, Not dimmable



1427070

### Avra Bamboo 2W E27

**Masterbox** Qty 6  
**Size** H: 17,7 cm, W: 12,5 cm, Ø: 12,5 cm  
**Material** Glass  
**IP Class** IP20, Class 2  
**Light source** Lumen 130, Kelvin 2200, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable



1428070

### Avra Square 2W E27

**Masterbox** Qty 6  
**Size** H: 17,7 cm, W: 12 cm, Ø: 12 cm  
**Material** Glass  
**IP Class** IP20, Class 2  
**Light source** Lumen 140, Kelvin 2200, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable



1429070

### Avra Dent 2W E27

**Masterbox** Qty 6  
**Size** H: 17,7 cm, W: 12,5 cm, Ø: 12,5 cm  
**Material** Glass  
**IP Class** IP20, Class 2  
**Light source** Lumen 130, Kelvin 2200, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable



1430070

### Avra Nut 2W E27

**Masterbox** Qty 6  
**Size** H: 18 cm, W: 10 cm, Ø: 10 cm  
**Material** Glass  
**IP Class** IP20, Class 2  
**Light source** Lumen 200, Kelvin 2200, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable



### Avra Basic Line Stripes 1,5W E27

**Masterbox** Qty 6  
**Size** H: 17,7 cm, Ø: 12,5 cm  
**Material** Glass  
**IP Class** IP20, Class 2  
**Light source** Lumen 120, Kelvin 2000, Life hours 15.000, RA 80,  
Beam angle 360°, Not dimmable



### Avra Basic Line Dent 1,5W E27

**Masterbox** Qty 6  
**Size** H: 17,7 cm, Ø: 12,5 cm  
**Material** Glass  
**IP Class** IP20, Class 2  
**Light source** Lumen 120, Kelvin 2000, Life hours 15.000, RA 80,  
Beam angle 360°, Not dimmable



### Avra Basic Line Nut 1,5W E27

**Masterbox** Qty 6  
**Size** H: 18 cm, Ø: 10 cm  
**Material** Glass  
**IP Class** IP20, Class 2  
**Light source** Lumen 120, Kelvin 2000, Life hours 15.000, RA 80,  
Beam angle 360°, Not dimmable



### Avra Basic Line Stripes 1,5W E27

**Masterbox** Qty 6  
**Size** H: 17,7 cm, Ø: 12,5 cm  
**Material** Glass  
**IP Class** IP20, Class 2  
**Light source** Lumen 150, Kelvin 2200, Life hours 15.000, RA 80,  
Beam angle 360°, Not dimmable





# nordlux® Smart Light

At Nordlux we are strongly committed to bring smart connected light to the people. This calls for a wide assortment of best selling bulbs and luminaires, stand-out smart products, and accessories and a very user-friendly interface. Oh, and of course surprisingly low prices. In 2020 we are proud to share this with you – and invite you to START SMART.




306




# User friendly Bluetooth Mesh connections

Nordlux's smart light makes use of the newest Bluetooth Mesh technology. This enables it to work both indoor and outdoor with a stable communication between the devices. Bluetooth has a very low power consumption allowing us to save energy, but also introduce battery powered accessories, such as a daylight and motion sensor. Bluetooth also allows our users complete anonymity and strong privacy protection – because we allow access to all the basic functions without signing up with any account or email.




# Every single light can now create many moods

You can customize the light inside and outside, so you always have the right light for all the moments of everyday life. Soft warm light to start your day and direct great ready light in the dark evening.



# WiFi Bridge connects to a world of advanced functions

Add a Nordlux Smart Light Bridge and connect your lights to WiFi. This opens up opportunities to control and automate your light, for example through scheduling or voice control.




 Voice control with  
AMAZON ALEXA

 Voice control with  
GOOGLE HOME

# Online marketing support available

At Nordlux, we want to serve you with all the information and materials you need in the best possible way. Therefore, we have created various marketing packages with all relevant communication material, including everything from ERP-labels, images and videos to sales texts and exciting content for your social media channels. Download the packages and use it on all your channels – it will definitely make your marketing activities a lot easier.

Download the marketing package here: [www.nordlux.com/downloads/marketing-packages](http://www.nordlux.com/downloads/marketing-packages)



Product photos



Sales text in 7 languages




Detail photos



Ambience photos



Facebook & Instagram content



Datashets



ERP labels

# Retail support available

POS material is an effective tool for creating awareness and preferences among customers. In order to promote sales in the store and increase awareness of specific products or concepts, we offer you creative designs and solutions, including display solutions, signs, shelf danglers etc., which catch the customers' attention. We take care of the process from idea to finished production. The effect of great POS material is not to be mistaken - see here what we can offer you.

**nordlux®**

**Bluetooth**

**START SMART**  
The easiest way to control your lights

**BATHROOM**  
Adjust the light for any occasion  
Change the mood with just one click  
Control of up to 50 light fixtures  
Fast and easy set-up  
Max 15m distance inside

**OUTDOOR**  
Adjust the light for any occasion  
Control of up to 50 light fixtures  
Fast and easy set-up  
Max 50m distance outside

**START SMART**  
Smart + App + Bridge =  
• Stepless dimming  
• Timer function  
• Night light function  
• Wake/turning  
• Mood function

**START SMART**  
Smart + App + Bridge =  
• Remote control  
• Vacation mode  
• Voice control  
• Scheduled & program  
• Scenes settings

**START SMART** nordlux®

**Smart + App =**  
• Stepless dimming  
• Timer function  
• Night light function  
• Wake/turning  
• Mood function

**Smart + App + Bridge =**  
• Remote control  
• Vacation mode  
• Voice control  
• Scheduled & program  
• Scenes settings

**nordlux®**



# Smart Oja



Smart Oja 29 2015036101 white



Smart Oja 42 2015136101 white



Smart Oja 60 2015146101 white



Ultra-slim ceiling panel light  
Bluetooth connection to Nordlux Smart Light  
Adjustable kelvin and lumen output






**Smart Oja**  
Upward ceiling light





# Smart Dorado Integrated LED



Smart Dorado 2015650101 white - Smart Dorado 2015650103 black - Smart Dorado 2015650155 nickel




IP 65 protection for both outdoor and bathroom use  
Bluetooth connection to Nordlux Smart Light  
Adjustable kelvin and lumen output







# Smart Carina GU10



Smart Carina 1-kit 2015660101 white - Smart Carina 1-kit 2015660103 black - Smart Carina 1-kit 2015660155 nickel  
Smart Carina 3-kit 2015670101 white - Smart Carina 3-kit 2015670103 black - Smart Carina 3-kit 2015670155 nickel



Smart Carina 3-kit 2015680101 white - Smart Carina 3-kit 2015680103 black - Smart Carina 3-kit 2015680155 nickel




App and voice control  
Twist-lock for easy mounting of smart bulbs  
Bluetooth connection to Nordlux Smart Light  
Retrofit smart GU10 bulb included





# Smart Ava



Smart Ava 2019016003 black - Smart Ava 2019016010 grey




- Multifunctional lamp - can be placed both on ceiling and wall
- Indication light always lit when dark - Full light on when movement is detected
- Bluetooth connection to wireless sensor and Nordlux smart light network
- Fixed high-quality LED - 5-year LED warranty
- IP 44 for bathroom and outdoor use
- Includes optional cover cap
- Inter connectable / parallel connection



\*Bluetooth Sensor sold separately



# Smart Arcus



Smart Arcus 2019001003 black - Smart Arcus 2019001010 grey

2200-6500  
KELVIN

440  
LUMEN

Multifunctional lamp - can be placed both on ceiling and wall  
Indication light always lit when dark - Full light on when movement is detected  
Bluetooth connection to wireless sensor and Nordlux smart light network  
Fixed high-quality LED - 5-year LED warranty  
IP 44 for bathroom and outdoor use  
Inter connectable / parallel connection





**Twilight**

Turned on by darkness



**Full light**


Turned on by movement

\*Bluetooth Sensor sold separately

**321**

Bluetooth®

# Smart Sensor



Smart Sensor 49091001 white - Smart Sensor 49091003 black

**Smart Sensor is a wireless battery-operated lux and motion sensor with free mounting opportunities, as no cables to the sensor are required. The sensor operates via Bluetooth and is connected to the Nordlux Smart Light app, where you easily regulate the movement and darkness sensitivity of the sensor. Mount the sensor directly on the wall or with the enclosed bracket to determine the direction of the sensor. With the Nordlux Smart Light app you can easily determine, which Smart Light lamps or ordinary lamps with Nordlux Smart Light bulbs the sensor should control.**





### Smart Bulb E14 4,7W 430lm Bulb

**Masterbox** Qty 6  
**Size** H: 8,7 cm, Ø: 4,5 cm  
**Light source** E14, Lumen 430, Kelvin 2200-6500, Life hours 15.000, RA 80  
**Features** Wide 200° beam angle, Bluetooth connection to Nordlux Smart Light, Adjustable kelvin and lumen output



### Smart Bulb E14 4,7W 430lm Bulb

**Masterbox** Qty 6  
**Size** H: 10,7 cm, Ø: 3,5 cm  
**Light source** E14, Lumen 430, Kelvin 2200-6500, Life hours 15.000, RA 80  
**Features** Wide 300° beam angle, Bluetooth connection to Nordlux Smart Light, Adjustable kelvin and lumen output



### Smart Bulb GU10 4,0W 345lm Bulb

**Masterbox** Qty 6  
**Size** H: 5,5 cm, Ø: 5 cm  
**Light source** GU10, Lumen 410, Kelvin 2200-6500, Life hours 15.000, RA 80, Beam angle 36°  
**Features** 55 mm compact height, Exclusive glass finish, Adjustable kelvin and lumen output



### Smart Bulb GU10 4,5W 350lm 2PK Bulb

**Masterbox** Qty 6  
**Size** H: 5,5 cm, Ø: 5 cm  
**Light source** GU10, Lumen 450, Kelvin 2200-6500, Life hours 15.000, RA 80, Beam angle 36°  
**Features** 55 mm compact height, Dual pack, Adjustable kelvin and lumen output

NEW

Bluetooth



2200-6500  
KELVIN  
900  
LUMEN

2070052701

### Smart Bulb E27 8,5W 900lm Bulb

**Masterbox** Qty 6  
**Light source** E27, Lumen 900, Kelvin 2200-6500, Life hours 25.000, RA 80  
**Features** Wide 240° beam angle

NEW

Bluetooth



2200-6500  
KELVIN  
585  
LUMEN

2070092701

### Smart Bulb E27 4,7W 585lm Bulb

**Masterbox** Qty 6  
**Light source** E27, Lumen 585, Kelvin 2200-6500, Life hours 15.000, RA 80  
**Features** Full 360° beam angle, Milky surface that covers electronics

NEW

Bluetooth



2200-6500  
KELVIN  
650  
LUMEN

2070082700

### Smart Bulb E27 4,7W 650lm Bulb

**Masterbox** Qty 6  
**Size** H: 10,4 cm, Ø: 6 cm  
**Light source** E27, Lumen 650, Kelvin 2200-6500, Life hours 15.000, RA 80  
**Features** Full 360° beam angle

NEW

Bluetooth



2200-6500  
KELVIN  
650  
LUMEN

2070102700

### Smart Bulb E27 4,7W 650lm Bulb

**Masterbox** Qty 6  
**Size** H: 13,7 cm, Ø: 9,5 cm  
**Light source** E27, Lumen 650, Kelvin 2200-6500, Life hours 15.000, RA 80  
**Features** Full 360° beam angle

NEW



2070062701



### STARTER PACK UK | Smart bulb 2 x E27 A60 8,5W incl. UK-Bridge

- Masterbox Qty 6
- Size H: 10,9 cm, Ø: 6 cm
- Light source E27, Lumen 900, Kelvin 2200-6500, Life hours 25.000, RA 80, Beam angle 240°

NEW



2070072701



### STARTER PACK EU | Smart bulb 2 x E27 A60 8,5W incl. EU-Bridge

- Masterbox Qty 6
- Size H: 10,9 cm, Ø: 6 cm
- Light source E27, Lumen 900, Kelvin 2200-6500, Life hours 25.000, RA 80, Beam angle 240°




### Oja 30 Smart Light Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	W: 29,4 cm, L: 29,4 cm, D: 2,3 cm, Ø: 29,4 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 15W LED, Lumen 1.600, Kelvin 2700-6500, Life hours 25.000, RA 80, Beam angle 120°
<b>Features</b>	Ultra-slim ceiling panel light, Bluetooth connection to Nordlux Smart Light, Adjustable kelvin and lumen output, 5 year LED guarantee




### Oja 43 Smart Light Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	W: 42,4 cm, L: 42,4 cm, D: 2,3 cm, Ø: 42,4 cm
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP20, Class 2
<b>Light source</b>	Fixed LED, Incl. 20W LED, Lumen 2.200, Kelvin 2700-6500, Life hours 25.000, RA 80, Beam angle 120°
<b>Features</b>	Ultra-slim ceiling panel light, Bluetooth connection to Nordlux Smart Light, Adjustable kelvin and lumen output, 5 year LED guarantee







### Oja 60 Smart Light Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 2,3 cm, W: 60 cm, D: 2,3 cm, Ø: 60 cm
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP20, Class 1
<b>Light source</b>	Fixed LED, Incl. 30W LED, Lumen 3.200, Kelvin 2700-6500, Life hours 25.000, RA 80, Beam angle 120°
<b>Features</b>	Ultra-slim ceiling panel light, Bluetooth connection to Nordlux Smart Light, Adjustable kelvin and lumen output, 5 year LED guarantee



### Dorado Smart Light 1-Kit Downlight

<b>Masterbox</b>	Qty 6
<b>Size</b>	D: 5,4 cm, H: 5,4 cm, Ø: 8,5 cm
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP65, Class 2
<b>Light source</b>	Fixed LED, Incl. 4,7W LED, Lumen 380, Kelvin 2200-6500, Life hours 20.000, RA 80, Beam angle 36°
<b>Features</b>	IP 65 protection for both outdoor and bathroom use, Bluetooth connection to Nordlux Smart Light, Adjustable kelvin and lumen output, 5 year LED guarantee




### Carina Smart Light Downlight

**Masterbox** Qty 3  
**Light source** GU10,  
 Lumen 410, Kelvin 2200-6500, Life hours 15.000, RA 80,  
 Beam angle 36°  
**Features** Twist-lock for easy mounting of smart bulbs,  
 Bluetooth connection to Nordlux Smart Light,  
 Retrofit smart GU10 bulb included

### Carina Smart Light 3-kit Downlight

**Masterbox** Qty 3  
**Light source** GU10,  
 Lumen 410, Kelvin 2200-6500, Life hours 15.000, RA 80,  
 Beam angle 36°, Not dimmable  
**Features** Twist-lock for easy mounting of smart bulbs,  
 Bluetooth connection to Nordlux Smart Light,  
 Retrofit smart GU10 bulb included



### Carina Smart Light Square 3-Kit Downlight

**Masterbox** Qty 3  
**Light source** GU10,  
 Lumen 410, Kelvin 2200-6500, Life hours 15.000, RA 80,  
 Beam angle 36°, Not dimmable  
**Features** Twist-lock for easy mounting of smart bulbs,  
 Bluetooth connection to Nordlux Smart Light,  
 Retrofit smart GU10 bulb included



NEW



Bluetooth



**Twilight**  
Turned on by darkness



**Full light**  
Turned on by movement



Black  
2019016003




Grey  
2019016010

## Ava Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 20 cm, W: 20 cm, D: 6,7 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	Fixed LED, Incl. 9,5W LED, Lumen 600, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 159.20°
<b>Features</b>	Dual light LED, Bluetooth connection to Nordlux Smart Light, Can be controlled by wireless Nordlux Smart Sensor, 5 year LED guarantee

NEW



Bluetooth



**Twilight**  
Turned on by darkness



**Full light**  
Turned on by movement





Black  
2019001003



Grey  
2019001010

## Arcus Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 10 cm, W: 20 cm, D: 10 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	Fixed LED, Incl. 9,5W LED, Lumen 440, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 147.60°
<b>Features</b>	Dual light LED, Bluetooth connection to Nordlux Smart Light, Can be controlled by wireless Nordlux Smart Sensor, 5 year LED guarantee





### Smart Light Bridge Additional

**Masterbox** Qty 6  
**Size** H: 1,8 cm, W: 6,6 cm, L: 6,6 cm  
**IP Class** IP20, Class 1  
**Cable** Cable: White 120 cm  
**Features** Connects Bluetooth Mesh to Wifi, Opens up for advanced functionalities, Compact size

### Remote Smart Light Additional


**Masterbox** Qty 3  
**Features** Customized control of smart, Battery included



### Smartsensor Additional

**Masterbox** Qty 6  
**Size** W: 7,6 cm, L: 7,6 cm, D: 4,5 cm  
**Material** Plastic  
**IP Class** IP54, Class 3  
**Features** Easy installation without the use of cables, Daylight and movement sensor in one unit, IP safe for both outdoor and bathroom use, Battery included






# Outdoor

Nordlux's vision is to lift people's quality of life with light. Therefore we strive to develop timeless design in high quality at a price that allows everyone to join in. For our 2020 collection we have yet again improved some of our best selling designs with new sizes and even easier installation. We are adding new designs, both iconic Danish design along with more contemporary European designs. This year also marks the introduction of built-in Bluetooth with luminaires part of Nordlux Smart Light – and even an wireless Bluetooth daylight and movement sensor. Our passion for great design, has also this year led to outdoor products that are so stylish, that they are even invited in for indoor use in many homes across Europe.

This year we are also inviting consumers to “take me anywhere”. This is the slogan for two new portable series designed for balcony, garden and terrace use. Decorative Danish design – designed for the harsh outdoors with long battery life and high lumen output”



2020 we are also expanding our range of Seaside products. Brass, copper, nickel and galvanized steel products designed for the harsh coastal, urban and other rough environments. These natural beautiful materials are made into both classical design and more iconic Danish design products – all comes with the 15 years of guarantee against corrosion



*Two new portable series designed for balcony, garden and terrace use.*

*Decorative Danish design – designed for the harsh outdoors with long battery life and high lumen output*

**TAKE ME ANYWHERE**



# Meet the Kettle's

TAKE ME ANYWHERE




no. 2018003003



no. 2018013003



no. 2018035003



no. 2018044003




no. 2018028003

The possibilities are endless with the Kettle series, as you can determine the type of lamp you want with the replaceable accessories. Design and functionality are carefully thought through, so the series beautifully illuminates your everyday life - both inside and outside. Kettle is not only decorative, it also provides a good light, and simultaneously the brightness of the light can be adjusted in three levels. The built-in battery has a durability up to five hours at full power and even longer if the light is turned down to a cozy lighting.

The battery is easily charged via the included USB cable.





Includes USB  
charging cable



IP65  
Waterresistant



Long life  
battery  
included



2700  
KELVIN



Danish design by  
Says Who

**NEW**



Strap included



1 <sup>st</sup> CLICK	100%
300 LUMEN	5 HOURS
2 <sup>nd</sup> CLICK	60%
200 LUMEN	10 HOURS
3 <sup>rd</sup> CLICK	30%
100 LUMEN	16 HOURS

White  
2018003003

### Kettle 22 Portable by Says Who

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 19,6 cm, W: 22 cm, L: 22 cm, Ø: 22 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP65, Class 3
<b>Cable</b>	Cable: Black 150 cm replaceable Switch on fixture
<b>Light source</b>	Fixed LED, Incl. 4,8W LED, Incl. 3-step dimmer, Lumen 300, Kelvin 2700, Life hours 30.000, RA 80
<b>Features</b>	Long life battery, Durable materials, High lumen output with 3 step dimming, 5 year LED guarantee

**NEW**



Strap included



1 <sup>st</sup> CLICK	100%
450 LUMEN	5 HOURS
2 <sup>nd</sup> CLICK	60%
300 LUMEN	10 HOURS
3 <sup>rd</sup> CLICK	30%
150 LUMEN	16 HOURS

White  
2018013003

### Kettle 36 Portable by Says Who

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 30,8 cm, W: 36 cm, L: 36 cm, Ø: 36 cm
<b>Material</b>	Plastic/Plastic
<b>IP Class</b>	IP65, Class 3
<b>Cable</b>	Cable: Black 150 cm replaceable Switch on fixture
<b>Light source</b>	Fixed LED, Incl. 6,8W LED, Incl. 3-step dimmer, Lumen 450, Kelvin 2700, Life hours 30.000, RA 80,
<b>Features</b>	Long life battery, Durable materials, High lumen output with 3 step dimming, 5 year LED guarantee



**Kettle tripod 31** Portable by Says Who

**Masterbox** Qty 3  
**Size** H: 34,4 cm, W: 17,9 cm, L: 15,7 cm, Pipe Ø: 1,6 cm  
**Material** Metal - Wood/Metal  
**Features** Easy twist mount accessory for Kettle luminaire, Tripod turns it into table or low floor lamp

**Kettle tripod 100** Portable by Says Who

**Masterbox** Qty 3  
**Size** H: 102,9 cm, W: 36,7 cm, L: 32 cm, Pipe Ø: 1,6 cm  
**Material** Metal - Wood/Metal  
**Features** Easy twist mount accessory for Kettle luminaire, High tripod turns it into floor lamp




**Kettle spike** Portable by Says Who


**Masterbox** Qty 3  
**Size** H: 51,6 cm, W: 5,8 cm, L: 5,8 cm, Pipe Ø: 1,8 cm  
**Material** Metal/Aluminium  
**Features** Easy twist mount accessory for Kettle luminaire, Metal spike

# Meet the Sponge's


TAKE ME ANYWHERE




no. 2018145003



no. 2018128003




no. 2018154003



no. 2018103003




no. 2018135003



no. 2018165003

Sponge is named after sponges in the forest, where the inspiration for design, shape and expression also is found. The simple design and soft shapes make Sponge an incredibly elegant series, suitable inside and outside the home. With the built-in battery, Sponge can be placed and moved as you like and simultaneously, the brightness of the light can be adjusted in three levels. The battery has a durability up to five hours at full power and even longer if the light is turned down to a cozy lighting. The battery is easily charged via the included USB cable.



Includes USB  
charging cable



IP65  
Waterresistant



Long life  
battery  
included




2700  
KELVIN



Danish design by  
Says Who

NEW



1<sup>st</sup> CLICK  
100%

300  
LUMEN  
5  
HOURS

2<sup>nd</sup> CLICK  
60%

200  
LUMEN  
10  
HOURS

3<sup>rd</sup> CLICK  
30%

100  
LUMEN  
16  
HOURS

White  
2018103003

NEW



1<sup>st</sup> CLICK  
100%

450  
LUMEN  
5  
HOURS

2<sup>nd</sup> CLICK  
60%

300  
LUMEN  
10  
HOURS

3<sup>rd</sup> CLICK  
30%

150  
LUMEN  
16  
HOURS

White  
2018154003

### Sponge 20 Pendant Portable by Says Who

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 55,4 cm, W: 20 cm, L: 20 cm, Ø: 20 cm, Shade Ø: 20 cm, Pipe Ø: 2,3 cm
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP65, Class 3
<b>Light source</b>	Fixed LED, Incl. 4,8W LED, Incl. 3-Step MOODMAKER™, Lumen 300, Kelvin 2700, Life hours 30.000, RA 80
<b>Features</b>	Long life battery, Durable materials, High lumen output with 3 step dimming, 5 year LED guarantee

### Sponge 34 Floor Portable by Says Who

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 126 cm, W: 34 cm, L: 34 cm, Ø: 34 cm, Pipe Ø: 2,3 cm, Base Ø: 28,5 cm
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP65, Class 3
<b>Light source</b>	Fixed LED, Incl. 6,8W LED, Incl. 3-Step MOODMAKER™, Lumen 450, Kelvin 2700, Life hours 30.000, RA 80
<b>Features</b>	Long life battery, Durable materials, High lumen output with 3 step dimming, 5 year LED guarantee

NEW



White  
2018145003

1<sup>st</sup> CLICK  
100%

300  
LUMEN  
5  
HOURS

2<sup>nd</sup> CLICK  
60%

200  
LUMEN  
10  
HOURS

3<sup>rd</sup> CLICK  
30%

100  
LUMEN  
16  
HOURS

NEW



White  
2018128003

1<sup>st</sup> CLICK  
100%

300  
LUMEN  
5  
HOURS

2<sup>nd</sup> CLICK  
60%

200  
LUMEN  
10  
HOURS

3<sup>rd</sup> CLICK  
30%

100  
LUMEN  
16  
HOURS

### Sponge 20 To Go Portable by Says Who

- Masterbox** Qty 3
- Size** H: 27,7 cm, W: 22,5 cm, L: 22,5 cm, Ø: 22,5 cm, Pipe Ø: 1 cm, Base Ø: 13,5 cm
- Material** Plastic/Metal
- IP Class** IP65, Class 3
- Cable** Cable: Black 150 cm replaceable  
Switch on fixture
- Light source** Fixed LED, Incl. 4,8W LED, Incl. 3-Step MOODMAKER™, Lumen 300, Kelvin 2700, Life hours 30.000, RA 80
- Features** Long life battery, Durable materials, High lumen output with 3 step dimming, 5 year LED guarantee

### Sponge 20 Spike Portable by Says Who

- Masterbox** Qty 3
- Size** H: 51,5 cm, W: 20 cm, L: 20 cm, Ø: 20 cm, Shade Ø: 20 cm, Pipe Ø: 2,3 cm
- Material** Plastic/Metal
- IP Class** IP65, Class 3
- Cable** Cable: Black 150 cm replaceable  
Switch on fixture
- Light source** Fixed LED, Incl. 4,8W LED, Incl. 3-Step MOODMAKER™, Lumen 300, Kelvin 2700, Life hours 30.000, RA 80
- Features** Long life battery, Durable materials, High lumen output with 3 step dimming, 5 year LED guarantee

NEW



White  
2018135003

1<sup>st</sup> CLICK  
100%

300  
LUMEN  
5  
HOURS

2<sup>nd</sup> CLICK  
60%

200  
LUMEN  
10  
HOURS

3<sup>rd</sup> CLICK  
30%

100  
LUMEN  
16  
HOURS

NEW



White  
2018165003

1<sup>st</sup> CLICK  
100%

450  
LUMEN  
5  
HOURS

2<sup>nd</sup> CLICK  
60%

300  
LUMEN  
10  
HOURS

3<sup>rd</sup> CLICK  
30%

150  
LUMEN  
16  
HOURS


### Sponge 20 Table Portable by Says Who

- Masterbox** Qty 3
- Size** H: 21,5 cm, W: 20 cm, L: 20 cm, Ø: 20 cm, Pipe Ø: 2,3 cm
- Material** Plastic/Metal
- IP Class** IP65, Class 3
- Light source** Fixed LED, Incl. 4,8W LED, Incl. 3-Step MOODMAKER™, Lumen 300, Kelvin 2700, Life hours 30.000, RA 80,
- Features** Long life battery, Durable materials, High lumen output with 3 step dimming, 5 year LED guarantee

### Sponge 34 Table Portable by Says Who


- Masterbox** Qty 3
- Size** H: 40,5 cm, W: 34 cm, L: 34 cm, Ø: 34 cm, Pipe Ø: 2,3 cm
- Material** Plastic/Metal
- IP Class** IP65, Class 3
- Light source** Fixed LED, Incl. 6,8W LED, Incl. 3-Step MOODMAKER™, Lumen 450, Kelvin 2700, Life hours 30.000, RA 80,
- Features** Long life battery, Durable materials, High lumen output with 3 step dimming, 5 year LED guarantee

# Meet Turn



Shade may be seamlessly turned 360°

no. 2019061001 white  
no. 2019061003 black  
no. 2019061010 grey




Easy magnetic mounting

Imagine a lamp that can be turned freely after installation, creating beautiful effects with light and shades and makes the lamp an illuminating piece of art on the wall. This is exactly what designer, Henrik Bønnelycke, has created. Turn is both playful and sculptural, as the magnetic shade can be rotated 360°, making it possible to illuminate exactly what you want. Turn oozes of Nordic minimalism as it combines modern design and functionality in the most beautiful way. The lamp is resistant to wind and water, and therefore it can be used both outdoors and indoors at the bathroom.






Danish design by  
Bønnelycke mdd




3 light effects included


# Meet Fold



no. 2019041001 white  
no. 2019041003 black  
no. 2019041030 copper  
no. 2019041031 galvanized  
no. 2019041035 brass  
no. 2019041038 corten NEW




no. 2019051001 white  
no. 2019051003 black  
no. 2019051030 copper  
no. 2019051031 galvanized  
no. 2019051035 brass  
no. 2019051038 corten NEW



Easy magnetic mounting

“Fold a sheet of paper, place a bulb behind - and you have a lamp.” Although the reality is not that simple, designer Henrik Bønnelycke wants the light to appear as if it is. In terms of shape, Fold is brightly clear, where the selected details and latest LED technology are in focus. The magnetic shade makes the installation simple and the design distinct without visible screws. The light shines up and down, and the four included light patterns change the light based on desire and personal style and are also an element for light dimming.

# Meet Aleria



no. 2019131003 black / no. 2019131010 grey


Inspired by the South European design language, Aleria got its name and form from the inviting city on Corsica with the same name. Aleria is a small lamp that does not take up any unnecessary space, but at the same time provides a good functional light. With the soft shapes and elegant design this lamp becomes a beautiful decoration for your outdoor space.





**350**


# Meet Calvi



no. 2019141003 black

Calvi wall lamp is named after the aesthetic city on Corsica with the same name.  
Calvi has a simple and timeless expression, with the light shining both up and down.  
The lampshade is easily mounted by sliding it down over the base to avoid visible screws.  
Calvi has integrated LED and is durable against wind and water, which makes the lamp usable outdoors as well as indoors at the bathroom or in the kitchen.

# Meet Pignia



no. 2019151003

Pignia is minimalistic in both form and expression. The wall lamp is named after the beautiful city on Corsica, where the architectural design is a nice contrast to the rustic South European interior style. The lamp has integrated LED, contributing to a different shape, where the light shines up and down, which makes the lamp an inviting decoration both outside and inside.







NEW

White, Clear  
2019041001



Black, Clear  
2019041003



Copper, Clear  
2019041030



Galvanized, Clear  
2019041031



Brass, Clear  
2019041035



NEW

White, Clear  
2019051001



Black, Clear  
2019051003



Copper, Clear  
2019051030



Galvanized, Clear  
2019051031



Brass, Clear  
2019051035



### Fold 10 Wall by Bønnelycke mdd

- Masterbox** Qty 3
- Size** H: 14,8 cm, W: 10,5 cm, D: 5 cm
- Material** Aluminium/Plastic - Copper/Plastic - Galvanized steel/Plastic - Brass/Plastic - Corten/Plastic
- IP Class** IP54, Class 1
- Light source** Fixed LED, Incl. 2X3,5W LED, Up to 2X250 Lumen, Kelvin 3000, Life hours 30.000, Beam angle 205°, Not dimmable
- Features** 3 light effects included, Both up- and down-light, Parallel connection possible, 5 year LED guarantee

### Fold 15 Wall by Bønnelycke mdd

- Masterbox** Qty 3
- Size** H: 21 cm, W: 14,8 cm, D: 5 cm
- Material** Aluminium/Plastic - Copper/Plastic - Galvanized steel/Plastic - Brass/Plastic - Metal/Plastic
- IP Class** IP54, Class 1
- Light source** Fixed LED, Incl. 2X3,5W LED, Up to 2X250 Lumen, Kelvin 3000, Life hours 30.000, Beam angle 205°, Not dimmable
- Features** 3 light effects included, Both up- and down-light, Parallel connection possible, 5 year LED guarantee



NEW

White  
2019061001



Black  
2019061003



Grey  
2019061010



NEW

Grey  
2019131010




Black  
2019131003

### Turn Wall by Bønnelycke mdd

- Masterbox** Qty 3
- Size** W: 15 cm, L: 15 cm, D: 8,3 cm
- Material** Aluminium
- IP Class** IP54, Class 1
- Light source** Fixed LED, Incl. 13W LED, Lumen 970, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 120°, Dimmable
- Features** 360° turnable shade, Parallel connection possible, Dimmable with wall dimmer, 5 year LED guarantee

### Aleria Wall

- Masterbox** Qty 3
- Size** H: 10,7 cm, W: 11,5 cm, D: 14,7 cm
- Material** Metal
- IP Class** IP44, Class 1
- Light source** GU10, Max. 35W, Excl. light source,
- Features** Compact design, Fits GU10 smart bulb, Designed for both outdoor and bathroom use



### Asbol Wall

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 15 cm, W: 6,7 cm, D: 9,5 cm, Base mount: 5,5 x 14 cm
<b>Material</b>	Aluminium/Glass
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	Fixed LED, Incl. 2X5W LED, Lumen 2X370, Kelvin 3000, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	3 light effects included, High 2x370 lumen output, Parallel connection possible, 5 year LED guarantee

### Asbol Kubi wall

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 15 cm, W: 6,7 cm, D: 9,5 cm, Base mount: 5,5 x 14 cm
<b>Material</b>	Aluminium/Glass
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	Fixed LED, Incl. 2X5W LED, Lumen 2X370, Kelvin 3000, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	3 light effects included, High 2x370 lumen output, Parallel connection possible, 5 year LED guarantee



### Pignia Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 23,8 cm, W: 5 cm, D: 8,5 cm
<b>Material</b>	Aluminium
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	Fixed LED, Incl. 10W LED, Lumen 500, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 207°, Not dimmable
<b>Features</b>	Horizontal and vertical mounting options, 5 year LED guarantee

### Calvi Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 15 cm, W: 7,1 cm, L: 4 cm
<b>Material</b>	Aluminium/Glass
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	Fixed LED, Lumen 210, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 210°, Not dimmable
<b>Features</b>	Slim elegant design, No visible screws, Cozy up- and down-light, 5 year LED guarantee



For more info about Smart Light outdoor, please see page 306

**NEW**

Bluetooth



Black  
2019016003

**Twilight**  
Turned on by darkness

**Full light**  
Turned on by movement

2200-6500  
KELVIN

600  
LUMEN



## Ava Ceiling / Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 20 cm, W: 20 cm, D: 6,7 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	Fixed LED, Incl. 9,5W LED, Lumen 600, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 159.20°
<b>Features</b>	Dual light LED, Bluetooth connection to Nordlux Smart Light, Can be controlled by wireless Nordlux Smart Sensor, 5 year LED guarantee

**NEW**

Bluetooth



Black  
2019001003

**Twilight**  
Turned on by darkness

**Full light**  
Turned on by movement

2200-6500  
KELVIN

440  
LUMEN



## Arcus Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 10 cm, W: 20 cm, D: 10 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	Fixed LED, Incl. 9,5W LED, Lumen 440, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 147.60°
<b>Features</b>	Dual light LED, Bluetooth connection to Nordlux Smart Light, Can be controlled by wireless Nordlux Smart Sensor, 5 year LED guarantee

NEW



White, Opal white  
2019161001

NEW



White, Opal white  
2019171001

### Cuba Energy Wall

- Masterbox** Qty 3
- Size** H: 17,5 cm, W: 4,3 cm, Ø: 17,5 cm, Shade Ø: 16,3 cm
- Material** Plastic/Plastic
- IP Class** IP54, Class 2
- Light source** Fixed LED, Incl. 11W LED, Lumen 700, Kelvin 3000, Life hours 30.000, RA 80, Beam angle 121.30°, Not dimmable
- Features** Surprisingly low price, Designed for both ceiling and wall mounting, 5 year LED guarantee

### Cuba Bright Wall

- Masterbox** Qty 3
- Size** H: 17,5 cm, W: 4,3 cm, Ø: 17,5 cm, Shade Ø: 16,3 cm
- Material** Plastic/Aluminium
- IP Class** IP54, Class 2
- Light source** Fixed LED, Incl. 14W LED, Lumen 1.600, Kelvin 3000, Life hours 30.000, RA 80, Beam angle 121.80°, Not dimmable
- Features** Surprisingly low price, Designed for both ceiling and wall mounting, 5 year LED guarantee

NEW



White, Opal white  
2019181001

NEW



White, Opal white  
2019191001

### Cuba Energy Wall

- Masterbox** Qty 3
- Size** H: 20,5 cm, W: 4,3 cm, L: 10 cm
- Material** Plastic/Plastic
- IP Class** IP54, Class 2
- Light source** Fixed LED, Incl. 7W LED, Lumen 700, Kelvin 3000, Life hours 30.000, RA 80, Beam angle 124.80°, Not dimmable
- Features** Surprisingly low price, Designed for both ceiling and wall mounting, 5 year LED guarantee

### Cuba Bright wall

- Masterbox** Qty 3
- Size** H: 20,5 cm, W: 4,3 cm, L: 10 cm
- Material** Plastic/Aluminium
- IP Class** IP54, Class 2
- Light source** Fixed LED, Incl. 14W LED, Lumen 1.600, Kelvin 3000, Life hours 30.000, RA 80, Beam angle 124.70°, Not dimmable
- Features** Surprisingly low price, Designed for both ceiling and wall mounting, 5 year LED guarantee

NEW



Black  
2019081003

### Piana Wall

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 4,7 cm, W: 11,3 cm, D: 15,2 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	Fixed LED, Incl. 7,2W LED, Lumen 410, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 107°, Not dimmable
<b>Features</b>	Minimalistic design, Both wall and pole versions available, 5 year LED guarantee

NEW



Black  
2019098003

### Piana 30 Garden

<b>Masterbox</b>	Qty 4
<b>Size</b>	H: 30 cm, W: 11,3 cm, L: 4,7 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	Fixed LED, Incl. 7,2W LED, Lumen 410, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 107°, Not dimmable
<b>Features</b>	Minimalistic design, Both wall and pole versions available, Parallel connection possible, 5 year LED guarantee

NEW




Black  
2019108003


### Piana 50 Garden

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 50 cm, W: 11,3 cm, L: 4,7 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	Fixed LED, Incl. 7,2W LED, Lumen 410, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 107°, Not dimmable
<b>Features</b>	Minimalistic design, Both wall and pole versions available, Parallel connection possible, 5 year LED guarantee

# Meet Canto 2




no. 49701001 white  
no. 49701003 black  
no. 49701010 grey  
no. 49701031 galvanized steel  
no. 49701034 stainless steel  
no. 49701035 brass



no. 49711001 white  
no. 49711003 black  
no. 49711010 grey  
no. 49711031 galvanized steel  
no. 49711034 stainless steel

Whether Canto 2.0 is placed indoors or outdoors, the lamp offers a unique lighting experience. The minimalist design makes the lamp both decorative and sculptural. The light flows both up and down, and with the three included pattern inserts, it is possible to change the light image according to desire and personal style.






Easy mounting  
2 cable inlets  
3 screw mounting

*Sign*



Danish design by  
Bønnelycke mdd



3 light effects included in 4970 and 4971





-  Black, Clear  
49701003
-  Grey, Clear  
49701010
-  Galvanized, Clear  
49701031
-  Stainless steel, Clear  
49701034
-  Brass, Clear  
49701035

## Canto 2 Wall by Bønnelycke mdd

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 10,4 cm, W: 8,7 cm, D: 10 cm
<b>Material</b>	Aluminium - Metal - Stainless steel - Brass
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	Fixed LED, Incl. 2x6W LED, Lumen 500, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 75°, Not dimmable
<b>Features</b>	3 light effects included, Both up- and down-light, Parallel connection possible, 15 year anti corrosion guarantee on Galvanized Steel and Brass, 5 year LED guarantee



-  Black, Clear  
49711003
-  Grey, Clear  
49711010
-  Galvanized, Clear  
49711031
-  Stainless steel, Clear  
49711034

## Canto Kubi 2 Wall by Bønnelycke mdd

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 10,4 cm, W: 8,7 cm, D: 10 cm
<b>Material</b>	Aluminium - Metal - Stainless steel
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	Fixed LED, Incl. 2x6W LED, Lumen 500, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 75°, Not dimmable
<b>Features</b>	3 light effects included, Both up- and down-light, Parallel connection possible, 15 year anti corrosion guarantee on Galvanized Steel, 5 year LED guarantee










Are you in doubt whether to buy an outdoor fixture whose light is directed upwards, a lamp that is directed downwards... or both? With CANTO you do not have to make this decision beforehand. The lamps offer the opportunity to choose amongst different patterns, which makes you a light designer. You choose the shape and direction of the light yourself – all according to your preferences.







White, Clear  
49721001




- 
Black, Clear  
49721003
- 
Grey, Clear  
49721010
- 
Galvanized, Clear  
49721031
- 
Stainless steel,  
Clear  
49721034
- 
Brass, Clear  
49721035

### Canto Maxi 2 Wall by Bønnelycke mdd

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 17 cm, W: 8,7 cm, D: 10 cm
<b>Material</b>	Aluminium - Metal - Stainless steel - Brass
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	GU10, Max. 2X28W, Excl. light source,
<b>Features</b>	Retrofit GU10 bulbs, Both up- and down-light, Parallel connection possible, 15 year anti corrosion guarantee on Galvanized Steel and Brass




White, Clear  
49731001

- 
Black, Clear  
49731003
- 
Grey, Clear  
49731010
- 
Galvanized, Clear  
49731031

### Canto Maxi Kubi 2 wall by Bønnelycke mdd

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 17 cm, W: 8,7 cm, D: 10 cm
<b>Material</b>	Aluminium - Metal
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	GU10, Max. 2X28W, Excl. light source,
<b>Features</b>	Retrofit GU10 bulbs, Both up- and down-light, Parallel connection possible, 15 year anti corrosion guarantee on Galvanized Steel

# Meet Maze



no. 46871001 white  
no. 46871003 black



no. 46881001 white  
no. 46881003 black

With a decorative and embellished purpose in mind, the designer behind Maze, Bønnelycke MDD, took outdoor lighting to new heights. The geometric shapes create an artistic expression that gives the lamp an unusual and eye-catching dimension – like if you were caught in a maze.







Danish design by  
Bønnelycke mdd



# Meet Nestor



no. 49041003



no. 49051503


The gorgeous minimalist form makes Nestor a modern and timeless wall lamp. The lamp has an integrated LED, which has a long life and a low energy consumption. Furthermore, the lamp can be connected in parallel to multiple lamps, making Nestor highly functional. Nordlux offers a 5-year LED guarantee.

Nestor is equipped with a sensor that is triggered automatically when motion is detected. Therefore, the lamp will not be turned on unnecessarily, which makes Nestor a great energy-saving and convenient lamp.

# Meet Scorpius



no. 21651001 white  
no. 21651003 black  
no. 21651030 copper  
no. 21651031 galvanized




no. 21751001 white  
no. 21751003 black  
no. 21751030 copper  
no. 21751031 galvanized


The Scorpius series for outdoor use has a classic and timeless design. The wall light has many uses – the perfect fit at the front door, at the entrance, on the fence, or in the stairwell. It can be used alone or with several placed side by side.

The galvanised and the copper editions makes the light fixture resistant to the Nordic climate. We recommend light fixtures in galvanised steel and copper for coastal areas.





Black, Opal white  
46871003




Black, Opal white  
46881003

### Maze Straight Wall by Bønnelycke mdd

- Masterbox** Qty 3
- Size** H: 18 cm, W: 18 cm, D: 4 cm
- Material** Aluminium/Plastic
- IP Class** IP44, Class 1
- Light source** Fixed LED, Incl. 10W LED, Lumen 700, Kelvin 3000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
- Features** Geometric shaped patterns, Mesh light and shadow effect, Parallel connection possible, 5 year LED guarantee

### Maze Bended Wall by Bønnelycke mdd

- Masterbox** Qty 3
- Size** H: 18 cm, W: 18 cm, D: 4 cm
- Material** Aluminium/Plastic
- IP Class** IP44, Class 1
- Light source** Fixed LED, Incl. 10W LED, Lumen 700, Kelvin 3000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
- Features** Geometric shaped patterns, Mesh light and shadow effect, Parallel connection possible, 5 year LED guarantee



### Nestor sensor Wall


- Masterbox** Qty 3
- Size** H: 22,1 cm, W: 14,7 cm, D: 8,7 cm
- Material** Aluminium/Plastic
- IP Class** IP44, Class 1
- Light source** Fixed LED, Incl. 8W LED, Lumen 550, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
- Features** Build-in daylight and motion sensor, Parallel connection possible, 5 year LED guarantee

### Nestor Wall


- Masterbox** Qty 3
- Size** H: 22,1 cm, W: 14,7 cm, D: 8,7 cm
- Material** Aluminium/Plastic
- IP Class** IP44, Class 1
- Light source** Fixed LED, Incl. 8W LED, Lumen 550, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
- Features** Parallel connection possible, 5 year LED guarantee



White, Satinated  
21651001



White, Satinated  
21751001



## Scorpius Wall

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 10 cm, W: 20 cm, D: 10 cm
<b>Material</b>	Galvanized steel/Plastic - Copper/Plastic
<b>IP Class</b>	IP23, Class 1
<b>Light source</b>	E14, Max. 40W, Excl. light source,
<b>Features</b>	Timeless design, Parallel connection possible, 15 year anti corrosion guarantee on Copper and Galvanized steel

## Scorpius Maxi wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 14 cm, W: 27 cm, D: 14,5 cm
<b>Material</b>	Galvanized steel/Plastic - Copper/Plastic
<b>IP Class</b>	IP23, Class 1
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Timeless design, Parallel connection possible, 15 year anti corrosion guarantee on Copper and Galvanized steel



Galvanized  
21769931



Galvanized, Satinated  
28601131



## Scorpius Maxi Garden

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 100 cm, W: 26 cm, Pipe Ø: 3,2 cm
<b>Material</b>	Galvanized steel
<b>Features</b>	Pole for mounting Scorpius luminaire, 1 meter high, Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel

## Bowler Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 13 cm, W: 26 cm, D: 14,5 cm
<b>Material</b>	Galvanized steel/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	E27, Max. 60W, Incl. 14W E27, Lumen 799, Kelvin 2700, Life hours 10.000, RA 80, Beam angle 270°, Not dimmable Light source energy class A
<b>Features</b>	Including E27 bulb, Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel



Brass, Frosted glass  
49021035



Nickel, Frosted glass  
49021055



Brass, Frosted glass  
49031035



Nickel, Frosted glass  
49031055

### Polperro Wall

- Masterbox** Qty 3
- Size** D: 9,3 cm, Ø: 19,5 cm, Shade Ø: 18 cm, Base mount: Ø 12 cm
- Material** Brass/Glass
- IP Class** IP64, Class 1
- Light source** E27, Max. 12,5W, Excl. light source,
- Features** Maritime robust design, Parallel connection possible, 15 year anti corrosion guarantee on Brass

### Helford Wall

- Masterbox** Qty 3
- Size** W: 12,5 cm, L: 19 cm, D: 11 cm
- Material** Brass/Glass
- IP Class** IP64, Class 1
- Light source** E27, Max. 12,5W, Excl. light source,
- Features** Maritime robust design, 15 year anti corrosion guarantee on Brass



Galvanized, Satinated  
21841031



Galvanized, Satinated  
21861031



### Malte Wall

- Masterbox** Qty 3
- Size** D: 9,5 cm, Ø: 24 cm
- Material** Galvanized steel/Plastic
- IP Class** IP54, Class 1
- Light source** E27, Max. 60W, Excl. light source,
- Features** Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel

### Malte Wall

- Masterbox** Qty 3
- Size** D: 9,5 cm, Ø: 24 cm
- Material** Galvanized steel/Plastic
- IP Class** IP54, Class 1
- Light source** E27, Max. 60W, Excl. light source,
- Features** Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel





Black, Opal white  
77636003




Black, Sandblasted  
77646003

### Desi 22 Wall/Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 7 cm, Shade Ø: 22,3 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	E27, Max. 12W, Excl. light source,
<b>Features</b>	Parallel connection possible

### Desi 28 Wall/Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 7,5 cm, Shade Ø: 27,5 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	E27, Max. 2X12W, Excl. light source,
<b>Features</b>	Parallel connection possible



Black, Opal white  
84136003



White  
17051001



Black  
17051003

### Teton Wall/Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 4,5 cm, Shade Ø: 20,2 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	Fixed LED, Incl. 12W LED, Lumen 440, Kelvin 3000, Life hours 25.000, RA 80, Beam angle 160°, Not dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee

### Skot Wall/Ceiling

<b>Masterbox</b>	Qty 4
<b>Size</b>	W: 10 cm, L: 18 cm, D: 11 cm
<b>Material</b>	Plastic/Glass
<b>IP Class</b>	IP44, Class 2
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Parallel connection possible



Black, Opal white  
84081003

White, Opal white  
84081001



White, Opal white  
84091001



Black, Opal white  
84091003

### Front 26 Wall by HolmbäckNordentoft


<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 6,8 cm, W: 26 cm, D: 6,8 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	Fixed LED, Incl. 8W LED, Lumen 650, Kelvin 3000, Life hours 25.000, RA 80, Not dimmable
<b>Features</b>	Designed for both outdoor and bathroom use, Parallel connection possible, 5 year LED guarantee

### Front 36 Wall by HolmbäckNordentoft

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 6,8 cm, W: 36 cm, D: 6,8 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	Fixed LED, Incl. 12W LED, Lumen 850, Kelvin 3000, Life hours 25.000, RA 80, Not dimmable
<b>Features</b>	Designed for both outdoor and bathroom use, Parallel connection possible, 5 year LED guarantee



Black, Clear  
46901003



Black, White  
49061003

### Dalton Wall by Bønnelycke mdd

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 29,6 cm, W: 20 cm, D: 24,8 cm
<b>Material</b>	Stainless steel/Glass
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Parallel connection possible

### Egon Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 17,5 cm, W: 13 cm, D: 5,6 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	Fixed LED, Incl. 8W LED, Lumen 450, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 100°, Not dimmable
<b>Features</b>	Dual light LED, Build-in daylight and motion sensor, Parallel connection possible, 5 year LED guarantee



Black,  
Frosted glass  
46801003

White, Frosted glass  
46801001

### Front Single Wall by Sebastian Holmbäck

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 15,6 cm, D: 17 cm, Shade Ø: 11,8 cm, Base mount: Ø9,1 cm
<b>Material</b>	Aluminium/Glass
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	GU10, Max. 28W, Excl. light source,
<b>Features</b>	Retrofit GU10 bulbs, Designed for both outdoor and bathroom use, Parallel connection possible



Galvanized,  
Opal white  
75181031

Black, Opal white  
75181003

### Arki outdoor Wall by Bønnelycke mdd

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 20 cm, D: 26 cm, Shade Ø: 20 cm, Base mount: Ø10,5 cm
<b>Material</b>	Galvanized steel/Plastic
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	E27, Max. 20W, Excl. light source,
<b>Features</b>	Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel



Black, Opal  
white  
46821003

White, Opal white  
46821001

### Marina Flatline Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 20 cm, W: 13,5 cm, D: 18 cm, Base mount: 8,8 x 8,9 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	Fixed LED, Incl. 10W LED, Lumen 750, Kelvin 3000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee



Black, Opal  
white  
46831003

White, Opal white  
46831001

### Marina Flatline Pir Sensor Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 20 cm, W: 13,5 cm, D: 18 cm, Base mount: 8,8 x 8,9 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	Fixed LED, Incl. 10W LED, Lumen 750, Kelvin 3000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Movement sensor build-in, Parallel connection possible, 5 year LED guarantee



Black, Satinated  
76391003



Black, Clear  
872723

### Bell Wall by Anders G. Ellegaard

**Masterbox** Qty 3  
**Size** H: 15 cm, D: 24,5 cm, Shade Ø: 20 cm, Base mount: 9.5 x 6 cm  
**Material** Aluminium/Plastic  
**IP Class** IP44, Class 1  
**Light source** E27, Max. 15W, Excl. light source,  
**Features** Parallel connection possible

### Nene Wall

**Masterbox** Qty 3  
**Size** H: 6,4 cm, W: 14 cm, D: 8,85 cm, Base mount: 5,5 x 13 cm  
**Material** Metal/Glass  
**IP Class** IP54, Class 1  
**Light source** Fixed LED, Incl. 6W LED,  
 Lumen 480, Kelvin 3000, Candela 306, Life hours 25.000, RA 80,  
 Beam angle 42°, Not dimmable  
**Features** Parallel connection possible, 5 year LED guarantee



Grey, Clear  
77611010

Adjustable beam  
on top and bottom



Black, Opal white  
46981003

### Norma Wall

**Masterbox** Qty 3  
**Size** H: 17,2 cm, W: 7,9 cm, D: 10,8 cm, Base mount: 16 x 6,5 cm  
**Material** Metal/Glass  
**IP Class** IP54, Class 1  
**Light source** Fixed LED, Incl. 2X3W LED,  
 Lumen 2X166, Kelvin 3000, Life hours 20.000, RA 82,  
 Beam angle 120°, Not dimmable  
**Features** Adjustable light beam top and bottom,  
 5 year LED guarantee

### Aspen Wall

**Masterbox** Qty 3  
**Size** H: 20 cm, W: 11 cm, D: 6,3 cm  
**Material** Aluminium/Plastic  
**IP Class** IP44, Class 1  
**Light source** Fixed LED, Incl. 6W LED,  
 Lumen 300, Kelvin 3000, Life hours 25.000, RA 80,  
 Beam angle 170°, Not dimmable  
**Features** Parallel connection possible, 5 year LED guarantee



### Artego Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 5 cm, Shade Ø: 15 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	Fixed LED, Incl. 8W LED, Lumen 468, Kelvin 3000, Life hours 20.000, RA 82, Beam angle 120°, Not dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee



### Artego Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 15 cm, W: 15 cm, D: 5 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	Fixed LED, Incl. 8W LED, Lumen 484, Kelvin 3000, Life hours 20.000, RA 81, Beam angle 120°, Not dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee



### Akron 11 Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 10,7 cm, W: 11,5 cm, D: 5,2 cm, Base mount: 8,5 x 5,5 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	Fixed LED, Max. 4W, Incl. 2X3W LED, Lumen 2X244, Kelvin 3000, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	5 year LED guarantee



### Akron 17 Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 10,7 cm, W: 17,5 cm, D: 5,2 cm, Base mount: 14,5 x 5,5 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	Fixed LED, Incl. 2x6W LED, Lumen 460, Kelvin 3000, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	5 year LED guarantee



### Rold wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 16 cm, W: 9 cm, D: 5,5 cm, Base mount: 8 x 14,3 cm
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	Fixed LED, Incl. 2X5W LED, Lumen 2X375, Kelvin 3000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee



### Rold Kubi wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 16 cm, W: 9 cm, D: 5,5 cm, Base mount: 8 x 14,3 cm
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	Fixed LED, Incl. 2X5W LED, Lumen 2X375, Kelvin 3000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee




### Arn Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 17,5 cm, W: 10,5 cm, D: 11 cm, Base mount: 9 x 12 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	GU10, Max. 28W, Excl. light source,
<b>Features</b>	Parallel connection possible



### Arn Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 22,5 cm, W: 10,5 cm, D: 11 cm, Base mount: 9 x 12 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	GU10, Max. 2X28W, Excl. light source,
<b>Features</b>	Parallel connection possible



Black  
872223



Anthracite  
872263



White  
84181001



Black  
84181003

### Tamar Clips Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 23 cm, W: 21 cm, D: 5,2 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	Fixed LED, Incl. 12W LED, Lumen 500, Kelvin 3000, Life hours 25.000, RA 80, Beam angle 320°, Not dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee

### Kinver Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 9 cm, W: 17,5 cm, D: 3 cm, Base mount: 14,5 x 5,5 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	Fixed LED, Incl. 2x6W LED, Lumen 400, Kelvin 3000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable
<b>Features</b>	Flat narrow design, 5 year LED guarantee



Galvanized, Clear  
71371131



Galvanized, Clear  
71381131




### Castor Maxi Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 12,5 cm, D: 12,5 cm, Ø: 7,5 cm, Base mount: 8 x 4 cm
<b>Material</b>	Galvanized steel/Glass
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	GU10, Max. 4,6W, Incl. 3W LED, Lumen 390, Kelvin 2700, Candela 650, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable Light source energy class A+
<b>Features</b>	Including GU10 bulb, Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel

### Castor Maxi Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 20,5 cm, D: 12,5 cm, Ø: 7,5 cm, Base mount: 8 x 4 cm
<b>Material</b>	Galvanized steel/Glass
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	GU10, Max. 2X4,6W, Incl. 2X3W LED, Lumen 2X200, Kelvin 2700, Candela 90, Life hours 25.000, RA 80, Beam angle 110°, Not dimmable Light source energy class A+
<b>Features</b>	Including GU10 bulb, Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel





### Tin Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 12 cm, D: 11,5 cm, Ø: 6 cm, Base mount: 3.1 x 9.3 cm
<b>Material</b>	Metal/Glass - Copper/Glass
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	GU10, Max. 35W, Excl. light source,
<b>Features</b>	Retrofit GU10 bulbs, 15 year anti corrosion guarantee on Copper

### Tin Maxi Sensor Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 16 cm, D: 12,5 cm, Ø: 7,6 cm, Base mount: 6,6 x 16 cm
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	GU10, Max. 35W, Excl. light source,
<b>Features</b>	Retrofit GU10 bulbs, Build-in daylight and motion sensor, Both up- and down-light, Parallel connection possible



### Tin Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 17 cm, D: 10,5 cm, Ø: 6 cm, Base mount: 3,6 x 9,8 cm
<b>Material</b>	Stainless steel/Glass - Metal/Glass - Copper/Glass
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	GU10, Max. 2X35W, Excl. light source,
<b>Features</b>	Retrofit GU10 bulbs, Both up- and down-light, 15 year anti corrosion guarantee on Copper

### Tin Sensor Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 22 cm, W: 6 cm, D: 10,5 cm, Base mount: 5,9 x 15,2 cm
<b>Material</b>	Stainless steel/Glass
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	GU10, Max. 2X35W, Excl. light source,
<b>Features</b>	Retrofit GU10 bulbs, Build-in daylight and motion sensor, Both up- and down-light





White, Clear  
21509901



Black, Clear  
21509903



Aluminium, Clear  
21509929



Aluminium, Clear  
28819929

### Tin Maxi Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 10,5 cm, W: 7,6 cm, D: 12,5 cm, Base mount: 4,3 x 7,4 cm
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	GU10, Max. 35W, Excl. light source,
<b>Features</b>	Retrofit GU10 bulbs

### Can Maxi Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 23 cm, D: 12,5 cm, Ø: 7,5 cm, Base mount: 7.5X4.5 cm
<b>Material</b>	Aluminium/Glass
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	GU10, Max. 2X35W, Excl. light source,



White, Clear  
21519901



Black, Clear  
21519903



Aluminium, Clear  
21519929



Stainless steel,  
Clear  
21519934



Black, Clear  
21519103



Aluminium, Clear  
21519129

### Tin Maxi Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 19 cm, D: 12,5 cm, Ø: 7,6 cm, Base mount: 4 x 7 cm
<b>Material</b>	Metal/Glass - Stainless steel/Glass
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	GU10, Max. 2X35W, Excl. light source,
<b>Features</b>	Retrofit GU10 bulbs, Both up- and down-light

### Tin Maxi Sensor Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 22 cm, D: 12,5 cm, Ø: 7,6 cm, Base mount: 7,3 x 16 cm
<b>Material</b>	Aluminium/Glass
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	GU10, Max. 2X35W, Excl. light source,
<b>Features</b>	Retrofit GU10 bulbs, Build-in daylight and motion sensor, Parallel connection possible



Black, Clear  
873923

### Delta Mini Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 16 cm, W: 16 cm, D: 16,6 cm, Base mount: 16 x 16 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Parallel connection possible

\*Only for Scandinavia, Lithuania, Estonia and Latvia



Black, Clear  
873023



White, Clear  
873031



Anthracite, Clear  
873063



Black, Clear  
881123



Anthracite, Clear  
881163

### Delta Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 21 cm, W: 21 cm, D: 21 cm, Base mount: 21 x 21 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	E27, Max. 75W, Excl. light source,
<b>Features</b>	Parallel connection possible

\*Only for Scandinavia, Lithuania, Estonia and Latvia

### City Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 35 cm, W: 12 cm, D: 11 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP44, Class 2
<b>Light source</b>	E27, Max. 60W, Excl. light source

\*Only for Scandinavia, Lithuania, Estonia and Latvia



Black, Clear  
22671003



Rusty, Clear  
22671009



Copper, Clear  
22671030



Galvanized, Clear  
22671031



Black, Sandblasted  
62329903



Chrome, Sand-  
blasted  
62329933

## Luxembourg Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 27 cm, D: 39 cm, Shade Ø: 26 cm, Base mount: Ø11,5 cm
<b>Material</b>	Galvanized steel/Glass - Copper/Glass
<b>IP Class</b>	IP54, Class 2
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Parallel connection possible, 15 year anti corrosion guarantee on Copper and Galvanized steel

## Marina Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 14 cm, W: 8,6 cm, D: 15 cm, Shade Ø: 5,5 cm, Base mount: 5,5 x 5,5 cm
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP44, Class 2
<b>Light source</b>	G9, Max. 40W, Excl. light source,



Galvanized, Clear  
22661031

Up to 8m  
100°



Rusty, Clear  
72805009

## Luxembourg Sensor Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 27 cm, D: 47 cm, Shade Ø: 26 cm, Base mount: Ø11,5 cm
<b>Material</b>	Galvanized steel/Glass
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Build-in daylight and motion sensor, Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel

## Luxembourg Pendant

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 24 cm, Shade Ø: 27,5 cm, Base mount: Ø11 cm
<b>Canopy</b>	Color: Brown, Material: Galvanized Steel Ø: 10,9 cm, H: 2,15 cm
<b>Material</b>	Galvanized steel/Glass
<b>IP Class</b>	IP23, Class 2
<b>Cable</b>	Cable: Black 110 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Natural rusty brown surface, Including canopy in same material, Parallel connection possible





Galvanized, Clear  
24111031



## Virum Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 22 cm, D: 38 cm, Shade Ø: 32 cm, Base mount: Ø 10,5 cm
<b>Material</b>	Galvanized steel/Glass
<b>IP Class</b>	IP44, Class 2
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel



Copper, Satinated  
24381030



Copper, Clear  
24981030



## Phoenix Wall

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 22 cm, D: 42,5 cm, Shade Ø: 39 cm, Base mount: Ø 11,7 cm
<b>Material</b>	Copper/Plastic - Galvanized steel/Plastic
<b>IP Class</b>	IP54, Class 2
<b>Light source</b>	E27, Max. 16W,
<b>Features</b>	Huge 42,5 cm shade, Parallel connection possible, 15 year anti corrosion guarantee on Copper and Galvanized steel

## Nibe Wall

<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 24 cm, D: 34 cm, Shade Ø: 27,5 cm, Base mount: Ø 10,8 cm
<b>Material</b>	Copper/Glass - Galvanized steel/Glass
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Compact elegant design, Parallel connection possible, 15 year anti corrosion guarantee on Copper and Galvanized steel



Black, Clear  
45321003

### Elm Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 18 cm, W: 11 cm, D: 15,5 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	GU10, Max. 20W, Excl. light source,
<b>Features</b>	Parallel connection possible



Black, Clear  
45331003

### Elm Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 23,4 cm, W: 9 cm, D: 13 cm, Pipe Ø: 2,9 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	GU10, Max. 2X20W, Excl. light source,
<b>Features</b>	Parallel connection possible



Black, Clear  
45348003

### Elm Garden

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 80 cm, W: 13 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP44, Class 2
<b>Light source</b>	E27, Max. 20W, Excl. light source,
<b>Features</b>	Parallel connection possible



Black, Clear  
45521003

### Birk Wall


<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 17,2 cm, D: 15,5 cm, Ø: 9 cm, Pipe Ø: 3 cm, Base mount: Ø 11 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	GU10, Max. 28W, Excl. light source,
<b>Features</b>	Parallel connection possible



Black, Clear  
45501003

### Birk Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 23,5 cm, D: 15,5 cm, Ø: 9 cm, Pipe Ø: 3 cm, Base mount: Ø 11 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	GU10, Max. 2X28W, Excl. light source,
<b>Features</b>	Parallel connection possible



Black, Clear  
45518003

### Birk Garden


<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 80 cm, Ø: 9 cm, Base Ø: 13,2 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP44, Class 2
<b>Light source</b>	E27, Max. 40W, Excl. light source,
<b>Features</b>	Parallel connection possible, Suitable for Base no. 22039931



Black, Opal white  
71971003

### Darwin Wall


<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 24 cm, W: 11 cm, D: 15 cm, Ø: 9 cm, Base mount: Ø11 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	E27, Max. 18W, Excl. light source,
<b>Features</b>	Parallel connection possible



Black, Opal white  
71972003

### Darwin Sensor Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 24 cm, W: 11 cm, D: 16,5 cm, Ø: 9 cm, Base mount: Ø11 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	E27, Max. 18W, Excl. light source,
<b>Features</b>	Parallel connection possible



Black, Opal white  
71988003

### Darwin Garden

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 80 cm, Ø: 9 cm, Base Ø: 13 cm
<b>Material</b>	Aluminium/Plastic - Galvanized steel/Plastic
<b>IP Class</b>	IP44, Class 2
<b>Light source</b>	E27, Max. 18W, Excl. light source,
<b>Features</b>	Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel Suitable for Base no. 22039931







### Avon Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 4 cm, W: 15 cm, D: 15 cm, Base mount: 3,7 x 14,7 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	Fixed LED, Incl. 5W LED, Lumen 210, Kelvin 3000, Life hours 25.000, RA 80, Beam angle 180°, Not dimmable
<b>Features</b>	Indirect hidden light source, Parallel connection possible, 5 year LED guarantee



### Avon Garden

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 45 cm, W: 4 cm, D: 15 cm
<b>Material</b>	Metal
<b>IP Class</b>	IP44, Class 2
<b>Light source</b>	Fixed LED, Incl. 5W LED, Lumen 210, Kelvin 3000, Life hours 25.000, RA 80, Beam angle 180°, Not dimmable
<b>Features</b>	Indirect hidden light source, Parallel connection possible, 5 year LED guarantee



Black, Clear  
874223



White, Clear  
874231



Anthracite,  
Clear  
874263

## Focus Ceiling

<b>Masterbox</b>	Qty 3
<b>Size</b>	D: 10,5 cm, Shade Ø: 10 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	GU10, Max. 35W, Excl. light source,
<b>Features</b>	Parallel connection possible

\*Only for Scandinavia, Lithuania, Estonia and Latvia



Black, Clear  
874123



White, Clear  
874131



Anthracite,  
Clear  
874163



Aluminium,  
Clear  
874193



Black, Clear  
874023



White, Clear  
874031



Anthracite,  
Clear  
874063



Aluminium,  
Clear  
874093

## Focus Wall


<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 15 cm, W: 11 cm, D: 11 cm, Base mount: 15 x 11 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	GU10, Max. 35W, Excl. light source,
<b>Features</b>	Parallel connection possible

\*Only for Scandinavia, Lithuania, Estonia and Latvia


## Focus Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 23,5 cm, W: 11 cm, D: 11 cm, Base mount: 15 x 11 cm
<b>Material</b>	Metal/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	GU10, Max. 2X35W, Excl. light source,
<b>Features</b>	Parallel connection possible



\*Only for Scandinavia, Lithuania, Estonia and Latvia



Anthracite,  
Clear  
874563



Anthracite,  
Clear  
874863



### Focus 37 Garden

**Masterbox** Qty 2  
**Size** H: 40 cm, Ø: 10 cm, Base Ø: 16 cm  
**Material** Metal/Plastic  
**IP Class** IP44, Class 1  
**Light source** E27, Max. 60W, Excl. light source,

\*Only for Scandinavia, Lithuania, Estonia and Latvia

### Focus 65 Garden

**Masterbox** Qty 2  
**Size** H: 65 cm, Ø: 10 cm, Base Ø: 16 cm  
**Material** Metal/Plastic  
**IP Class** IP44, Class 1  
**Light source** E27, Max. 60W, Excl. light source,

\*Only for Scandinavia, Lithuania, Estonia and Latvia



Black, Clear  
74371003

### Cardiff Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 40 cm, W: 22,5 cm, D: 27 cm, Base mount: 12,5 x 20 cm
<b>Material</b>	Aluminium/Glass
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Romantic design



Black, Clear  
74381003

### Cardiff Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 40 cm, W: 21 cm, D: 27 cm, Base mount: 12,5 x 20 cm
<b>Material</b>	Aluminium/Glass
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Romantic design



Black, Clear  
74398003

### Cardiff Garden

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 100 cm, W: 21 cm, Shade Ø: 22 cm, Pipe Ø: 4 cm, Base Ø: 15 cm
<b>Material</b>	Aluminium/Glass
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Romantic design, Parallel connection possible




### Fredensborg Wall by Horn

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 25,5 cm, D: 27 cm, Shade Ø: 24 cm, Base mount: Ø 10 cm
<b>Material</b>	Galvanized steel/Plastic
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel



### Fredensborg Garden by Horn

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 87 cm, Shade Ø: 24 cm, Pipe Ø: 5 cm, Base Ø: 15 cm
<b>Material</b>	Galvanized steel/Plastic
<b>IP Class</b>	IP54, Class 2
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel Suitable for Base no. 22039931



### Amalienborg Wall by Horn

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 26 cm, D: 37,5 cm, Shade Ø: 32,5 cm, Base mount: Ø 11,5 cm
<b>Material</b>	Galvanized steel/Glass
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel




### Amalienborg Garden by Horn

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 92 cm, Shade Ø: 32,5 cm, Pipe Ø: 5 cm, Base Ø: 15 cm
<b>Material</b>	Galvanized steel/Glass
<b>IP Class</b>	IP54, Class 2
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel Suitable for Base no. 22039931



Galvanized, Clear  
10600719



Copper, Clear  
10600725



Galvanized, Clear  
10600619



Copper, Clear  
10600625

### Venø Wall by Horn


<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 26 cm, D: 40 cm, Shade Ø: 35 cm, Base mount: Ø 11,7 cm
<b>Material</b>	Galvanized steel/Plastic - Copper/Plastic
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel and Copper

### Venø Garden by Horn

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 93 cm, Shade Ø: 35 cm, Pipe Ø: 5 cm, Base Ø: 14,5 cm
<b>Material</b>	Galvanized steel/Plastic - Copper/Plastic
<b>IP Class</b>	IP54, Class 2
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel and Copper Suitable for Base no. 22039931




Black, Clear  
25011003




Copper, Clear  
25011030

Galvanized, Clear  
25011031

Stainless steel,  
Clear  
25011034



Black, Clear  
25031003



Copper, Clear  
25031030

Galvanized,  
Clear  
25031031

Stainless steel,  
Clear  
25031034

## Blokhuis Wall


<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 23 cm, D: 25 cm, Shade Ø: 22 cm, Base mount: Ø 9,7 cm
<b>Material</b>	Galvanized steel/Glass - Copper/Glass - Stainless steel/Glass
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Parallel connection possible, 15 year anti corrosion guarantee on Copper and Galvanized steel

## Blokhuis Sensor Wall


<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 23 cm, D: 25 cm, Shade Ø: 22 cm, Base mount: Ø 9,7 cm
<b>Material</b>	Galvanized steel/Glass - Copper/Glass - Stainless steel/Glass
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Build-in daylight and motion sensor, Parallel connection possible, 15 year anti corrosion guarantee on Copper and Galvanized steel



Galvanized, Clear  
25051031



Copper, Clear  
25078030



Galvanized,  
Clear  
25078031

Stainless steel,  
Clear  
25078034


## Blokhuis Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 23 cm, D: 25 cm, Shade Ø: 22 cm, Base mount: Ø 9,7 cm
<b>Material</b>	Galvanized steel/Glass
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel

## Blokhuis Garden


<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 92 cm, Shade Ø: 22 cm, Pipe Ø: 3,5 cm, Base Ø: 15 cm
<b>Material</b>	Copper/Glass - Galvanized steel/Glass - Stainless steel/Glass
<b>IP Class</b>	IP54, Class 2
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Parallel connection possible, 15 year anti corrosion guarantee on Copper and Galvanized steel Suitable for Base no. 22039931





### Agger Wall

- Masterbox** Qty 3
- Size** H: 20 cm, D: 29,5 cm, Shade Ø: 25,5 cm, Base mount: Ø 11 cm
- Material** Galvanized steel/Glass
- IP Class** IP54, Class 2
- Light source** E27, Max. 60W, Excl. light source,
- Features** Parallel connection possible,  
15 year anti corrosion guarantee on Galvanized steel



### Agger Sensor Wall

- Masterbox** Qty 3
- Size** H: 20 cm, D: 29,5 cm, Shade Ø: 25,5 cm, Base mount: Ø 11 cm
- Material** Galvanized steel/Glass
- IP Class** IP54, Class 2
- Light source** E27, Max. 60W, Excl. light source,
- Features** Build-in daylight and motion sensor,  
Parallel connection possible,  
15 year anti corrosion guarantee on Galvanized steel



### Agger Garden

- Masterbox** Qty 3
- Size** H: 83 cm, Shade Ø: 26 cm, Pipe Ø: 3,8 cm, Base Ø: 15 cm
- Material** Galvanized steel/Glass
- IP Class** IP54, Class 2
- Light source** E27, Max. 60W, Excl. light source,
- Features** Parallel connection possible,  
15 year anti corrosion guarantee on Galvanized steel  
Suitable for Base no. 22039931



Galvanized, Clear  
74461031



Black, Clear  
74471003

## Vejers Down Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 23 cm, D: 26 cm, Shade Ø: 22 cm, Base mount: Ø 9,5 cm
<b>Material</b>	Galvanized steel/Glass
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel



White, Clear  
25091001



Black, Clear  
25091003



Galvanized,  
Clear  
25091031



Stainless steel,  
Clear  
25091034



Black, Clear  
25101003



Galvanized,  
Clear  
25101031

## Vejers Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 23 cm, D: 26 cm, Shade Ø: 22 cm, Base mount: Ø 9.5 cm
<b>Material</b>	Galvanized steel/Glass - Stainless steel/Glass
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel

## Vejers Sensor Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 23 cm, D: 26 cm, Shade Ø: 22 cm, Base mount: Ø 9.5 cm
<b>Material</b>	Galvanized steel/Glass
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Build-in daylight and motion sensor, Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel



Black, Clear  
25118003



Galvanized,  
Clear  
25118031



Stainless steel,  
Clear  
25118034



Galvanized, Clear  
25168031

Height: 130 cm - 215 cm




## Vejers Garden

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 92 cm, Shade Ø: 22 cm, Pipe Ø: 3,5 cm, Base Ø: 15 cm
<b>Material</b>	Galvanized steel/Glass - Stainless steel/Glass
<b>IP Class</b>	IP54, Class 2
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel Suitable for Base no. 22039931

## Vejers 2M Garden

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 215 cm, Shade Ø: 39 cm, Pipe Ø: 7,4 cm, Base Ø: 15 cm
<b>Material</b>	Galvanized steel/Glass
<b>IP Class</b>	IP54, Class 2
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Adjustable from 130 to 200 cm hight, Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel Suitable for Base no. 22039931




### Lønstrup 22 Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 26,5 cm, D: 26,5 cm, Shade Ø: 22 cm, Pipe Ø: 1,9 cm, Base mount: Ø 9,4 cm
<b>Material</b>	Galvanized steel/Glass
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel

### Lønstrup 22 Sensor Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 26,5 cm, D: 26,5 cm, Shade Ø: 22 cm, Pipe Ø: 1,9 cm, Base mount: Ø 9,4 cm
<b>Material</b>	Galvanized steel/Glass
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel




### Lønstrup 32 Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 28,5 cm, D: 36 cm, Shade Ø: 32 cm, Pipe Ø: 1,9 cm, Base mount: Ø 10,8 cm
<b>Material</b>	Galvanized steel/Glass
<b>IP Class</b>	IP44, Class 2
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel

### Lønstrup 32 Sensor Wall

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 28,5 cm, D: 36 cm, Shade Ø: 32 cm, Pipe Ø: 1,9 cm, Base mount: Ø 10,8 cm
<b>Material</b>	Galvanized steel/Glass
<b>IP Class</b>	IP44, Class 2
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Build-in daylight and motion sensor, Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel



Black, Clear  
71428003



Galvanized,  
Clear  
71428031



## Lønstrup 32 Garden

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 116 cm, Shade Ø: 32 cm, Pipe Ø: 5 cm, Base Ø: 15 cm
<b>Material</b>	Galvanized steel/Glass
<b>IP Class</b>	IP44, Class 2
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel Suitable for Base no. 22039931



Galvanized, Clear  
77471031



Corten, Clear  
77471038



Galvanized, Clear  
77498031



Corten, Clear  
77498038

## Helix Wall by Bønnelycke mdd

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 32,5 cm, D: 14 cm, Ø: 8 cm, Shade Ø: 7,4 cm, Base mount: Ø 8 cm
<b>Material</b>	Galvanized steel/Plastic - Corten/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	GU10, Max. 8W SMD LED, Incl. 5W LED SMD, Lumen 390, Kelvin 2700, Candela 650, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable Light source energy class A+
<b>Features</b>	Retrofit GU10 bulbs, Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel


## Helix Garden by Bønnelycke mdd

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 80 cm, Ø: 8 cm, Base Ø: 15 cm
<b>Material</b>	Galvanized steel/Plastic - Corten/Plastic
<b>IP Class</b>	IP44, Class 2
<b>Light source</b>	GU10, Max. 8W SMD LED, Incl. 5W LED SMD, Lumen 390, Kelvin 2700, Candela 650, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable Light source energy class A+
<b>Features</b>	Retrofit GU10 bulbs, Parallel connection possible, 15 year anti corrosion guarantee on Galvanized steel Suitable for Base no. 22039931



### Fuse Base Additional by Bønnelycke mdd

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 35 cm, Pipe Ø: 2 cm, Base Ø: 35 cm
<b>Material</b>	Galvanized steel
<b>Features</b>	Transforms Fuse into a outdoor floorlamp, 15 year anti corrosion guarantee on Galvanized steel



### Fuse Garden by Bønnelycke mdd

<b>Masterbox</b>	Qty 1
<b>Size</b>	H: 165 cm, Shade Ø: 35 cm, Pipe Ø: 2,5 cm
<b>Material</b>	Galvanized steel/Glass
<b>IP Class</b>	IP44, Class 2
<b>Cable</b>	Cable: Black 500 cm
<b>Light source</b>	E27, Max. 60W, Excl. light source,
<b>Features</b>	Spear for effortless placement, Mesh light and shadow effect, 15 year anti corrosion guarantee on Galvanized steel




Anthracite, Clear  
49018050

## Concordia Garden

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 100 cm, Ø: 15 cm
<b>Material</b>	Aluminium/Plastic
<b>IP Class</b>	IP44, Class 1
<b>Light source</b>	GU10, Max. 28W, Excl. light source,
<b>Features</b>	1 meter high, Parallel connection possible, Suitable for Base no. 22039931





Black  
879723

### Mino 45 Garden

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 45 cm, Ø: 9 cm
<b>Material</b>	Aluminium
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	Fixed LED, Incl. 7W LED, Lumen 650, Kelvin 3000, Candela 326, Life hours 30.000, RA 80, Beam angle 27°, Not dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee



Black  
879823

### Mino 70 Garden

<b>Masterbox</b>	Qty 2
<b>Size</b>	H: 70 cm, Ø: 9 cm
<b>Material</b>	Aluminium
<b>IP Class</b>	IP54, Class 1
<b>Light source</b>	Fixed LED, Incl. 7W LED, Lumen 650, Kelvin 3000, Candela 326, Life hours 30.000, RA 80, Beam angle 27°, Not dimmable
<b>Features</b>	Parallel connection possible, 5 year LED guarantee



410



Black, Clear  
20788303

### Spotlight LED SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 40 cm, D: 14 cm, Ø: 10 cm
<b>Material</b>	Aluminium/Glass
<b>IP Class</b>	IP54, Class 1
<b>Cable</b>	Cable: Black 200 cm non replaceable
<b>Light source</b>	GU10, Max. 35W, Incl. 3W LED SMD, Lumen 200, Kelvin 2700, Candela 90, Life hours 25.000, RA 80, Beam angle 110°, Not dimmable Light source energy class A+
<b>Features</b>	Fixed 2 meter cable, 5 year LED guarantee



Black, Clear  
20789903

### Spotlight SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 38 cm, D: 14 cm, Ø: 10 cm
<b>Material</b>	Aluminium/Glass
<b>IP Class</b>	IP54, Class 1
<b>Cable</b>	Cable: Black 150 cm non replaceable
<b>Light source</b>	GU10, Max. 35W, Excl. light source,
<b>Features</b>	Retrofit GU10 bulbs, Fixed 1,5 meter cable



Black  
83698003

### Mono SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 57,7 cm, Shade Ø: 7 cm
<b>Material</b>	Aluminium
<b>IP Class</b>	IP44, Class 1
<b>Cable</b>	Cable: Black 190 cm replaceable
<b>Light source</b>	GU10, Max. 35W, Excl. light source,
<b>Features</b>	Retrofit GU10 bulbs



Stainless steel, Clear  
77029934

### Taurus SpotLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 31 cm, Ø: 10 cm
<b>Material</b>	Stainless steel
<b>IP Class</b>	IP54, Class 1
<b>Cable</b>	Cable: Black 150 cm non replaceable
<b>Light source</b>	GU10, Max. 28W, Excl. light source,
<b>Features</b>	Retrofit GU10 bulbs, Fixed 1,5 meter cable



Stainless steel, Clear  
83830034



Stainless steel, Clear  
83840034

### Pato Round GroundRes

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 12 cm, Ø: 11 cm, H: 12 cm, Ø: 11 cm, Cut-out Ø: 9 cm
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP65, Class 1
<b>Light source</b>	GU10, Max. 35W, Excl. light source,
<b>Features</b>	Retrofit GU10 bulbs

### Pato Square GroundRes

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 12 cm, W: 11 cm, L: 11 cm, H: 12 cm, Cut-out Ø: 9 cm
<b>Material</b>	Metal/Glass
<b>IP Class</b>	IP65, Class 1
<b>Light source</b>	GU10, Max. 35W, Excl. light source,
<b>Features</b>	Retrofit GU10 bulbs



Stainless steel, Clear  
96400034



Stainless steel, Clear  
96430034

### Tilos Effect 1-Kit GroundRes

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 14,5 cm, Ø: 9,5 cm, Pipe Ø: 8,7 cm, Cut-out Ø: 9,5 cm
<b>Material</b>	Stainless steel/Glass
<b>IP Class</b>	IP67, Class 2
<b>Light source</b>	GU10, Max. 5W, Incl. 1.1W GU10, Lumen 90, Kelvin 3200, Candela 25, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable Light source energy class A+
<b>Features</b>	Parallel connection possible

### Tilos Round 3-Kit GroundRes

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 13,6 cm, Ø: 9,5 cm, Pipe Ø: 7,6 cm, Cut-out Ø: 9,5 cm
<b>Material</b>	Stainless steel/Glass
<b>IP Class</b>	IP67, Class 2
<b>Light source</b>	GU10, Max. 5W, Incl. 1.1W GU10, Lumen 90, Kelvin 3200, Candela 25, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable Light source energy class A+
<b>Features</b>	Parallel connection possible



Brushed steel, Clear  
874317

### FOCUS GroundRes

Masterbox	Qty 3
Size	H: 14,5 cm, Ø: 11 cm, Cut-out Ø: 10,1 cm
Material	Metal/Glass
IP Class	IP67, Class 1
Light source	GU10, Max. 7W, Excl. light source,
Features	Parallel connection possible



Stainless steel  
45420034

### Une 6-Kit GroundRes


Masterbox	Qty 3
Size	H: 2,5 cm, Ø: 3,7 cm, Mounting min. height: 3 cm Cut-out Ø: 2,5 cm
Material	Plastic/Stainless Steel
IP Class	IP67, Class 3
Cable	Cable: Black cm
Light source	Fixed LED, Incl. 6X0.6W LED, Lumen 6X20, Kelvin 3000, Life hours 30.000, RA 65, Beam angle 120°, Not dimmable
Features	5 year LED guarantee



Galvanized  
20299931

### Tip DownLight


<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 8,5 cm, Ø: 8 cm, Mounting min. height: 15 cm Cut-out Ø: 7,2 cm, 5.4 Ltr. Tilt angle: 35°
<b>Material</b>	Metal
<b>IP Class</b>	IP23, Class 2
<b>Light source</b>	GU10, Max. 35W, Excl. light source,
<b>Features</b>	IP23 - In and outdoor use, Parallel connection possible, 15 year anti corrosion guarantee on Galvanized Steel



White  
84950001

### Birla DownLight


<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 5,75 cm, Ø: 9,5 cm, Mounting min. height: 6 cm, Cut-out Ø: 7 cm
<b>Material</b>	Plastic
<b>IP Class</b>	IP44, Class 2
<b>Cable</b>	Cable: White 20 cm replaceable
<b>Light source</b>	Fixed LED, Incl. 6W LED, Lumen 600, Kelvin 3000, Candela 258, Life hours 30.000, RA 80, Beam angle 90°, Dimmable
<b>Features</b>	Can be mounted directly into insulation, IP44 - In and outdoor use, Parallel connection possible, 5 year LED guarantee



White  
84960001

### Roar Dim Tilt DownLight



<b>Masterbox</b>	Qty 6
<b>Size</b>	H: 4,4 cm, Ø: 8,5 cm, Mounting min. height: 7 cm Cut-out Ø: 6,8 cm, Tilt angle: 30°
<b>Material</b>	Plastic
<b>IP Class</b>	IP23, Class 2
<b>Cable</b>	Cable: White 20 cm replaceable
<b>Light source</b>	Fixed LED, Incl. 6W LED, Lumen 550, Kelvin 3000, Candela 797, Life hours 30.000, RA 80, Beam angle 40°, Dimmable
<b>Features</b>	Parallel connection possible, Can be mounted directly in the insulation, 5 year LED guarantee




Brushed steel  
71820132

### Mixit DownLight


<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 13,5 cm, Ø: 8,5 cm, Mounting min. height: 14 cm Cut-out Ø: 7,6 cm, Tilt angle: 25°
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP23, Class 2
<b>Light source</b>	GU10, Max. 8W LED, Excl. light source,
<b>Features</b>	Ideally suited for combination with NORDLUX SMART, Can be mounted directly into insulation, Parallel connection possible



Black  
2015650103



Brushed nickel  
20156501035




Brushed steel  
84650032

### Dorado Smart Light 1-Kit DownLight

<b>Masterbox</b>	Qty 6
<b>Size</b>	D: 5,4 cm, H: 5,4 cm, Ø: 8,5 cm
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP65, Class 2
<b>Light source</b>	Fixed LED, Incl. 4,7W LED, Lumen 380, Kelvin 2200-6500, Life hours 20.000, RA 80, Beam angle 36°, Not dimmable
<b>Features</b>	IP 65 protection for both outdoor and bathroom use, Bluetooth connection to Nordlux Smart Light, Adjustable kelvin and lumen output, 5 year LED guarantee

### Recess 3-Kit LED COB DownLight

<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 7,95 cm, Ø: 8,15 cm, Mounting min. height: 15 cm Cut-out Ø: 7,5 cm, 5.4 Ltr. Tilt angle: 25°
<b>Material</b>	Metal
<b>IP Class</b>	IP23, Class 2
<b>Cable</b>	Cable: Black 200 cm replaceable
<b>Light source</b>	GU10, Max. 3X35W, Incl. 3X3W COB, Lumen 3X175, Kelvin 3000, Candela 350, Life hours 25.000, RA 80, Beam angle 38°, Not dimmable Light source energy class A+
<b>Features</b>	Cable 2,0m included, Parallel connection possible



Brushed steel  
71810132

### Mixit Pro DownLight


<b>Masterbox</b>	Qty 3
<b>Size</b>	H: 7,2 cm, Ø: 8,5 cm, Mounting min. height: 6,5 cm Cut-out Ø: 7,6 cm, Tilt angle: 30°
<b>Material</b>	Plastic/Metal
<b>IP Class</b>	IP23, Class 2
<b>Light source</b>	GU10, Max. 8W LED, Excl. light source,
<b>Features</b>	Ideally suited for combination with NORDLUX SMART, Can be mounted directly into insulation, Parallel connection possible



Sandblasted, Sandblasted  
2440888



Clear  
2440999



Black  
2444999

### Staldglas Frostet Additional

**Masterbox** Qty 3  
**Size** H: 16 cm, Ø: 9,5 cm  
**Material** Glass  
**Light source** Excl. light source,

### Staldglas Gasket Various

**Masterbox** Qty 12  
**Size** Ø: 9,5 cm, Cut-out Ø: 8 cm  
**Material** Plastic



Galvanized  
22039931



Grey  
76859999

### Base Additional

**Masterbox** Qty 3  
**Size** H: 50 cm, Ø: 15 cm, Pipe Ø: 5 cm  
**Material** Galvanized steel  
**Features** Universal base for Nordlux garden poles,  
 15 year anti corrosion guarantee


### Spot box 19x19 cm Various

**Masterbox** Qty 12  
**Size** H: 15 cm, W: 19 cm, L: 19 cm  
**Material** Plastic





Brushed steel  
0130032



White 73049901 Red 73049902 Black 73049903 Black/White 73049913

White 73059901 Red 73059902 Black 73059903

**Fixit Additional**

**Masterbox** Qty 12  
**Size** H: 4,9 cm, Ø: 1,8 cm  
**Material** Metal/Plastic  
**Light source** Excl. light source,

**Cable 25m Additional**

**Masterbox** Qty 1  
**Material** Textile

**Cable 4m Additional**

**Masterbox** Qty 6  
**Size** L: 400 cm  
**Material** Textile



White  
531556



White  
12351101

**Dimmer 35-500W Additional**

**Masterbox** Qty 12  
**Size** H: 8,5 cm, W: 8,5 cm  
**Material** Plastic

**Fox Trafo 20-105W Additional**

**Masterbox** Qty 3  
**Size** H: 2,8 cm, W: 3,8 cm, L: 11,2 cm  
**Material** Plastic  
**IP Class** IP20, Class 2  
**Light source** Max. 20-105W,



# SEASIDE

Galvanized steel · Brass · Copper · Nickel


Beautiful natural materials for coastal, urban and other rough environments





Our seaside collection is made from durable and natural materials which matures beautifully


### Galvanized steel



Shiny

Matt

### Brass



Gold

Brass

### Copper



Brown

Green

# *Costal, urban and other rough enviroments*

---

At Nordlux we recommend seaside lamps for most outdoor environments. All our seaside lamps are durable and resistant towards the elements, which means that seaside lamps are advantageous near the shore. When you purchase a seaside lamp, it will have a glossy surface. The surface will over time take on a beautifully flat and rustic appearance, as the natural and living material moves and changes continuously.

A seaside lamp generally does not require any maintenance. Yet, it is recommended by Nordlux, especially in areas near the coast, to frequently wash the lamp with warm water and a soft brush, to remove salt and in that way achieve the longest possible lifetime.



**Nordlux offers a 15-year guarantee on all outdoor lamps in galvanized steel, copper and brass.**



Kettle Tripod 31 / 110, FSC certified wood by Says Who

# FSC & *responsibility*

---

Nordlux is one of Scandinavia's leading suppliers of lighting.

We design and manufacture lighting with great knowledge of, and consideration for, how light affects us humans and our wellbeing. It is an essential part of our product development. With manufacturing and product development also comes responsibility – a responsibility to protect the resources we have available, and the people we work with.

At the immediate level, this mainly concerns investing in continuous improvement, including our product development. By focusing on low prices, we commit ourselves to looking at new, simple solutions and processes that use less material, as well as long-life technology. Basically, this means that we take into account many more elements than just that a design should be nice to look at. We assess whether a design can be made more appropriate and less costly through small adjustments. For example, it makes sense for the installation of our lamps to be as simple as possible, ensuring that no additional resources are required for installation. That is why we have more than 60 dedicated engineers, each with more than 10 years of experience in lighting technology, in our development department, all constantly working with this focus.

We are at the forefront when it comes to the development of energy-saving LED technology. You no longer need to compromise between the desire for a warm, pleasant light, innovative design, and the desire to keep power consumption down. Development in this area moves quickly, and new solutions and processes are constantly emerging, making it possible to combine aesthetics with greener technology.

## FSC

We focus on protecting our resources and the environment. This is one of the reasons why we have been FSC certified since 2016.

FSC certification is about using trade forest products such as wood and paper from responsible sources, and ensuring clear traceability for the wood – all the way from forest to the finished product in the shop. Responsible sources refers to local populations, animals and plant life being taken into consideration, that logging is done in an environmentally appropriate way and that the deforested areas are replanted. The desire and motivation for FSC certification of the products which include wood is a natural continuation and development of our approach to environment and sustainability – and we will continue to demand FSC certified wood for those of our design products that include wood.

We see sustainability as a task involving everyone associated with Nordlux – from the owners, board and management to employees and suppliers.

**\*FSC® stands for Forest Stewardship Council® and is a recognised international non-profit labelling scheme for wood and paper.**  
**FSC certification ensures responsible forest management and improved living conditions for the local population in forests worldwide.**

FSC-C12455

# IP code

---

Safety and water  
protection classification.

Nordlux uses the IP code system to explain how well suited products are for humid environments, such as bathroom and outdoors.

The IP code is an international standard, that classifies and rates the degree of protection against intrusion, dust, accidental contact and water.

IP consists of two digits. First digit explains effectiveness against intrusion of objects. It is important to protect electronics against contact with hands and fingers and Nordlux's products adhere to all the legal standards for this, typically level 2. We even offer products that are completely protected against dust – that would be level 6. Second digit explains the degree of water protection. 0 being no protection and 5 meaning protected against water jet from all directions.

	<b>Intrusion protection</b>	<b>Water protection</b>
<b>Degree and protection</b>	<b>0</b> Not protected	<b>0</b> Not protected
Protected against	<b>1</b> Solid objects larger than 50 mm	<b>1</b> Vertically dripping water
Protected against	<b>2</b> Solid objects larger than 12 mm	<b>2</b> Vertically dripping water at an inclination of 15° degrees
Protected against	<b>3</b> Solid objects larger than 2,5 mm	<b>3</b> Splashes of water at an angle of up to 60° degrees
Protected against	<b>4</b> Solid objects larger than 1,0 mm	<b>4</b> Sprinkling of water
	<b>5</b> Dust protected	<b>5</b> Protected against water jets
	<b>6</b> Dust-proof	<b>6</b> Protected against strong waves
		<b>7</b> Protected against the effects of temporary immersion in water






Ava, Smart Light  
IP 54 - for indoor & outdoor use

*Light source  
info*

---



## Kelvin

(K) is the colour temperature of the light source- the higher number the colder light.  
3000 K = warm white  
4000 K = neutral white

## Lumen

(lm) is the measurement unit for lousinous flux.Louminous flux is the total amount of light that the light source submits.

## Candela

(cd) is the measurement amount for brightness per angle that is submitted from a light source.

## RA

is the colour rendering that the light source provides.

**GB** - The LED technology is constantly undergoing major development which contributes to continuous arrival of new and better LED bulbs on the market. Nordlux always strives to deliver the latest LED technology to our customers, which is why when purchasing lighting or bulbs, the new bulbs can seem different, with improved colour/light output/design.

\*For additional bulb info please go to [www.nordlux.com](http://www.nordlux.com).

**DK** - LED er til stadighed under en betydelig udviklingsproces, som bevirker, at der med stor hyppighed kommer nye og bedre LED pærer på markedet. Nordlux bestræber sig på altid at levere den nyeste LED teknik til vores kunder, hvorfor man ved genkøb af lamper og ved tilkøb af pærer kan opleve, at de nye pærer har anderledes og forbedret farve/lysudbytte/udformning.

\*For supplerende pæreoplysninger gå venligst til [www.nordlux.com](http://www.nordlux.com)

**SE** - LED är fortfarande under en betydande utvecklingsprocess, som bidrar till att det i snabb takt kommer nya och bättre LED lampor på marknaden. Nordlux strävar efter att leverera den senaste LED-tekniken till sina kunder, därför kan man vid återköp eller vid köp av nya lampor uppleva att de nya lamporna har en annorlunda och förbättrad färg/ljusflöde/utformning.

\*För ytterligare information angående ljuskälla vänligen gå till [www.nordlux.com](http://www.nordlux.com)

**FR** - LED est constamment en développement important, ce qui a pour effet d'amener très fréquemment de nouvelles ampoules LED améliorées sur le marché. Nordlux s'efforce de toujours fournir la dernière technologie LED à nos clients ; c'est pourquoi, lorsque vous rachetez des lampes et acquérez des ampoules, vous pouvez trouver que les nouvelles ampoules ont une couleur/une sortie de lumière/un design différents et améliorés.

\*Pour plus d'informations concernant l'ampoule merci de visiter [www.nordlux.com](http://www.nordlux.com).

**DE** - LED unterliegt ständig einem bedeutenden Entwicklungsprozess, durch den mit großer Geschwindigkeit neue und bessere LED-Lampen auf den Markt kommen. Nordlux ist bestrebt, Ihren Kunden immer die neueste LED-Technik anzubieten, wodurch man beim Neukauf von Leuchten und Nachkauf von Leuchtmitteln erleben kann, dass die neuen Leuchtmittel eine andere und verbesserte Farbe, Lichtausbeute und Form haben. \*Für weitere Informationen gehen Sie bitte zu Leuchtmittel [www.nordlux.com](http://www.nordlux.com).

**BX** - De Led technologie ondergaat een continue verbetering die bijdraagt tot nieuwe generaties LED lampen. Nordlux streeft ernaar die nieuwste technologie aan te bieden aan zijn klanten. De verbeterde technologie zorgt voor kleine veranderingen in de verlichtingsarmaturen en lampen ten voordele van een verbeterde lichtopbrengst, verbeterde kleur-echtheid en design.

\*For additional bulb info please go to [www.nordlux.com](http://www.nordlux.com).

## Management

---



**Niels S. Jakobsen**  
CEO  
T +45 40 82 07 00  
nj@nordlux.com



**Kasper Granat**  
CPMO  
T +45 60 63 60 63  
kg@nordlux.com

## Segment sales

---



**Lene Egelund Hanghøj**  
Key Account Manager  
T +45 42 42 23 18  
leh@nordlux.com



**Jean-Louis Cornu**  
Export Manager  
T +45 29 92 13 05  
jlc@nordlux.com



**Sussi Buchholdt Steen**  
Campaign Manager  
T +45 96 34 54 13  
sbs@nordlux.com

## Sales Denmark

---



**Jan Madsen**  
Nordic Sales Manager  
T +45 31 50 16 11  
jm@nordlux.com



**Jan Peter Rantzau-Bartens**  
Key Account Manager  
Sales operation | Seeland  
T +45 81 77 10 82  
jrb@nordlux.com



**Gitte Madsen**  
Nordic eCommerce  
& Key Account Manager  
Sales operation  
T +45 xx xx xx xx  
gm@nordlux.com



**Carsten Johnsen**  
Sales Consultant  
Sales operation | Seeland  
T +45 20 71 16 11  
cj@nordlux.com



**Hans Aamand Nielsen**  
Sales Consultant  
Sales operation | Jutland  
T +45 22 71 66 11  
haa@nordlux.com



**Kurt Kristensen**  
Team Leader Merchandiser  
Sales operation | Denmark  
T +45 20 66 16 11  
kk@nordlux.com



**Jesper Bach-Kristensen**  
Sales Merchandiser  
Sales operation | Denmark  
T +45 42 56 16 11  
jbk@nordlux.com



**Peter Nielsen**  
Sales Merchandiser  
Sales operation | Jutland  
T +45 21 22 36 11  
pn@nordlux.com



**Ticho Lohmann**  
Sales Merchandiser  
Sales operation | Seeland  
T +45 40 82 61 11  
tl@nordlux.com



**Jesper Staalgaard**  
Sales Merchandiser  
Sales operation | Seeland  
T +45 40 70 16 11  
jps@nordlux.com

## Sales Sweden

---



**Anna Broberg**  
Country Manager  
Sales operation | Sweden  
T +46 73 578 58 08  
ab@nordlux.com



**Stefan Peterson**  
Sales Consultant  
Sales operation | Sweden  
T +46 70 37 95 182  
spe@nordlux.com



**Mari Berg**  
Sales Consultant  
Sales operation | Sweden  
T +46 70 937 26 37  
mb@nordlux.com

## Sales Norway

---



**Henning Mjåtveit**  
Team & Key Account Manager  
Sales operation | Norway  
T +47 91 39 54 31  
hmt@nordlux.com



**Jan Olav Gjelsnes**  
Sales Consultant  
Sales operation | Norway  
T +47 92 89 91 23  
jog@nordlux.com



**Leif Christian Olsen**  
Sales Consultant  
Sales operation | Norway  
T +47 91 90 13 20  
lco@nordlux.com



**Odd-Ivar Jenskaug**  
Sales Consultant  
Sales operation | Norway  
T +47 400 11 491  
oij@nordlux.com

## Sales Germany

---



**Martin Klasterka**  
Managing Director DACH  
Sales operation | Germany  
T +49 170 453 3344  
mk@nordlux.com



**Sonja Treumann**  
Key Account Coordinator  
Sales operation | Germany  
T +49 21 52 89 87 37  
st@nordlux.com



**Franz Kiefer**  
Key Account Manager  
Sales operation | Germany  
T +49 175 567 56 04  
fk@nordlux.com



**Matthias Kasperek**  
Sales Agent  
Northern Germany  
T +49 172 53 34 780  
m.kasperek1@yahoo.de



**Jan Schwuchow**  
Sales Agent  
Eastern Germany  
T +49 178 52 91 173  
jan.schwuchow@online.de



**Roland Pichl**  
Sales Agent  
Southern Germany,  
Austria, South Tyrol  
T +49 171 54 76 999  
pi-rol@t-online.de



**Udo Koch**  
Sales Agent  
Western Germany  
T +49 174 89 94 502  
F +49 321 21 191 755  
info@koch-lichtdesign.de

Sales France, Holland & Belgium

---



**Axel Hamelink**  
Country Manager FR & BL  
Sales operation | France,  
Holland & Belgium  
T + 32 497 45 1202  
ah@nordlux.com



**Nicolas Warin**  
Country Director France  
Sales operation | France  
T + 33 6 87 55 74 42  
nw@nordlux.com



**Dilantha Mendis**  
French eCommerce DIY  
Sales operation | France  
T +33 6 48 96 15 89  
dmendis@nordlux.com



**Christelle Dumortier**  
Commercial Assistant  
Sales operation | France  
T +33 3 20 47 93 46  
cd@nordlux.com



**Camila Dambros**  
Commercial Assistant  
Sales operation | France  
T +33 3 20 47 93 46  
cad@nordlux.com



**Ronald Mulder**  
Sales Manager NL  
Sales operation | NL  
T +31 630 74 51 03  
rm@nordlux.com



**Ruben Lankhorst**  
Account Manager NL  
Sales operation | NL  
T +31 6 20 53 61 82  
rl@nordlux.com



**Fabian Dermaut**  
Sales Manager BELUX  
Sales operation | BELUX  
T +32 497 41 03 73  
fd@nordlux.com



**Ilse Vanschoonbeek**  
Sales Assistant  
Sales operation | BELUX  
T +32 15 25 76 43  
customerservice@energeticlighting.eu



**Sarah Verheyden**  
Sales Assistant  
Sales operation | BELUX  
T + 32 15 25 76 44  
customersupport@energeticlighting.eu



**Hennie Bukkems**  
Sales Agent NL  
(Architects and Projects)  
T +31 620 13 68 11  
bukkemsh@concepts.nl

---

Sales UK



**John Griffiths**  
Managing Director UK  
T +01200 422777  
jg@nordlux.com



**Bradley Hamer**  
Online Account Manager  
T +01200 422777  
bha@nordlux.com



**Jess Quigley**  
Sales Admin  
T +01200 422777  
jq@nordlux.com



**Adam Thornber**  
Sales Admin  
T +01200 422777  
at@nordlux.com

Back office

---



**Betina Kowalski**  
Global Back  
Office Manager  
T +45 22 21 16 11  
bk@nordlux.com



**Jørg Serup**  
Global Pricing Manager  
T +45 96 34 54 07  
js@nordlux.com



**Dorthe G. Jørgensen**  
Team & Sales Coordinator  
Sales operation |  
SE, NO, FI &  
The Baltic Countries  
T +45 96 34 54 06  
dgj@nordlux.com



**Jette Jensen**  
Team & Sales Coordinator  
Sales operation | Denmark  
T +45 96 34 54 27  
jj@nordlux.com



**Hanne M. Jensen**  
Sales Assistant  
Sales operation | Denmark,  
Greenland, Faroe Islands  
T +45 96 34 54 02  
hmj@nordlux.com



**Gitte Visse**  
Sales Assistant  
Sales operation | Denmark  
T +45 96 34 54 03  
gv@nordlux.com



**Michael Findinge**  
Sales Assistant  
Sales operation | Denmark  
T +45 96 34 54 18  
mf@nordlux.com



**Andrea Holm Rafaelsen**  
Sales Trainee  
Sales operation | Denmark  
T +96 34 54 26  
ara@nordlux.com



**Caroline Serup**  
Sales Trainee  
Sales operation | Denmark  
T +96 34 54 26  
cs@nordlux.com



**Berit Støve**  
Sales Assistant  
Sales operation  
SE, NO, FI &  
The Baltic Countries  
T +45 96 34 54 33  
bst@nordlux.com



**Michelle Kalisch**  
Sales Assistant  
Sales operation  
SE, NO, FI &  
The Baltic Countries  
T + 45 96 34 54 31  
mik@nordlux.com



**Katrin Løkke**  
Sales Assistant  
Sales operation | Germany  
T +45 96 34 54 36  
kl@nordlux.com



**Lene K. Kristensen**  
Sales Assistant  
Sales operation | Germany  
T +45 96 34 54 05  
lkk@nordlux.com



**Rikke Giese**  
Sales Assistant  
Sales operation | Export  
T + 45 96 34 54 12  
rg@nordlux.com



**Sahra Vistisen Rahal**  
Sales Assistant  
Sales operation | Export  
T + 45 96 34 54 28  
sra@nordlux.com

Product management

---



**Lone Bødker**  
Product Management  
Design For The People  
T +45 96 34 54 23  
lb@nordlux.com



**Mia Rasmussen**  
Product Management  
Nordlux Decorative  
T + 45 24 57 37 97  
mir@nordlux.com



**Gert Blommaart**  
Product Management  
Nordlux Functional  
T +32 486 83 63 55  
gb@nordlux.com



**Kenny Van Den Bosch**  
Product Management  
Bulbs  
T +32 15 25 76 56  
kvb@nordlux.com



**Anouck Granjé**  
Product Management  
Bulbs  
T +32 15 25 76 57  
ag@nordlux.com





*Product  
index*

---

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
A60 B22 1055lm M	Bulb	Glass	Opal	5181021621	6923933818365	2123977	6	268
A60 B22 806lm M	Bulb	Glass	Clear	5181021421	6923933818334	2123975	6	268
A60 E27 1055lm 3P	Bulb	Plastic	Opal	5171013723	6923933817863	2124705	5	287
A60 E27 1055lm	Bulb	Plastic	Opal	5171013721	6923933817719		6	287
A60 E27 1055lm C	Bulb	Glass	Clear	5181001321	6923933814107		6	264
A60 E27 1055lm CW C	Bulb	Glass	Clear	5181011021	6923933816965		6	265
A60 E27 1055lm CW M	Bulb	Glass	Opal	5191002021	6923933817092		6	269
A60 E27 1055lm Dim C	Bulb	Glass	Clear	5181006521	6923933814138		6	265
A60 E27 1055lm Dim M	Bulb	Glass	Opal	5181023321	6923933818372	2123980	6	268
A60 E27 1055lm M	Bulb	Glass	Opal	5181021521	6923933818341	2123976	6	267
A60 E27 1521lm 3P	Bulb	Plastic	Opal	5197001023	6923933817887	2124697	5	287
A60 E27 1521lm	Bulb	Plastic	Opal	5197001021	6923933817894	5197001	6	287
A60 E27 250lm C	Bulb	Glass	Clear	5181000121	6923933813599		6	264
A60 E27 250lm M	Bulb	Glass	Clear	5181020921	6923933818297	2123971	6	267
A60 E27 396lm Fl.	Bulb	Plastic	Orange	5181014521	6923933817771	2123969	6	293
A60 E27 470lm 3P	Bulb	Plastic	Opal	5171013323	6923933817818	2124701	5	286
A60 E27 470lm 3P C	Bulb	Plastic	Opal	5181014923	6923933817801	2124701	5	288
A60 E27 470lm	Bulb	Plastic	Opal	5171013321	6923933817702		6	288
A60 E27 470lm C	Bulb	Glass	Clear	5181000921	6923933818198	2123958	6	264
A60 E27 470lm M	Bulb	Glass	White	5181021121	6923933818303	2123973	6	267
A60 E27 806lm 3P	Bulb	Plastic	Opal	5171013523	6923933817832	2124703	5	286
A60 E27 806lm 3P C	Bulb	Plastic	Opal	5181015523	6923933817849		5	288
A60 E27 806lm	Bulb	Plastic	Opal	5171013521	6923933817856	2124702	6	286
A60 E27 806lm C	Bulb	Glass	Clear	5181000321	6923933818204	5181000	6	264
A60 E27 806lm CW C	Bulb	Glass	Clear	5181003321	6923933818211	2123961	6	265
A60 E27 806lm CW M	Bulb	Glass	Opal	5191001821	6923933817085		6	269
A60 E27 806lm Dim C	Bulb	Glass	Clear	5181003621	6923933818259	2123962	6	265
A60 E27 806lm Dim M	Bulb	Glass	Opal	5181023121	6923933818389	2123979	6	268
A60 E27 806lm M	Bulb	Glass	White	5181021321	6923933818310	2123974	6	267
A60 LS E27 806lm	Bulb	Plastic	Opal	5161009021	6923933809639		6	285
A70 E27 1521lm C	Bulb	Glass	Clear	5181001721	6923933814114		6	266
A70 E27 1521lm CW C	Bulb	Glass	Clear	5191003621	6923933817245		6	266
A70 E27 1521lm CW M	Bulb	Glass	Opal	5191002221	6923933817108		6	269
A70 E27 1521lm Dim C	Bulb	Glass	Clear	5181008121	6923933814145		6	266
A70 E27 1521lm M	Bulb	Glass	Opal	5181021721	6923933818396	2123978	6	269
Adrian 16	Pendant	Metal, Plastic	Black	48783003	5701581461789	2042358	6	74

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Adrian 16	Pendant	Metal, Plastic	Grey	48783011	5701581461888	2042359	6	74
Adrian 25	Pendant	Metal, Plastic	Black	48793003	5701581461987	2042360	3	74
Adrian 25	Pendant	Metal, Plastic	Grey	48793011	5701581462083	2042361	3	74
Adrian	Wall	Metal, Plastic	Black	48801003	5701581462182	2042362	3	74
Adrian	Wall	Metal, Plastic	Grey	48801011	5701581462281	2042363	3	74
Adrian	Table	Metal, Plastic	Black	48815003	5701581462380	2042364	3	74
Adrian	Table	Metal, Plastic	Grey	48815011	5701581462489	2042365	3	74
Adrian	Floor	Metal, Plastic	Black	48824003	5701581462588	2042366	2	75
Adrian	Floor	Metal, Plastic	Grey	48824011	5701581462687	2042367	2	75
Agger	Wall	Galv. steel, Glass	Galvanized, Clear	74481031	5701581210776	5353049	3	401
Agger	Garden	Galv. steel, Glass	Galvanized, Clear	74528031	5701581211179	5353053	3	401
Agger Sensor	Wall	Galv. steel, Glass	Galvanized, Clear	74501031	5701581210974	5353051	3	401
Agnes	Wall	Metal, Plastic	White	49881001	5701581477681	2050245	6	94
Agnes	SpotLight	Metal, Plastic	White	49890101	5701581477780	2050252	3	94
Agnes	SpotLight	Metal, Plastic	White	49900101	5701581477889	2050253	3	94
Agnes	SpotLight	Metal, Plastic	White	49910101	5701581477988	2050255	3	94
Agnes	SpotLight	Metal, Plastic	White	49920101	5701581478084	2050256	3	95
Aire	Pendant	Metal	Black	84873003	5701581346680	1850671	3	93
Akron 11	Wall	Aluminium, Plastic	Black, Opal white	46961003	5701581410381	1975356	3	381
Akron 17	Wall	Aluminium, Plastic	Black, Opal white	46971003	5701581410480	1975357	3	381
Aleria	Wall	Metal	Black	2019131003	5704924000720	2085857	3	354
Aleria	Wall	Metal	Grey	2019131010	5704924000737	2085858	3	354
Alexander	Wall	Metal, Plastic	White	48621001	5701581459281	2042333	2	78
Alexander	Wall	Metal, Plastic	Black	48621003	5701581459380	2042334	2	78
Alexander	Table	Metal, Plastic	White	48635001	5701581459489	2042335	2	78
Alexander	Table	Metal, Plastic	Black	48635003	5701581459588	2042336	2	78
Alexander	Floor	Metal, Plastic	White	48654001	5701581459687	2042337	2	78
Alexander	Floor	Metal, Plastic	Black	48654003	5701581459786	2042338	2	78
Alexander	Pendant	Metal, Plastic	White	48673001	5701581459885	2042339	3	78
Alexander	Pendant	Metal, Plastic	Black	48673003	5701581459984	2042340	3	78
Alfred	Wall	Metal, Plastic	Black	49831003	5701581477384	2050242	6	96
Alfred	SpotLight	Metal, Plastic	Black	49840103	5701581477483	2050249	3	96
Alfred	SpotLight	Metal, Plastic	Black	49850103	5701581477582	2050251	3	96
Alrun	Pendant	Glass	Clear	45263000	5701581366985	1902334	2	122
Alrun	Pendant	Glass	Amber	45263027	5701581367081	1902335	2	122
Alrun	Pendant	Glass	Smoked	45263047	5701581367180	1902336	2	122

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Alton	Ceiling	Glass, Metal	Brass, Opal white	2010506001	5704924001062	2100554	3	127
Alton	Ceiling	Glass, Metal	Black, Smoked	2010506047	5704924001079	2100556	3	127
Alton	Floor	Metal, Glass	Brass, Opal white	2010514001	5704924001086	2100558	2	127
Alton	Floor	Metal, Glass	Black, Smoked	2010514047	5704924001093	2100560	2	127
Alton 23	Pendant	Glass, Metal	Black/brass, Opal white	47303001	5701581413788	1975393	3	128
Alton 23	Pendant	Glass, Metal	Black, Smoked	47303047	5701581452589	2042266	3	129
Alton 25	Pendant	Glass, Metal	Black/brass, Opal white	47313001	5701581413887	1975394	3	128
Alton 25	Pendant	Glass, Metal	Black, Smoked	47313047	5701581452688	2042267	3	129
Alton 35	Pendant	Glass, Metal	Black/brass, Opal white	48973001	5704924000355	2074547	3	128
Alton 35	Pendant	Glass, Metal	Black, Smoked	48973047	5701581488588	2059748	3	129
Alton	Table	Glass, Metal	Brass, Opal white	47645001	5701581416987	1975427	3	127
Alton	Table	Glass, Metal	Black, Smoked	47645047	5701581452886	2042269	3	127
Altus 2700K	Ceiling	Plastic, Metal	White	47206001	5701581412682	1975380	3	224
Altus 2700K	Ceiling	Plastic, Metal	Grey	47206010	5701581412781	1975381	3	224
Altus 4000K	Ceiling	Plastic, Metal	White	47906001	5701581420786	1984114	3	224
Altus 4000K	Ceiling	Plastic, Metal	Grey	47906010	5701581420687	1984104	3	224
Amalienborg	Wall	Galvanized steel, Glass	Galvanized, Clear	10600219	5702376002194	5137895	3	398
Amalienborg	Garden	Galvanized steel, Glass	Galvanized, Clear	10600319	5702376003191	5137893	3	398
Ames	Pendant	Metal	White	46533001	5701581406186	1975320	2	86
Ames	Pendant	Metal	Black	46533003	5701581406285	1975321	2	86
Ancona LED	Ceiling	Metal, Glass	White, Opal white	25216101	5701581253087	1629147	3	227
Ancona LED	Ceiling	Metal, Glass	Brushed steel, Opal white	25216132	5701581253186	1629148	3	227
Ancona Maxi E27	Ceiling	Metal, Glass	White, Opal white	25316101	5701581278479	1483326	3	227
Ancona Maxi E27	Ceiling	Metal, Glass	Brushed steel, Opal white	25316132	5701581277274	1456141	3	227
Ancona Maxi LED	Ceiling	Metal, Glass	White, Opal white	25246101	5701581253285	1629149	3	228
Ancona Maxi LED	Ceiling	Metal, Glass	Brushed steel, Opal white	25246132	5701581253384	1629150	3	228
Andy	Pendant	Metal	Rusty	2011103003	5704924001208	2100629	2	67
Andy 30	Pendant	Metal, Plastic	Brown	48473009	5701581457782	2042318	3	67
Andy	Table	Metal, Plastic	Brown	48485009	5701581457881	2042319	3	67
Andy	Wall	Metal, Plastic	Brown	48491009	5701581457980	2042320	3	67
Ankaa 2700K	DownLight	Metal	White	49590101	5701581475182	2049776	3	239
Ankaa 2700K	DownLight	Metal	Nickel	49590155	5701581475281	2049777	3	239
Anniversary	Pendant	Metal	White	76633001	5701581231986	1557531	3	87
Anniversary	Pendant	Metal	Black	76633003	5701581232082	1557532	3	87
Apollo IP23 2700K 1-Kit Dim Tilt	DownLight	Metal, Plastic	White	62009811002	6923933811533		10	236
Apollo IP23 2700K 1-Kit Dim Tilt	DownLight	Metal, Plastic	Nickel	62009811012	6923933811540		10	236

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Apollo IP23 2700K 1-Kit Dim Tilt	DownLight	Metal, Plastic	Chrome	62009811032	6923933811557		10	236
Apollo IP23 2700K 3-Kit	DownLight	Metal, Plastic	White	62009031003	6923933811588		10	236
Apollo IP23 2700K 3-Kit Tilt	DownLight	Metal, Plastic	Nickel	62009031013	6923933811595		10	236
Apollo IP23 2700K 3-Kit Tilt	DownLight	Metal, Plastic	Chrome	62009031033	6923933811601		10	236
Apollo IP23 2700K 5-Kit Tilt	DownLight	Metal, Plastic	White	62009051009	6923933811748		10	237
Apollo IP23 2700K 5-Kit Tilt	DownLight	Metal, Plastic	Nickel	62009051019	6923933811755		10	237
Apollo IP23 4000K 3-Kit Tilt	DownLight	Metal, Plastic	White	62009033003	6923933811687		10	236
Apollo IP23 4000K 3-Kit Tilt	DownLight	Metal, Plastic	Nickel	62009033013	6923933811694		10	236
Apollo IP23 4000K 3-Kit Tilt	DownLight	Metal, Plastic	White	62010033003	6923933811700		10	238
Apollo IP23 4000K 3-Kit Tilt	DownLight	Metal, Plastic	Nickel	62010033013	6923933811717		10	238
Apollo IP23 4000K 5-Kit Tilt	DownLight	Metal, Plastic	White	62009053009	6923933811786		10	236
Apollo IP23 4000K 5-Kit Tilt	DownLight	Metal, Plastic	Nickel	62009053019	6923933811793		10	236
Apollo IP65 2700K 3-Kit	DownLight	Metal, Plastic	White	62009631006	6923933814534		10	237
Apollo IP65 2700K 3-Kit	DownLight	Metal, Plastic	Chrome	62009631016	6923933814541		10	237
Apollo IP65 2700K 3-Kit	DownLight	Metal, Plastic	Nickel	62009631036	6923933814527		10	237
Apollo IP65 2700K 3-Kit	DownLight	Metal, Plastic	White	62009731003	6923933811632		10	237
Apollo IP65 2700K 3-Kit	DownLight	Metal, Plastic	Nickel	62009731013	6923933811649		10	237
Apollo IP65 2700K 3-Kit	DownLight	Metal, Plastic	Chrome	62009731033	6923933811656		10	237
Apollo IP65 4000K 3-Kit	DownLight	Metal, Plastic	Nickel	62009733013	6923933811731		10	237
Apollo Sq. IP23 2700K 1-Kit	DownLight	Metal, Plastic	Nickel	62010811012	6923933811564		10	238
Apollo Sq. IP23 2700K 1-Kit Dim	DownLight	Metal, Plastic	White	62010811002	6923933811564		10	238
Apollo Sq. IP23 2700K 3-Kit	DownLight	Metal, Plastic	White	62010031003	6923933811618		10	238
Apollo Sq. IP23 2700K 3-Kit	DownLight	Metal, Plastic	Nickel	62010031013	6923933811625		10	238
Apollo square IP65 2700K 3-Kit	DownLight	Metal, Plastic	White	62010731003	6923933811663		10	238
Apollo square IP65 2700K 3-Kit	DownLight	Metal, Plastic	Nickel	62010731013	6923933811670		10	238
Arcus	Wall	Aluminium, Plastic	Black, Opal white	2019001003	5704924000478	2085832	3	357
Arcus	Wall	Aluminium, Plastic	Black, Opal white	2019001010	5704924000775	2086236	3	357
Arki outdoor	Wall	Galvanized steel, Plastic	Black, Opal white	75181003	5701581280175	1484024	3	379
Arki outdoor	Wall	Galvanized steel, Plastic	Galvanized, Opal white	75181031	5701581280274	1484026	3	379
Arlington 120	Batten	Plastic	White	47836101	5701581418387	1975441	6	258
Arlington 150	Batten	Plastic	White	47846101	5701581418486	1975442	6	258
Arlington 60	Batten	Plastic	White	47826101	5701581418288	1975440	6	258
Arn	Wall	Aluminium, Plastic	White, Clear	45471001	5701581388581	1920428	3	382
Arn	Wall	Aluminium, Plastic	Black, Clear	45471003	5701581363687	1896577	3	382
Arn	Wall	Aluminium, Plastic	White, Clear	45481001	5701581388680	1920429	3	382
Arn	Wall	Aluminium, Plastic	Black, Clear	45481003	5701581363786	1896578	3	382

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Artego	Wall	Aluminium, Plastic	Black, Opal white	46941003	5701581410183	1975354	3	381
Artego	Wall	Aluminium, Plastic	Black, Opal white	46951003	5701581410282	1975355	3	381
Asbol	Wall	Aluminium, Glass	Black, Clear	84971003	5701581401389	1976422	6	355
Asbol	Wall	Aluminium, Glass	Grey, Clear	84971010	5704924000768	2085861	6	355
Asbol Kubi	Wall	Aluminium, Glass	Black, Clear	2019071003	5704924000652	2085850	6	355
Asbol Kubi	Wall	Aluminium, Glass	Grey, Clear	2019071010	5704924000669	2085851	6	355
Ask 28	Ceiling	Metal, Plastic	White, Matt white	45356001	5701581367289	1902397	3	222
Ask 36	Ceiling	Metal, Plastic	White, Matt white	45376001	5701581367388	1902398	3	223
Ask 36 Sensor	Ceiling	Metal, Plastic	White, Matt white	45386501	5701581367487	1902399	3	223
Ask 41	Ceiling	Metal, Plastic	White, Matt white	45396001	5701581367586	1902400	3	223
Aslak	Wall	Metal	White	45721001	5701581368880	1902409	3	73
Aslak	Wall	Metal	Black	45721003	5701581368989	1902410	3	73
Aslak	SpotLight	Metal	White	45730101	5701581369085	1902453	3	73
Aslak	SpotLight	Metal	Black	45730103	5701581369184	1902456	3	73
Aslak	SpotLight	Metal	White	45740101	5701581369283	1902459	3	73
Aslak	SpotLight	Metal	Black	45740103	5701581369382	1902463	3	73
Aslak	Pendant	Metal	White	46553001	5701581406582	1975324	3	72
Aslak	Pendant	Metal	Black	46553003	5701581406681	1975325	3	72
Aslak	Table	Metal	White	46685001	5701581408883	1975341	3	72
Aslak	Table	Metal	Black	46685003	5701581408982	1975342	3	72
Aslak	Floor	Metal	White	46724001	5701581409682	1975349	3	72
Aslak	Floor	Metal	Black	46724003	5701581409781	1975350	3	72
Aspen	Wall	Aluminium, Plastic	Black, Opal white	46981003	5701581410589	1975358	3	380
Aud	Pendant	Metal	Black	45643003	5701581367982	1902337	3	91
Ava	Ceiling	Aluminium, Plastic	Black, Opal white	2019016003	5704924000485	2085831	3	357
Ava	Ceiling	Aluminium, Plastic	Grey, Opal white	2019016010	5704924000492	2085833	3	357
Avenue	SpotLight	Metal	Brushed steel	47490032	5701581443488	1991557	2	97
Avenue	SpotLight	Metal	Brushed steel	73561132	5701581201972	5274275	3	97
Avenue LED	Wall	Metal	Brushed steel	76551132	5701581232488	1557525	6	96
Avenue LED	SpotLight	Metal	Brushed steel	76560132	5701581232587	1557526	3	97
Avenue LED	SpotLight	Metal	Brushed steel	76570132	5701581232686	1557527	3	97
Avon	Wall	Metal	Black	84111003	5701581342088	1850691	3	393
Avon	Garden	Metal	Black	84128003	5701581342187	1850700	3	393
Avra	Pendant	Metal	Black/Chrome	84800003	5701581345683	1850659	3	91
Avra	Pendant	Metal	Brass	84800025	5701581345782	1850660	3	91
Avra	Pendant	Metal	Copper	84800030	5701581345881	1850661	3	91

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Avra	Pendant	Metal	Chrome	84800033	5701581345980	1850662	3	91
Balance	Pendant	Metal, Acrylic	Black	2010103003	5704924001277	2100496	3	11
Balance	Wall	Metal, Acrylic	Black	2010121003	5704924001284	2100497	2	11
Balance	Table	Metal, Acrylic	Black	2010145003	5704924001291	2100499	2	11
Balance	Floor	Metal, Acrylic	Black	2010164003	5704924001307	2100501	2	11
Base	Additional	Galvanized steel	Galvanized	22039931	5701581292048	5118498	3	416
Bell	Wall	Aluminium, Plastic	Black, Satinated	76391003	5701581244382	1621936	3	380
Birk	Wall	Aluminium, Plastic	Black, Clear	45501003	5701581363885	1896579	3	391
Birk	Garden	Aluminium, Plastic	Black, Clear	45518003	5701581363984	1896580	3	391
Birk	Wall	Aluminium, Plastic	Black, Clear	45521003	5701581383388	1920527	3	391
Birla	DownLight	Plastic	White	84950001	5701581373082	1902491	6	414
Bity	Batten	Plastic	White	2015486101	5704924002847	2113397	6	247
Bity	Batten	Plastic	Silver	2015486154	5704924002854	2113398	6	247
Bity	Batten	Plastic	White	2015496101	5704924002861	2113399	4	247
Bity	Batten	Plastic	Silver	2015496154	5704924002878	2113400	4	247
Blokhuis	Wall	Galvanized steel, Glass	Black, Clear	25011003	5701581204072	5303901	3	400
Blokhuis	Wall	Copper, Glass	Copper, Clear	25011030	5701581115040	5061468	3	400
Blokhuis	Wall	Galvanized steel, Glass	Galvanized, Clear	25011031	5701581116047	5061442	3	400
Blokhuis	Wall	Stainless steel, Glass	Stainless steel, Clear	25011034	5701581117044	5061469	3	400
Blokhuis	Wall	Galvanized steel, Glass	Galvanized, Clear	25051031	5701581122048	5061467	3	400
Blokhuis	Garden	Copper, Glass	Copper, Clear	25078030	5701581123045	5061465	3	400
Blokhuis	Garden	Galvanized steel, Glass	Galvanized, Clear	25078031	5701581124042	5061464	3	400
Blokhuis	Garden	Stainless steel, Glass	Stainless steel, Clear	25078034	5701581125049	5061466	3	400
Blokhuis Sensor	Wall	Galvanized steel, Glass	Black, Clear	25031003	5701581219274	5383816	3	400
Blokhuis Sensor	Wall	Copper, Glass	Copper, Clear	25031030	5701581118041	5061471	3	400
Blokhuis Sensor	Wall	Galvanized steel, Glass	Galvanized, Clear	25031031	5701581119048	5061470	3	400
Blokhuis Sensor	Wall	Stainless steel, Glass	Stainless steel, Clear	25031034	5701581120044	5061472	3	400
Blossom 17	Pendant	Porcelain	White	2010053001	5704924001253	2100494	6	152
Blossom 22	Pendant	Porcelain	White	2010073001	5704924001260	2100495	4	152
Bowler	Wall	Galvanized steel, Plastic	Galvanized, Satinated	28601131	5701581215061	5208844	3	375
Boxline 13W	Batten	Plastic	White, Clear	27496101	5701581200371	5273430	3	258
Break	Wall	Metal, Plastic	Black	19861003	5701581226180	1544196	3	84
Break	Floor	Metal, Plastic	Black	19874003	5701581226289	1544197	2	84
Bretagne	Pendant	Metal	White	39489901	5701581330788	1836698	3	87
C35 E14 140lm C	Bulb	Glass	Clear	5183014021	6923933815319		6	276
C35 E14 140lm M	Bulb	Glass	Opal	5183002921	6923933814329		6	278

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
C35 E14 2500lm	Bulb	Plastic	Opal	5173018921	6923933818112	2123944	6	291
C35 E14 250lm 3P	Bulb	Plastic	Opal	5173018923	6923933818129	2123945	5	291
C35 E14 250lm C	Bulb	Glass	Clear	5183000121	6923933813124		6	276
C35 E14 250lm M	Bulb	Glass	Opal	5183015921	6923933818495	2124073	6	278
C35 E14 470lm	Bulb	Plastic	Opal	5173019321	6923933817726		6	291
C35 E14 470lm	Bulb	Plastic	Opal	5173019323	6923933818143	2123947	5	291
C35 E14 470lm C	Bulb	Glass	Clear	5183001521	6923933814077		0	276
C35 E14 470lm CW C	Bulb	Glass	Clear	5183005321	6923933817115		6	277
C35 E14 470lm CW M	Bulb	Glass	Opal	5193003221	6923933818518		6	279
C35 E14 470lm Dim C	Bulb	Glass	Clear	5183005421	6923933813117		6	277
C35 E14 470lm Dim M	Bulb	Glass	Opal	5183017921	6923933818518	2124075	6	279
C35 E14 470lm M	Bulb	Glass	Opal	5183016321	6923933818501	2124074	6	278
C35 E14 806lm C	Bulb	Glass	Clear	5283018721	6923933818464	2124698	6	277
C35 E14 806lm CW C	Bulb	Glass	Clear	5283018821	6923933818471	2124699	6	277
C35 E14 806lm M	Bulb	Glass	Opal	5193002421	6923933818532	2124685	6	278
C35 E14 806lm M	Bulb	Glass	Opal	5193006021	6923933818549	2124688	6	279
Cable 25M	Additional	Textile	White	73049901	5701581235779	1304438	1	417
Cable 25M	Additional	Textile	Red	73049902	5701581235878	1304352	1	417
Cable 25M	Additional	Textile	Black	73049903	5701581234079	1304457	1	417
Cable 25M	Additional	Textile	Black/White	73049913	5701581234475	1304442	1	417
Cable 4M	Additional	Textile	White	73059901	5701581204270	5303897	6	417
Cable 4M	Additional	Textile	Red	73059902	5701581204379	5303898	6	417
Cable 4M	Additional	Textile	Black	73059903	5701581204478	5303899	6	417
Cafe 15	Pendant	Glass, Metal	Opal	39553001	5701581101012	5927002	3	143
Cafe 20	Pendant	Glass, Metal	Opal	39563001	5701581102019	5927039	3	143
Cafe 25	Pendant	Glass, Metal	Opal	39573001	5701581103016	5927037	3	143
Cafe 30	Pendant	Glass, Metal	Opal	39583001	5701581104013	5926935	3	143
Calvi	Wall	Aluminium, Glass	Black	2019141003	5704924000744	2085859	3	355
Cambio 2W 3-Kit	Built-InOn	Plastic, Metal	Aluminium, Clear	79440029	5701581341784	1850682	3	250
Cambio 2W	Built-InOn	Plastic, Metal	Aluminium, Clear	79470029	5701581293984	1702296	6	250
Can Maxi	Wall	Aluminium, Glass	Aluminium, Clear	28819929	5701581323889	1824815	3	385
Canis 2700K 1-Kit Dim Tilt	DownLight	Metal	White	49320101	5701581469280		3	240
Canis 2700K 1-Kit Dim Tilt	DownLight	Metal	Nickel	49320155	5701581469389		3	240
Canis 2700K 3-Kit	DownLight	Metal	White	49350101	5701581469884		3	242
Canis 2700K 3-Kit	DownLight	Metal	Nickel	49350155	5701581469983		3	242
Canis 2700K 3-Kit Dim	DownLight	Metal	White	49340101	5701581469686		3	242



Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Canis 2700K 3-Kit Dim	DownLight	Metal	Nickel	49340155	5701581469785		3	242
Canis 2700K 3-Kit Dim Tilt	DownLight	Metal	White	49330101	5701581469488		3	241
Canis 2700K 3-Kit Dim Tilt	DownLight	Metal	Nickel	49330155	5701581469587		3	241
Canis 2700K 3-Kit Tilt	DownLight	Metal	White	49300101	5701581468887		3	241
Canis 2700K 3-Kit Tilt	DownLight	Metal	Nickel	49300155	5701581468986		3	241
Canis 2700K 5-Kit Tilt	DownLight	Metal	White	49310101	5701581469082		3	241
Canis 2700K 5-Kit Tilt	DownLight	Metal	Nickel	49310155	5701581469181		3	241
Canis 2700K 5-Kit Tilt	DownLight	Metal	White	49750101	5701581487581	2055018	3	241
Canis 2700K 5-Kit Tilt	DownLight	Metal	Nickel	49750155	5701581487680	2055021	3	241
Canis 4000K 1-Kit Dim Tilt	DownLight	Metal	White	49360101	5701581470088		3	242
Canis 4000K 1-Kit Dim Tilt	DownLight	Metal	Nickel	49360155	5701581470187		3	242
Canis 4000K 3-Kit Dim Tilt	DownLight	Metal	White	49370101	5701581470286		3	242
Canis 4000K 3-Kit Dim Tilt	DownLight	Metal	Nickel	49370155	5701581470385		3	242
Canis 6500K 1-Kit Dim Tilt	DownLight	Metal	White	49380101	5701581470484		3	243
Canis 6500K 1-Kit Dim Tilt	DownLight	Metal	Nickel	49380155	5701581470583		3	243
Canis 6500K 3-Kit Dim Tilt	DownLight	Metal	White	49390101	5701581470682		3	243
Canis 6500K 3-Kit Dim Tilt	DownLight	Metal	Nickel	49390155	5701581481183		3	243
Canis 6500K 5-Kit Tilt	DownLight	Metal, Plastic	White	49760101	5701581487789	2055012	3	243
Canis 6500K 5-Kit Tilt	DownLight	Metal, Plastic	Nickel	49760155	5701581487888	2055016	3	243
Canto 2	Wall	Aluminium	White, Clear	49701001	5701581482388	2050182	3	363
Canto 2	Wall	Aluminium	Black, Clear	49701003	5701581482487	2050183	3	363
Canto 2	Wall	Aluminium	Grey, Clear	49701010	5701581482586	2050184	3	363
Canto 2	Wall	Metal	Galvanized, Clear	49701031	5701581482685	2050186	3	363
Canto 2	Wall	Stainless steel	Stainless steel, Clear	49701034	5701581482784	2050187	3	363
Canto 2	Wall	Brass	Brass, Clear	49701035	5701581482883	2050188	3	363
Canto Kubi 2	Wall	Aluminium	White, Clear	49711001	5701581482982	2050190	3	363
Canto Kubi 2	Wall	Aluminium	Black, Clear	49711003	5701581483088	2050191	3	363
Canto Kubi 2	Wall	Aluminium	Grey, Clear	49711010	5701581483187	2050192	3	363
Canto Kubi 2	Wall	Metal	Galvanized, Clear	49711031	5701581483286	2050193	3	363
Canto Kubi 2	Wall	Stainless steel	Stainless steel, Clear	49711034	5701581483385	2050194	3	363
Canto Maxi 2	Wall	Aluminium	White, Clear	49721001	5701581483484	2050195	3	367
Canto Maxi 2	Wall	Aluminium	Black, Clear	49721003	5701581483583	2050198	3	367
Canto Maxi 2	Wall	Aluminium	Grey, Clear	49721010	5701581483682	2050200	3	367
Canto Maxi 2	Wall	Metal	Galvanized, Clear	49721031	5701581483781	2050201	3	367
Canto Maxi 2	Wall	Stainless steel	Stainless steel, Clear	49721034	5701581483880	2050203	3	367
Canto Maxi 2	Wall	Brass	Brass, Clear	49721035	5701581483989	2050205	3	367

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Canto Maxi Kubi 2	Wall	Aluminium	White, Clear	49731001	5701581476080	2042404	3	367
Canto Maxi Kubi 2	Wall	Aluminium	Black, Clear	49731003	5701581484085	2050207	3	367
Canto Maxi Kubi 2	Wall	Aluminium	Grey, Clear	49731010	5701581476189	2042405	3	367
Canto Maxi Kubi 2	Wall	Metal	Galvanized, Clear	49731031	5701581485785	2050210	3	367
Cardiff	Wall	Aluminium, Glass	Black, Clear	74371003	5701581256774	1382552	3	396
Cardiff	Wall	Aluminium, Glass	Black, Clear	74381003	5701581256873	1382549	3	396
Cardiff	Garden	Aluminium, Glass	Black, Clear	74398003	5701581256972	1382547	3	396
Carina 2700K 1-Kit Dim Tilt	DownLight	Metal	White	49520101	5701581473683	2049772	3	239
Carina 2700K 1-Kit Dim Tilt	DownLight	Metal	Nickel	49520155	5701581473782	2049773	3	239
Carina 2700K 3-Kit Dim	DownLight	Metal	White	49500101	5701581473287	2049768	3	240
Carina 2700K 3-Kit Dim	DownLight	Metal	Nickel	49500155	5701581473386	2049769	3	240
Carina 2700K 3-Kit Dim Tilt	DownLight	Metal	White	49490101	5701581472983	2049765	3	239
Carina 2700K 3-Kit Dim Tilt	DownLight	Metal	Chrome	49490133	5701581473089	2049766	3	239
Carina 2700K 3-Kit Dim Tilt	DownLight	Metal	Nickel	49490155	5701581473188	2049767	3	239
Carina 2700K 3-Kit Dim Tilt	DownLight	Metal	White	49510101	5701581473485	2049770	3	243
Carina 2700K 3-Kit Dim Tilt	DownLight	Metal	Nickel	49510155	5701581473584	2049771	3	240
Carina Smart Light 3-kit	DownLight	Metal	White	2015670101	5704924003073	2116064	3	328
Carina Smart Light 3-kit	DownLight	Metal	Black	2015670103	5704924003073	2116064	3	328
Carina Smart Light 3-kit	DownLight	Metal	Nickel	2015670155	5704924003080	2116066	3	328
Carina Smart Light Square 3-Kit	DownLight	Metal	White	2015680101	5704924003097	2116067	3	328
Carina Smart Light Square 3-Kit	DownLight	Metal	Black	2015680103	5704924003110	2116070	3	328
Carina Smart Light Square 3-Kit	DownLight	Metal	Nickel	2015680155	5704924003127	2116072	3	328
Castor Maxi	Wall	Galvanized steel, Glass	Galvanized, Clear	71371131	5701581267473	1392877	3	383
Castor Maxi	Wall	Galvanized steel, Glass	Galvanized, Clear	71381131	5701581267374	1392876	3	383
Cera	Pendant	Metal	Brass	2010203035	5704924001314	2100506	2	55
Cera	Table	Metal	Brass	2010225035	5704924001321	2100508	3	55
Cera	Floor	Metal	Brass	2010244035	5704924001338	2100509	2	55
Chicago	Wall	Metal	Brushed steel	47440032	5701581414389	1975399	3	98
Chicago	SpotLight	Metal	Brushed steel	47450032	5701581414488	1975400	3	98
Chicago	SpotLight	Metal	Brushed steel	47460032	5701581414587	1975401	3	98
Chino 25	Pendant	Wood	Nature (brown)	84823014	5701581346284	1850667	3	158
Chino 30	Pendant	Wood	Nature (brown)	84833014	5701581346383	1850668	3	158
Chino 40	Pendant	Wood	Nature (brown)	84843014	5701581346482	1850669	3	158
Christina	Table	Concrete, Glass	Black, Smoked	48905003	5701581463585	2042376	3	123
Christina	Table	Concrete, Glass	Light gray, Smoked	48905011	5701581463684	2042377	3	123
Circus 21	Pendant	Metal	White	46403001	5701581403888	1973660	3	86

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Circus 21	Pendant	Metal	Black	46403003	5701581403987	1973661	3	86
Circus 21	Pendant	Metal	Blue	46403006	5701581404083	1973663	3	86
Circus 21	Pendant	Metal	Rose	46403057	5701581404182	1973665	3	86
Circus 27	Pendant	Metal	White	46413001	5701581404281	1973666	3	86
Circus 27	Pendant	Metal	Black	46413003	5701581404380	1973667	3	86
Circus 27	Pendant	Metal	Blue	46413006	5701581404489	1973668	3	86
Circus 27	Pendant	Metal	Rose	46413057	5701581404588	1973669	3	86
City	Wall	Metal, Plastic	Black, Clear	881123	7057388811233	1935307	3	386
City	Wall	Metal, Plastic	Anthracite, Clear	881163	7057388811639	1913042	3	386
Clarkson 2700K 3-Kit	DownLight	Plastic, Metal	White	47590101	5701581416086	1975417	3	234
Clarkson 2700K 3-Kit	DownLight	Plastic, Metal	Brushed steel	47590132	5701581416185	1975418	3	234
Clarkson 2700K 3-Kit	DownLight	Plastic, Metal	White	47600101	5701581416284	1975419	3	234
Clarkson 2700K 3-Kit	DownLight	Plastic, Metal	Brushed steel	47600132	5701581416383	1975420	3	234
Clarkson Round 3-Kit 4000K	DownLight	Plastic, Metal	White	47880101	5701581421684	1984820	3	234
Clarkson Round 3-Kit 4000K	DownLight	Plastic, Metal	Brushed steel	47880132	5701581421585	1984817	3	234
Clarkson Square 3-Kit 4000K	DownLight	Plastic, Metal	White	47890101	5701581421882	1984823	3	234
Clarkson Square 3-Kit 4000K	DownLight	Plastic, Metal	Brushed steel	47890132	5701581421783	1984821	3	234
Clyde 15 4000K	DownLight	Plastic	White	47660101	5701581421981	1984827	3	229
Clyde 15	DownLight	Plastic	White	47510101	5701581414785	1975403	3	229
Clyde	Pendant	Metal, Plastic	Black	2010803003	5704924001154	2100601	2	15
Clyde	Pendant	Metal, Plastic	Black	2010813003	5704924001161	2100602	2	15
Clyde	Wall	Metal, Plastic	Black	2010821003	5704924001178	2100603	3	15
Clyde	Table	Metal, Plastic	Black	2010835003	5704924001185	2100604	3	15
Clyde	Floor	Metal, Plastic	Black	2010844003	5704924001192	2100605	2	14
Clyde 8 4000K	DownLight	Plastic	White	47650101	5701581422087	1984829	3	229
Clyde 8	DownLight	Plastic	White	47500101	5701581414686	1975402	3	229
Concordia	Garden	Aluminium, Plastic	Anthracite, Clear	49018050	5701581464384	2042384	3	408
Contina	Pendant	Metal, Glass	Black, Opal white	2010953003	5704924001703	2100614	2	35
Contina	Pendant	Metal, Glass	Brass, Opal white	2010953035	5704924001710	2100615	2	35
Contina	Wall	Metal, Glass	Black, Opal white	2010971003	5704924001727	2100616	3	35
Contina	Wall	Metal, Glass	Brass, Opal white	2010971035	5704924001734	2100617	3	35
Contina	Pendant	Metal, Glass	Black, Opal white	2010985003	5704924001741	2100618	3	35
Contina	Pendant	Metal, Glass	Brass, Opal white	2010985035	5704924001758	2100619	3	35
Contina	Floor	Metal, Glass	Black, Opal white	2010994003	5704924001765	2100620	2	35
Contina	Floor	Metal, Glass	Brass, Opal white	2010994035	5704924001772	2100621	2	35
Cuba Bright	Wall	Plastic, Aluminium	White, Opal white	2019171001	5704924001895	2107773	3	358

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Cuba Bright	Wall	Plastic, Aluminium	White, Opal white	2019191001	5704924001918	2107775	3	358
Cuba Energy	Wall	Plastic	White, Opal white	2019161001	5704924001888	2107771	3	358
Cuba Energy	Wall	Plastic	White, Opal white	2019181001	5704924001901	2107774	3	358
Cyclone	Wall	Metal	White	72991001	5701581259775	1392800	6	82
Cyclone	Wall	Metal	Black	72991003	5701581259973	1392802	6	82
Cyclone	Table	Metal	White	73065001	5701581220379	5387137	3	82
Cyclone	Table	Metal	Black	73065003	5701581220478	5387140	3	82
Cyclone	Clamp	Metal	White	73072001	5701581220676	5387142	3	83
Cyclone	Clamp	Metal	Black	73072003	5701581220775	5387145	3	83
Dalton	Wall	Stainless steel, Glass	Black, Clear	46901003	5701581410084	1975353	3	378
Darwin	Wall	Aluminium, Plastic	Black, Opal white	71971003	5701581260870	1392811	3	392
Darwin	Garden	Aluminium, Plastic	Black, Opal white	71988003	5701581260771	1392810	3	392
Darwin	Garden	Galvanized steel, Plastic	Galvanized, Opal white	71988031	5701581277571	1483333	3	392
Darwin Sensor	Wall	Aluminium, Plastic	Black, Opal white	71972003	5701581276079	1450411	3	392
Dean	Table	Metal	Black	46605003	5701581407282	1973685	3	31
Dean	Table	Metal	Brass	46605025	5701581407381	1973684	3	31
Dean Halo	Table	Metal	Black	46615003	5701581407480	1973683	3	31
Delta	Wall	Aluminium, Plastic	Black, Clear	873023	7057388730237	1630075	3	386
Delta	Wall	Aluminium, Plastic	White, Clear	873031	7057388730312	1630076	3	386
Delta	Wall	Aluminium, Plastic	Anthracite, Clear	873063	7057388730633	1630077	3	386
Delta Mini	Wall	Aluminium, Plastic	Black, Clear	873923	7057388739230	1417091	3	386
Desi 22	Ceiling	Aluminium, Plastic	Black, Opal white	77636003	5701581250888	1624387	3	377
Desi 28	Ceiling	Aluminium, Plastic	Black, Sandblasted	77646003	5701581250987	1624388	3	377
Dillon	Pendant	Glass	Smoked	46473047	5701581405288	1973672	3	123
Dimmer 35-500W	Additional	Plastic	White	531556	7057385315567	1911907	12	417
Disa	Pendant	Glass	Clear	45823000	5701581370487	1902353	3	123
Disa	Pendant	Glass	Amber	45823027	5701581370586	1902354	3	123
Dorado 2700K 1-Kit Dim	DownLight	Plastic, Metal	White	49430101	5701581471580	2049762	3	230
Dorado 2700K 1-Kit Dim	DownLight	Plastic, Metal	Chrome	49430133	5701581471689	2049763	3	415
Dorado 2700K 1-Kit Dim	DownLight	Plastic, Metal	Nickel	49430155	5701581471788	2049764	3	415
Dorado 2700K 3-Kit Dim	DownLight	Plastic, Metal	White	49410101	5701581471085	2049754	3	238
Dorado 2700K 3-Kit Dim	DownLight	Plastic, Metal	Chrome	49410133	5701581471184		3	238
Dorado 2700K 3-Kit Dim	DownLight	Plastic, Metal	Nickel	49410155	5701581471283	2049785	3	231
Dorado 2700K 3-Kit Dim Tilt	DownLight	Plastic, Metal	White	49400101	5701581470781	2049751	3	237
Dorado 2700K 3-Kit Dim Tilt	DownLight	Plastic, Metal	Black	49400103	5701581470880		3	237
Dorado 2700K 3-Kit Dim Tilt	DownLight	Plastic, Metal	Nickel	49400155	5701581470989	2049753	3	231

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Dorado 2700K 3-Kit Dim Tilt	DownLight	Plastic, Metal	White	49420101	5701581471382	2049760	3	238
Dorado 2700K 3-Kit Dim Tilt	DownLight	Plastic, Metal	Nickel	49420155	5701581471481	2049761	3	232
Dorado 4000K 1-Kit Dim	DownLight	Plastic, Metal	White	49470101	5701581472686		3	231
Dorado 4000K 1-Kit Dim	DownLight	Plastic, Metal	Chrome	49470133	5701581472785		3	231
Dorado 4000K 1-Kit Dim	DownLight	Plastic, Metal	Nickel	49470155	5701581472884		3	231
Dorado 4000K 3-Kit Dim	DownLight	Plastic, Metal	White	49450101	5701581472181		3	231
Dorado 4000K 3-Kit Dim	DownLight	Plastic, Metal	Chrome	49450133	5701581472280		3	231
Dorado 4000K 3-Kit Dim	DownLight	Plastic, Metal	Nickel	49450155	5701581472389		3	231
Dorado 4000K 3-Kit Dim Tilt	DownLight	Plastic, Metal	White	49440101	5701581471887		3	232
Dorado 4000K 3-Kit Dim Tilt	DownLight	Plastic, Metal	Black	49440103	5701581471986		3	232
Dorado 4000K 3-Kit Dim Tilt	DownLight	Plastic, Metal	Nickel	49440155	5701581472082		3	232
Dorado 4000K 3-Kit Dim Tilt	DownLight	Plastic, Metal	White	49460101	5701581472488		3	232
Dorado 4000K 3-Kit Dim Tilt	DownLight	Plastic, Metal	Nickel	49460155	5701581472587		3	232
Dorado Smart Light 1-Kit	DownLight	Plastic, Metal	White	2015650101	5704924003004	2116038	6	415
Dorado Smart Light 1-Kit	DownLight	Plastic, Metal	Black	2015650103	5704924003059	2116039	6	415
Dorado Smart Light 1-Kit	DownLight	Plastic, Metal	Nickel	2015650155	5704924003066	2116063	6	415
Dove	Table	Plastic, Metal	Black	84593103	5701581343085	1850680	3	25
Drop	Wall	Aluminium	Black	320130	7057383201305	1617070	3	25
Drop	Wall	Aluminium	White	320131	7057383201312	1617071	3	25
E14 2,5W C35	Bulb	Glass	Gold	2080101458	5704924000140	2073965	6	298
E14 2,5W C35	Bulb	Glass	Gold	2080121458	5704924000164	2073968	6	298
E14 2,8W C35	Bulb	Glass	Gold	2080111458	5704924000157	2073966	6	295
E14 4,8W C35	Bulb	Glass	Gold	2080091458	5704924000133	2073964	6	295
E14 4,8W G45	Bulb	Glass	Gold	2080161458	5704924000201	2073972	6	295
E27 2,3W A60	Bulb	Glass	Gold	2080042758	5704924000072	2073947	6	300
E27 2,3W G95	Bulb	Glass	Gold	2080202758	5704924000249	2073976	6	300
E27 3,5W A165	Bulb	Glass	Gold	2080282758	5704924000324	2073986	3	301
E27 3,5W G125	Bulb	Glass	Gold	2080242758	5704924000287	2073981	3	301
E27 3,5W ST64	Bulb	Glass	Gold	2080082758	5704924000119	2073963	6	300
E27 3,5W T45	Bulb	Glass	Gold	2080142758	5704924000188	2073970	6	300
E27 4,5W A60	Bulb	Glass	Gold	2080022758	5704924000058	2073945	6	296
E27 4,5W A60	Bulb	Glass	Smoked	2080032747	5704924000065	2073946	6	296
E27 4,5W T45	Bulb	Glass	Gold	2080132758	5704924000171	2073969	6	298
E27 4,8W G45	Bulb	Glass	Gold	2080152758	5704924000195	2073971	6	295
E27 5,4W A60	Bulb	Glass	Gold	2080012758	5704924000003	2073944	6	294
E27 5,4W G120	Bulb	Glass	Gold	2080212758	5704924000256	2073977	3	294

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
E27 5,4W G95	Bulb	Glass	Gold	2080172758	5704924000218	2073973	6	294
E27 5,4W ST64	Bulb	Glass	Gold	2080052758	5704924000089	2073948	6	294
E27 5W G125	Bulb	Glass	Gold	2080222758	5704924000263	2073978	3	297
E27 5W G125	Bulb	Glass	Smoked	2080232747	5704924000270	2073980	3	297
E27 5W G95	Bulb	Glass	Gold	2080182758	5704924000225	2073974	6	297
E27 5W G95	Bulb	Glass	Smoked	2080192747	5704924000232	2073975	6	297
E27 5W ST64	Bulb	Glass	Gold	2080062758	5704924000096	2073961	6	296
E27 5W ST64	Bulb	Glass	Smoked	2080072747	5704924000102	2073962	6	296
E27 8,5W G200	Bulb	Glass	Gold	2080292758	5704924000331	2073988	3	299
E27 8,5W G200	Bulb	Glass	Smoked	2080302747	5704924000348	2073989	3	299
E27 8,5W PS160	Bulb	Glass	Gold	2080262758	5704924000300	2073983	3	299
E27 8,5W PS160	Bulb	Glass	Smoked	2080272747	5704924000317	2073984	3	299
E27 8,5W T65	Bulb	Glass	Gold	2080252758	5704924000294	2073982	3	298
E27 Avra Bamboo 2W	Bulb	Glass	Smoked	1427070	5701581365988	1902315	6	303
E27 Avra Basic Line Dent 1,5W	Bulb	Glass	Amber	1439070	5701581439986	1991508	6	304
E27 Avra Basic Line Nut 1,5W	Bulb	Glass	Amber	1440070	5701581440081	1991509	6	304
E27 Avra Dent 2W	Bulb	Glass	Smoked	1429070	5701581366183	1902317	6	303
E27 Avra Diamond 2W	Bulb	Glass	Clear	1423070	5701581344785	1850715	6	302
E27 Avra Line Stripe 1,5W	Bulb	Glass	Amber	1438070	5701581439887	1991510	6	304
E27 Avra Line Stripe 1,5W	Bulb	Glass	Clear	1441070	5701581440180	1991511	6	304
E27 Avra Nut 2W	Bulb	Glass	Amber	1430070	5701581366282	1902319	6	303
E27 Avra Square 2W	Bulb	Glass	Amber	1428070	5701581366084	1902316	6	303
E27 Avra Stripes 2W Amber	Bulb	Glass	Amber	1422070	5701581344686	1850713	6	302
E27 Avra Stripes 2W Clear	Bulb	Glass	Clear, Clear	1421070	5701581344587	1850711	6	302
E27 Avra Stripes 2W Smoke	Bulb	Glass	Smoked	1426070	5701581365889	1902314	6	302
Eagle 1 Spot G9 3,4W	Ceiling	Metal	Chrome	61014111032	6923933802333		20	103
Eagle 2 Spiral G9 3,4W	Ceiling	Metal	Chrome	61014431032	6923933802357		8	103
Eagle 2 Spot G9 3,4W	Ceiling	Metal	Chrome	61014221032	6923933802340		18	103
Eagle 3 Spot G9 3,4W	Ceiling	Metal	Chrome	61014031032	6923933802524		6	103
Eagle 30 E27 7,4W	Pendant	Metal	Chrome	64008711032	6923933805501		4	102
Eagle 4 Spot G9 3,4W	Ceiling	Metal	Chrome	61014041032	6923933802531		4	104
Eagle 4 Spot G9 3,4W	Ceiling	Metal	Chrome	61014241032	6923933802364		10	104
Eagle 400 E27 7,4W	Pendant	Metal	Chrome	64008811032	6923933805518		2	102
Eagle 6 Spot G9 3,4W	Ceiling	Metal	Chrome	61014061032	6923933805488		1	102
Eagle 9 Spot G9 3,4W	Ceiling	Metal	Chrome	64008891032	6923933805495		2	102
Egon	Wall	Aluminium, Plastic	Black, White	49061003	5701581465084	2042391	3	378

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Eik	Wall	Metal	White	45761001	5701581369481	1902422	3	77
Eik	Wall	Metal	Grey	45761010	5701581369580	1902425	3	77
Eik	SpotLight	Metal	White	45770101	5701581369689	1902466	3	77
Eik	SpotLight	Metal	Grey	45770110	5701581369788	1902469	3	77
Eik	SpotLight	Metal	White	45780101	5701581369887	1902473	3	77
Eik	SpotLight	Metal	Grey	45780110	5701581369986	1902477	3	77
Eik	Pendant	Metal	White	46563001	5701581406780	1975326	3	76
Eik	Pendant	Metal	Grey	46563010	5701581406889	1975327	3	76
Eik	Table	Metal	White	46695001	5701581409088	1975343	3	76
Eik	Table	Metal	Grey	46695010	5701581409187	1975344	3	76
Eik	Floor	Metal, Plastic	White	46734001	5701581409880	1975351	3	76
Eik	Floor	Metal, Plastic	Grey	46734010	5701581409989	1975352	3	76
Elkton 14	DownLight	Plastic	White	47530101	5701581414983	1975405	3	230
Elkton 8	DownLight	Plastic	White	47520101	5701581414884	1975404	3	230
Ellen 30	Pendant	Metal, Plastic	White	48563001	5701581463066	2042324	3	58
Ellen 30	Pendant	Metal, Plastic	Black	48563003	5701581458482	2042325	3	58
Ellen 40	Pendant	Metal, Plastic	White	48573001	5701581458581	2042326	2	58
Ellen 40	Pendant	Metal, Plastic	Black	48573003	5701581458680	2042327	2	58
Ellen	Table	Metal, Plastic	White	48555001	5701581458086	2042321	3	59
Ellen	Table	Metal, Plastic	Black	48555003	5701581458185	2042322	3	59
Ellen	Table	Metal, Plastic	Green	48555023	5701581458284	2042323	3	59
Ellen	Floor	Metal, Plastic	White	48584001	5701581458789	2042328	2	59
Ellen	Floor	Metal, Plastic	Black	48584003	5701581458888	2042329	2	59
Elm	Wall	Aluminium, Plastic	Black, Clear	45321003	5701581382589	1975309	3	390
Elm	Wall	Aluminium, Plastic	Black, Clear	45331003	5701581382787	1975310	3	390
Elm	Garden	Aluminium, Plastic	Black, Clear	45348003	5701581382985	1975311	3	390
Embla	Pendant	Glass	White	45703001	5701581368286	1902340	3	123
Embla	Pendant	Glass	Smoked	45703047	5701581368385	1902344	3	123
Emma 18	Pendant	Metal, Glass	White, Opal white	48843001	5701581462786	2042368	3	88
Emma 18	Pendant	Metal, Glass	Black, Opal white	48843003	5701581462885	2042369	3	88
Emma 25	Pendant	Metal, Glass	White, Opal white	48853001	5701581462984	2042370	3	88
Emma 25	Pendant	Metal, Glass	Black, Opal white	48853003	5701581463080	2042371	3	88
Esk	Pendant	Metal	Black	84883003	5701581346789	1850672	3	93
Explore	Wall	Metal	White	72091001	5701581246577	1305148	6	99
Explore	Wall	Metal	Black	72091003	5701581246775	1305150	6	99
Explore	Wall	Metal	White	74811001	5701581261174	1392814	6	99

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Explore	Wall	Metal	Black	74811003	5701581261679	1392819	6	99
Explore	SpotLight	Metal	White	74830001	5701581262270	1392825	3	99
Explore	SpotLight	Metal	Black	74830003	5701581262478	1392827	3	99
Fallon	Built-On	Metal, Plastic	White	47540101	5701581415089	1975406	3	228
Fallon	Built-On	Metal, Plastic	Black	47540103	5701581445888	2018620	3	415
Fallon	Built-On	Metal, Plastic	White/brushed steel	47540132	5701581415188	1975407	3	228
Fallon Long	Built-On	Metal, Plastic	White	47550101	5701581415287	1975408	3	228
Fallon Long	Built-On	Metal, Plastic	Black	47550103	5701581445987	2018621	3	228
Fallon Long	Built-On	Metal, Plastic	White/brushed steel	47550132	5701581415386	1975409	3	228
Fixit	Additional	Metal, Plastic	Brushed steel	130032	5701581011076	1246924	12	417
Focus 37	Garden	Metal, Plastic	Black, Clear	874523	7057388745231	1672964	2	395
Focus 37	Garden	Metal, Plastic	Anthracite, Clear	874563	7057388745637	1935490	2	395
Focus 65	Garden	Metal, Plastic	Black, Clear	874823	7057388748232	1418903	2	395
Focus 65	Garden	Metal, Plastic	Anthracite, Clear	874863	7057388748638	1418898	2	395
Focus	Wall	Metal, Plastic	Black, Clear	874023	7057388740236	1417093	3	394
Focus	Wall	Metal, Plastic	White, Clear	874031	7057388740311	1905344	3	394
Focus	Wall	Metal, Plastic	Anthracite, Clear	874063	7057388740632	1417094	3	394
Focus	Wall	Metal, Plastic	Aluminium, Clear	874093	7057388740939	1527810	3	394
Focus	Wall	Metal, Plastic	Black, Clear	874123	7057388741233	1417095	3	394
Focus	Wall	Metal, Plastic	White, Clear	874131	7057388741318	1935341	3	394
Focus	Wall	Metal, Plastic	Anthracite, Clear	874163	7057388741639	1417096	3	394
Focus	Wall	Metal, Plastic	Aluminium, Clear	874193	7057388741936	1935334	3	394
Focus	Ceiling	Metal, Plastic	Black, Clear	874223	7057388742230	1527815	3	394
Focus	Ceiling	Metal, Plastic	White, Clear	874231	7057388742315	1527817	3	394
Focus	Ceiling	Metal, Plastic	Anthracite, Clear	874263	7057388742636	1912525	3	394
Focus	GroundRes	Metal, Glass	Brushed steel, Clear	874317	7057388743176	1912826	3	413
Foggia 1 Spot GU10 4,3W	SpotLight	Metal	White	61024111002	6923933808083		12	101
Foggia 1 Spot GU10 4,3W	SpotLight	Metal	Nickel	61024111012	6923933808083		12	101
Foggia 2 Spot GU10 4,3W	SpotLight	Metal	White	61024221002	6923933808052		12	101
Foggia 2 Spot GU10 4,3W	SpotLight	Metal	Nickel	61024221012	6923933808090		12	101
Foggia 3 Spot GU10 4,3W	SpotLight	Metal	White	61024331002	6923933808069		8	101
Foggia 3Spot GU10 4,3W	SpotLight	Metal	Nickel	61024331012	6923933808106		8	101
Foggia 4 Spot GU10 4,3W	SpotLight	Metal	White	61024421002	6923933808076		6	101
Foggia 4 Spot GU10 4,3W	SpotLight	Metal	Nickel	61024421012	6923933808113		6	101
Fold 10	Wall	Aluminium, Plastic	White, Clear	2019041001	5704924000522	2085837	3	354
Fold 10	Wall	Aluminium, Plastic	Black, Clear	2019041003	5704924000539	2085838	3	354



Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Fold 10	Wall	Copper, Plastic	Copper, Clear	2019041030	5704924000546	2085839	3	354
Fold 10	Wall	Galvanized steel, Plastic	Galvanized, Clear	2019041031	5704924000553	2085840	3	354
Fold 10	Wall	Brass, Plastic	Brass, Clear	2019041035	5704924000560	2085841	3	354
Fold 10	Wall	Corten, Plastic	Corten, Clear	2019041038	5704924001970	2108857	3	354
Fold 15	Wall	Aluminium, Plastic	White, Clear	2019051001	5704924000577	2085842	3	354
Fold 15	Wall	Aluminium, Plastic	Black, Clear	2019051003	5704924000584	2085843	3	354
Fold 15	Wall	Copper, Plastic	Copper, Clear	2019051030	5704924000591	2085844	3	354
Fold 15	Wall	Galvanized steel, Plastic	Galvanized, Clear	2019051031	5704924000607	2085845	3	354
Fold 15	Wall	Brass, Plastic	Brass, Clear	2019051035	5704924000614	2085846	3	354
Fold 15	Wall	Corten, Plastic	Corten, Clear	2019051038	5704924001987	2108858	3	354
Fox Trafo 20-105W	Additional	Plastic	White	12351101	5701581004993	5855330	3	417
Fredensborg	Wall	Galvanized steel, Plastic	Galvanized, Clear	10610119	5702376101194	5137925	3	397
Fredensborg	Garden	Galvanized steel, Plastic	Galvanized, Clear	10620119	5702376201191	5137923	3	397
Fremont 2700K 1-Kit	DownLight	Plastic, Metal	White	47570101	5701581415584	1975411	3	235
Fremont 2700K 1-Kit	DownLight	Plastic, Metal	Brushed steel	47570132	5701581415782	1975413	3	235
Fremont 2700K 3-Kit	DownLight	Plastic, Metal	White	47580101	5701581420489	1976423	3	235
Fremont 2700K 3-Kit	DownLight	Plastic, Metal	Black	47580103	5701581415881	1975414	3	415
Fremont 2700K 3-Kit	DownLight	Plastic, Metal	Brushed steel	47580132	5701581415980	1975415	3	235
Frida	Wall	Metal, Plastic	White	49801001	5701581477087	2050241	6	95
Frida	SpotLight	Metal, Plastic	White	49810101	5701581477186	2050247	3	95
Frida	SpotLight	Metal, Plastic	White	49820101	5701581477285	2050248	3	95
Front 26	Wall	Metal, Plastic	White, Opal white	84081001	5701581341180	1848128	3	378
Front 26	Wall	Metal, Plastic	Black, Opal white	84081003	5701581341289	1848129	3	378
Front 36	Wall	Metal, Plastic	White, Opal white	84091001	5701581341388	1848132	3	378
Front 36	Wall	Metal, Plastic	Black, Opal white	84091003	5701581341487	1848133	3	378
Front Single	Wall	Aluminium, Glass	White, Frosted glass	46801001	5701581398986	1958103	3	379
Front Single	Wall	Aluminium, Glass	Black, Frosted glass	46801003	5701581399082	1958104	3	379
Fuse	Garden	Galvanized steel, Glass	Galvanized	77518031	5701581249288	1621985	1	407
Fuse Base	Additional	Galvanized steel	Galvanized	77509931	5701581257689	1634689	3	407
G120 E27 1055lm C	Bulb	Glass	Clear	5186001121	6923933815234		3	281
G120 E27 1055lm Dim M	Bulb	Glass	Opal	5196002621	6923933816927		3	281
G120 E27 1521lm C	Bulb	Glass	Clear	5196002021	6923933817184		3	281
G120 E27 1521lm M	Bulb	Glass	Opal	5196002821	6923933817207		3	281
G4 180lm C	Bulb	Silicone	Clear	5195000621	6923933818150	2124695	6	285
G45 E14 140lm C	Bulb	Glass	Clear	5182015721	6923933815357		6	271
G45 E14 140lm M	Bulb	Glass	Opal	5182001721	6923933814237		6	273

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
G45 E14 215lm Flame	Bulb	Plastic	Orange	5182003321	6923933813896		6	293
G45 E14 250lm	Bulb	Plastic	Opal	5172013921	6923933817917	2122876	6	289
G45 E14 250lm C	Bulb	Glass	Clear	5182000921	6923933814039		6	270
G45 E14 250lm M	Bulb	Glass	Opal	5182014121	6923933818686	2124047	6	273
G45 E14 470lm C	Bulb	Glass	Clear	5182000121	6923933813568		6	270
G45 E14 470lm CW M	Bulb	Glass	Opal	5192003321	6923933818716	2124680	6	273
G45 E27 140lm M	Bulb	Glass	Opal	5182001921	6923933814398		6	275
G45 E27 215lm Flame	Bulb	Plastic	Orange	5182003421	6923933814213		6	293
G45 E27 250lm 3P	Bulb	Plastic	Opal	5172013923	6923933817900	2122877	5	288
G45 E27 250lm 3P	Bulb	Plastic	Opal	5172014023	6923933817924	2122879	5	289
G45 E27 250lm	Bulb	Plastic	Opal	5172014021	6923933817931	2122878	6	290
G45 E27 250lm C	Bulb	Glass	Clear	5182001121	6923933814046		6	272
G45 E27 250lm M	Bulb	Glass	Opal	5182014321	6923933818693	2124048	6	274
G45 E27 470lm 3P	Bulb	Plastic	Opal	5172014323	6923933817948	2123940	5	289
G45 E27 470lm 3P	Bulb	Plastic	Opal	5172014423	6923933817955	2123943	5	290
G45 E27 470lm	Bulb	Plastic	Opal	5172014321	6923933817962	2122880	6	289
G45 E27 470lm	Bulb	Plastic	Opal	5172014421	6923933813551	2123941	6	290
G45 E27 470lm C	Bulb	Glass	Clear	5182000321	6923933813575		6	271
G45 E27 140lm C	Bulb	Glass	Clear	5182015821	6923933815364		6	271
G45 E27 470lm C	Bulb	Glass	Clear	5182007821	6923933817337		6	270
G45 E27 470lm CW C	Bulb	Glass	Clear	5182003721	6923933817146		6	272
G45 E27 470lm CW M	Bulb	Glass	Opal	5192003521	6923933818747	2124681	6	275
G45 E27 470lm Dim C	Bulb	Glass	Clear	5182006321	6923933813483		6	272
G45 E27 470lm Dim M	Bulb	Glass	Opal	5182015521	6923933818730	2124050	6	275
G45 E27 470lm M	Bulb	Glass	Opal	5182014721	6923933818723	2124049	6	274
G45 E27 806lm 3P	Bulb	Plastic	Opal	5172003923	6923933817979	2124707	5	290
G45 E27 806lm	Bulb	Plastic	Opal	5172003921	6923933814770		6	290
G45 E27 806lm C	Bulb	Glass	Clear	5192001921	6923933818648	2124677	6	271
G45 E27 806lm CW C	Bulb	Glass	Clear	5192006521	6923933818655	2124683	6	272
G45 E27 806lm CW M	Bulb	Glass	Opal	5192006821	6923933818761	2124684	6	275
G45 E27 806lm M	Bulb	Glass	Opal	5192002321	6923933818754	2124679	6	274
G9 370lm M	Bulb	Plastic	Opal	5195000321	6923933818167	2124694	6	285
G9 400lm C	Bulb	Plastic	Clear	5195000221	6923933817733		6	285
G95 E27 1055lm C	Bulb	Glass	Clear	5186000921	6923933814824		3	280
G95 E27 1055lm Dim M	Bulb	Glass	Opal	5196000721	6923933818822		3	280
G95 E27 1055lm M	Bulb	Glass	Opal	5186004221	6923933817177		3	280

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
G95 E27 806lm C	Bulb	Glass	Clear	5186000721	6923933815227		3	280
Galloway	Pendant	Metal, Metal	Black/brass	2011053003	5704924001826	2100627	6	51
Galloway	Table	Metal	Black/brass	2011075003	5704924001833	2100628	6	51
Grant 15	Pendant	Glass, Metal	Brass, Opal white	2010553035	5704924001109	2100561	3	132
Grant 25	Pendant	Glass, Metal	Brass, Opal white	2010563035	5704924001116	2100562	3	132
Grant 35	Pendant	Glass, Metal	Brass, Opal white	2010573035	5704924001123	2100564	2	132
Grant - 3 pendant	Pendant	Metal, Glass	Black, Opal white	2010583003	5704924001130	2100565	3	133
Grant - 3 pendant	Pendant	Metal, Glass	Brass, Opal white	2010583035	5704924001147	2100566	3	133
Grant	Table	Metal, Glass	Black, Opal white	46635003	5701581407886	1975331	3	133
Grant	Table	Metal, Glass	Brass, Opal white	46635025	5701581407985	1975332	3	133
Grant	Wall	Metal, Glass	Black, Opal white	47091003	5701581411685	1975370	3	133
Grant	Wall	Metal, Glass	Brass, Opal white	47091025	5701581411784	1975371	3	133
Groa 30	Pendant	Wood	Nature (brown)	45683014	5701581368088	1902338	3	159
Groa 40	Pendant	Wood	Nature (brown)	45693014	5701581368187	1902339	3	159
GU10 230lm Glass	Bulb	Glass	Clear	5174008521	6923933817993	2123949	6	283
GU10 230lm Plastic 3P	Bulb	Plastic	Clear	5174008823	6923933818051	2123951	5	292
GU10 345lm CW Glass	Bulb	Glass	Clear	5184003621	6923933818013	2124667	6	283
GU10 345lm Dim FG	Bulb	Glass	Clear	5164003721	6923933812462		6	282
GU10 345lm Glass	Bulb	Glass	Clear	5174008621	6923933818006	2123950	6	282
GU10 345lm Plastic	Bulb	Plastic	Clear	5174008923	6923933818068	2123952	5	292
GU10 450lm CW FG	Bulb	Glass	Clear	5164005621	6923933817269		6	283
GU10 450lm Dim Glass	Bulb	Glass	Clear	5184002821	6923933817276		6	282
GU5.3 621lm Dim PL.	Bulb	Plastic	Clear	5194000421	6923933818075	2124689	6	283
Hang	Pendant	Porcelain	White	2010013001	5704924001222	2100427	6	152
Hang	Pendant	Porcelain	Grey	2010013010	5704924001239	2100492	6	152
Hang	Pendant	Porcelain	Terracotta	2010013059	5704924001246	2100493	6	152
Hawk 1 Spot G9 3,4W	SpotLight	Metal, Glass	Chrome	61024112032	6923933808175		20	104
Hawk 2 Spot G9 3,4W	SpotLight	Metal, Glass	Chrome	61024222032	6923933808182		12	104
Helford	Wall	Brass, Glass	Brass, Frosted glass	49031035	5701581464681	2042387	3	376
Helford	Wall	Brass, Glass	Nickel, Frosted glass	49031055	5701581464780	2042388	3	376
Helix	Wall	Galvanized steel, Plastic	Galvanized, Clear	77471031	5701581248687	1621979	3	406
Helix	Wall	Corten, Plastic	Corten, Clear	77471038	5701581250482	1624431	3	406
Helix	Garden	Galvanized steel, Plastic	Galvanized, Clear	77498031	5701581248786	1621980	2	406
Helix	Garden	Corten, Plastic	Corten, Clear	77498038	5701581250581	1624432	2	406
Helva Double	Wall	Plastic	Chrome	2015321033	5704924002595	2113340	3	183
Helva Double	Wall	Plastic	Brushed Nickel	2015321055	5704924002601	2113341	3	183

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Helva Double Basic	Wall	Plastic	White	2015311001	5704924002571	2113338	3	183
Helva Double Basic	Wall	Plastic	Black	2015311003	5704924002588	2113339	3	183
Helva Night	Wall	Plastic	White	2015301001	5704924002557	2113329	3	183
Helva Night	Wall	Plastic	Chrome	2015301033	5704924002564	2113337	3	183
Hester	Wall	Plastic	White	2015391001	5704924002649	2113346	3	182
Hester	Wall	Plastic	Black	2015391003	5704924002656	2113347	3	182
Hester	Wall	Plastic	Chrome	2015391033	5704924002663	2113348	3	182
Hollywood	Pendant	Glass, Metal	Clear	46483000	5701581405387	1975314	3	122
Hollywood	Pendant	Glass, Metal	Amber	46483027	5701581405486	1975315	3	122
Hollywood	Pendant	Glass, Metal	Smoked	46483047	5701581405585	1975316	3	122
Hollywood	Table	Glass, Plastic	Clear	46645000	5701581408081	1975333	3	122
Hollywood	Table	Glass	Amber	46645027	5701581408180	1975334	3	122
Hollywood	Table	Glass, Plastic	Smoked	46645047	5701581408289	1975335	3	122
Houston 18	Pendant	Metal	Black	46453003	5701581405189	1973671	3	89
Houston 30	Pendant	Metal	Black	46443003	5701581405080	1973670	3	89
IP S10	Bathroom	Metal, Glass	White, Mirror	78471001	5701581267688	1694029	3	187
IP S12	Bathroom	Metal, Plastic	White, Clear	83051001	5701581300484	1761071	3	187
IP S12	Bathroom	Metal, Plastic	Chrome, Clear	83051033	5701581300583	1761072	3	187
IP S13	Bathroom	Metal, Plastic	White	83061001	5701581300682	1761073	3	187
IP S13	Bathroom	Metal, Plastic	Brushed steel	83061032	5701581300781	1761074	3	187
IP S13	Bathroom	Metal, Plastic	White	83071001	5701581300880	1761075	3	188
IP S13	Bathroom	Metal, Plastic	Brushed steel	83071032	5701581300989	1761076	3	188
IP S16	Bathroom	Metal, Plastic	White	84531001	5701581340985	1845305	3	188
IP S16	Bathroom	Metal, Plastic	Chrome	84531033	5701581341081	1845306	3	188
IP S4 Bathroom	SpotLight	Metal, Plastic	White, Frosted glass	78511001	5701581268388	1694030	3	186
IP S4 bathroom	Bathroom	Metal, Plastic	Brushed steel, Frosted glass	78511032	5701581268487	1694038	3	186
IP S5	Bathroom	Metal, Plastic	White, Frosted glass	78521001	5701581268685	1694040	3	186
IP S6	Bathroom	Metal, Plastic	White, Satinated	78531001	5701581274983	1694077	3	186
IP S6	Bathroom	Metal, Plastic	Brushed steel, Satinated	78531032	5701581275089	1694080	3	186
IP S9	Bathroom	Plastic, Metal	White, Opal white	78946001	5701581277083	1694055	3	187
Jelly	Pendant	Glass, Metal	Clear, Opal white	2010783001	5704924001628	2100600	2	122
Josefine	Pendant	Metal	Black	2010303003	5704924001055	2100511	3	43
Josefine	Pendant	Metal	Mat black, Brass	48933003	5701581463981	2042380	2	43
Josefine	Wall	Metal	Mat black, Brass	48941003	5701581464087	2042381	3	43
Josefine	Table	Metal	Mat black, Brass	48955003	5701581464186	2042382	3	43
Julian 13	Pendant	Metal	White	48413001	5701581456587	2042306	6	79

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Julian 23	Pendant	Metal	White	48423001	5701581456686	2042307	3	79
Julian 32	Pendant	Metal	White	48433001	5701581456785	2042308	2	79
Julian	Table	Metal	White	48405001	5701581456488	2042305	3	79
Kettle 22	Portable	Plastic	White	2018003003	5701581495982	2079681	3	338
Kettle 36	Portable	Plastic	White	2018013003	5701581496088	2079682	3	339
Kettle spike	Portable	Metal, Aluminium	Black	2018028003	5701581496187	2079687	3	339
Kettle tripod 100	Portable	Metal	Black	2018044003	5701581496583	2079690	3	339
Kettle Tripod 100	Portable	Wood, Metal	Nature (brown)	2018044014	5701581496682	2079691	3	339
Kettle tripod 31	Portable	Metal	Black	2018035003	5701581496385	2079688	3	339
Kettle Tripod 31	Portable	Wood, Metal	Nature (brown)	2018035014	5701581496484	2079689	3	339
Kingston	Pendant	Metal	Black	46543003	5701581406483	1975323	3	89
Kinver	Wall	Metal	White	84181001	5701581342781	1850698	3	383
Kinver	Wall	Metal	Black	84181003	5701581342880	1850699	3	383
Kitchenio 1-kit	Built-InOn	Plastic	White	2015450101	5704924002786	2113379	3	247
Kitchenio 1-kit	Built-InOn	Plastic	Black	2015450103	5704924002793	2113380	3	247
Kitchenio 1-kit	Built-InOn	Plastic	Brushed Nickel	2015450155	5704924002809	2113381	3	247
Kitchenio 3-kit	Built-InOn	Plastic	White	2015460101	5704924002816	2113382	3	247
Kitchenio 3-kit	Built-InOn	Plastic	Black	2015460103	5704924002823	2113383	3	247
Kitchenio 3-kit	Built-InOn	Plastic	Brushed Nickel	2015460155	5704924002830	2113384	3	247
Largo	Table	Metal	Black	46655003	5701581408487	1975337	3	80
Largo	Wall	Metal	White	47051001	5701581411081	1975363	3	80
Largo	Wall	Metal	Black	47051003	5701581411180	1975364	3	80
Largo	SpotLight	Metal	White	47060001	5701581411289	1975365	3	80
Largo	SpotLight	Metal	Black	47060003	5701581411388	1975367	3	80
Largo	SpotLight	Metal	White	47070001	5701581411487	1975368	3	80
Largo	SpotLight	Metal	Black	47070003	5701581411586	1975369	3	80
Latona 31,2 9W	Batten	Plastic	White	47416101	5701581446281	2018624	6	248
Latona 56,2 9W	Batten	Plastic	White	47426101	5701581446380	2018625	6	248
Latona 91,2 12W	Batten	Plastic	White	47436101	5701581446489	2018622	6	248
Led Strip 3M	Rail	Silicone, Plastic	White	47970000	5701581443587	1991550	6	261
Led Strip 5M	Rail	Silicone, Plastic	White	47980000	5701581443686	1991551	6	261
Led-Cabinet	Batten	Aluminium, Plastic	Silver	47996101	5701581445284	2000139	12	259
Lelio	Floor	Metal, Textile	Black	75554003	5701581286276	1484058	2	85
Leonis 2700K IP23 3-Kit Tilt	DownLight	Plastic	White	49150101	5701581465985	2049708	3	232
Leonis 2700K IP23 3-Kit Tilt	DownLight	Plastic	Nickel	49150155	5701581466081	2049710	3	232
Leonis 2700K IP65 3-Kit	DownLight	Plastic	White	49160101	5701581466180	2049711	3	233

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Leonis 2700K IP65 3-Kit	DownLight	Plastic	Chrome	49160133	5701581466289		3	233
Leonis 2700K IP65 3-Kit	DownLight	Plastic	Nickel	49160155	5701581466388	2049715	3	233
Leonis 2700K IP65 3-Kit	DownLight	Plastic	White	49170101	5701581466487	2049717	3	233
Leonis 2700K IP65 3-Kit	DownLight	Plastic	Nickel	49170155	5701581466685	2049719	3	233
Leonis 2700K IP65 5-Kit	DownLight	Plastic	White	49180101	5701581466784	2049721	3	233
Leonis 2700K IP65 5-Kit	DownLight	Plastic	Nickel	49180155	5701581466883	2049722	3	233
Leonis 4000K IP65 3-Kit	DownLight	Plastic	White	49200101	5701581467187		3	233
Leonis 4000K IP65 3-Kit	DownLight	Plastic	Nickel	49200155	5701581467385		3	233
Leroy 2700K	Ceiling	Plastic	White	47560101	5701581415485	1975410	3	223
Leroy 4000K	Ceiling	Plastic	White	47680101	5701581422988	1984858	3	224
Lilly	Pendant	Metal, Glass	Black, Opal white	48603003	5701581458987	2042330	2	140
Lilly	Pendant	Metal, Glass	Brass, Opal white	48603035	5701581459083	2042331	2	140
Lilly	Floor	Metal, Glass	Black, Opal white	48613003	5701581459182	2042332	2	140
Lilly	Table	Glass, Metal	Black, Opal white	48885003	5701581463387	2042374	6	141
Lilly	Wall	Glass, Metal	Black, Opal white	48891003	5701581463486	2042375	6	141
Lilt	Pendant	Metal, Plastic	Black	2010603003	5704924001505	2100567	3	19
Lilt	Pendant	Metal, Plastic	Brushed steel	2010603032	5704924001512	2100568	3	19
Link 1M	Rail	Metal	White	79079901	5701581273382	1684520	3	107
Link 1M	Rail	Metal	Black	79079903	5701581356382	1883555	3	107
Link 2M	Rail	Metal	White	79089901	5701581273481	1684523	3	107
Link 2M	Rail	Metal	Black	79089903	5701581356580	1883557	3	107
Link Adaptor	Rail	Plastic	White	79069901	5701581273283	1684515	6	113
Link Adaptor	Rail	Plastic	Black	79069903	5701581356986	1883561	6	113
Link Bendy	Rail	Silicone, Metal	White, Matt white	86179901	5701581358287	1884977	3	109
Link Connect	Rail	Plastic	White	79059901	5701581273184	1684514	6	112
Link Connect	Rail	Plastic	Black	79059903	5701581356788	1883559	6	112
Link Connect Turnable	Rail	Plastic	White	79029901	5701581357082	1883562	6	112
Link Connect Turnable	Rail	Plastic	Black	79029903	5701581357181	1883563	6	112
Link Double Adaptor	Rail	Plastic	White	79049901	5701581357488	1883566	3	112
Link Double Adaptor	Rail	Plastic	Black	79049903	5701581357587	1883567	3	112
Link Explore	Rail	Metal, Plastic	White	86189901	5701581373587	1902367	6	110
Link Explore	Rail	Metal, Plastic	Black	86189903	5701581373686	1902368	6	110
Link Frøya 3-Kit + 1M Rail	Rail	Metal, Plastic	White	359131	7057383591314	1922174	3	111
Link Frøya	Rail	Metal, Plastic	White	86119901	5701581373389	1902479	3	109
Link Mib 6	Rail	Metal, Plastic	White	71669901	5701581332287	1835978	3	110
Link Mib 6	Rail	Metal, Plastic	Black	71669903	5701581332386	1832559	3	110

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Link Munin 3-Kit + 1M Rail	Rail	Metal, Plastic	White	359531	7057383595312	1922176	3	111
Link Munin	Rail	Metal, Plastic	White	86129901	5701581373488	1902480	3	109
Link Opposite Adaptor	Rail	Plastic	White	79039901	5701581357280	1883564	3	112
Link Opposite Adaptor	Rail	Plastic	Black	79039903	5701581357389	1883565	3	112
Link Single	Rail	Metal, Plastic	White	86109901	5701581357686	1883568	6	110
Link Single	Rail	Metal, Plastic	Black	86109903	5701581373280	1902478	6	110
Link Sleeky	Rail	Aluminium, Plastic	White, Matt white	86159901	5701581357884	1884973	3	109
Link T-Connector Left	Rail	Plastic, Metal	White	86069901	5701581402287	1963941	6	113
Link T-Connector Left	Rail	Plastic, Metal	Black	86069903	5701581402386	1963943	6	113
Link T-Connector Right	Rail	Plastic, Metal	White	86059901	5701581402089	1963935	6	113
Link T-Connector Right	Rail	Plastic, Metal	Black	86059903	5701581402188	1963937	6	113
Link X-Connector	Rail	Plastic, Metal	White	86079901	5701581402485	1963944	6	113
Link X-Connector	Rail	Plastic, Metal	Black	86079903	5701581402584	1963945	6	113
Lismore 4-kit	Built-InOn	Plastic	Chrome, Clear	76730001	5701581210684	1543943	3	251
Lotus	Wall	Metal, Plastic	Black/brass	50101003	5701581478183	2050243	6	100
Lotus	SpotLight	Metal, Plastic	Black/brass	50110103	5701581478282	2050257	3	100
Lotus	SpotLight	Metal, Plastic	Black/brass	50120103	5701581478381	2050259	3	100
Lotus	SpotLight	Metal, Plastic	Black/brass	50130103	5701581478480	2050260	3	100
Luxembourg	Wall	Galvanized steel, Glass	Black, Clear	22671003	5701581004047	5062672	3	387
Luxembourg	Wall	Galvanized steel, Glass	Rusty, Clear	22671009	5701581233171	1246804	3	387
Luxembourg	Wall	Copper, Glass	Copper, Clear	22671030	5701581083011	5659290	3	387
Luxembourg	Wall	Galvanized steel, Glass	Galvanized, Clear	22671031	5701581035010	5927026	3	387
Luxembourg	Pendant	Galvanized steel, Glass	Rusty, Clear	72805009	5701581233270	1246811	3	387
Luxembourg Sensor	Wall	Galvanized steel, Glass	Galvanized, Clear	22661031	5701581020054	5133097	3	387
Lyne	Pendant	Metal	Black	84813003	5701581346086	1850664	3	89
Lønstrup 22	Wall	Galvanized steel, Glass	Black, Clear	71431003	5701581232389	1557519	3	404
Lønstrup 22	Wall	Galvanized steel, Glass	Galvanized, Clear	71431031	5701581232181	1557520	3	404
Lønstrup 22 Sensor	Wall	Galvanized steel, Glass	Galvanized, Clear	71432031	5701581232280	1557521	3	404
Lønstrup 32	Wall	Galvanized steel, Glass	Black, Clear	71411003	5701581277977	1475183	3	404
Lønstrup 32	Wall	Galvanized steel, Glass	Galvanized, Clear	71411031	5701581253773	1361813	3	404
Lønstrup 32	Garden	Galvanized steel, Glass	Black, Clear	71428003	5701581278271	1475200	3	405
Lønstrup 32	Garden	Galvanized steel, Glass	Galvanized, Clear	71428031	5701581253674	1362133	3	405
Lønstrup 32 Sensor	Wall	Galvanized steel, Glass	Galvanized, Clear	71412031	5701581278073	1469105	3	404
Mahi IP65 1-Kit	DownLight	Plastic, Metal	White	2015430101	5704924002748	2113366	3	182
Mahi IP65 1-Kit	DownLight	Plastic, Metal	Black, White	2015430103	5704924002755	2113369	3	182
Mahi IP65 1-Kit	DownLight	Plastic, Metal	Brushed Nickel, White	2015430155	5704924002779	2113378	3	182

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Malte	Wall	Galvanized steel, Plastic	Galvanized, Satinated	21841031	5701581099043	5061479	3	376
Malte	Wall	Galvanized steel, Plastic	Galvanized, Satinated	21861031	5701581100046	5061480	3	376
Mani 25	Ceiling	Metal, Plastic	White	45606001	5701581367784	1902401	6	224
Mani 32	Ceiling	Metal, Plastic	White	45616001	5701581367883	1902403	6	225
Marina Bathroom	Bathroom	Metal, Glass	Black, Sandblasted	62329903	5701581365780	1896638	3	387
Marina Bathroom	Bathroom	Metal, Glass	Chrome, Sandblasted	62329933	5701581331785	1870865	3	387
Marina Flatline	Wall	Aluminium, Plastic	White, Opal white	46821001	5701581399181	1958105	3	379
Marina Flatline	Wall	Aluminium, Plastic	Black, Opal white	46821003	5701581399280	1958106	3	379
Marina Flatline Pir Sensor	Wall	Aluminium, Plastic	White, Opal white	46831001	5701581399389	1958107	3	379
Marina Flatline Pir Sensor	Wall	Aluminium, Plastic	Black, Opal white	46831003	5701581399488	1958108	3	379
Mason	Wall	Plastic	White, Frosted	47131001	5701581412187	1975375	3	25
Mason	Wall	Plastic	Black, Frosted	47131003	5701581412286	1975376	3	25
Maze Bended	Wall	Aluminium, Plastic	White, Opal white	46881001	5701581399983	1958113	3	374
Maze Bended	Wall	Aluminium, Plastic	Black, Opal white	46881003	5701581400085	1958114	3	374
Maze Straight	Wall	Aluminium, Plastic	White, Opal white	46871001	5701581399785	1958111	3	374
Maze Straight	Wall	Aluminium, Plastic	Black, Opal white	46871003	5701581399884	1958112	3	374
Melo 28	Ceiling	Plastic, Metal	White, Matt white	77656001	5701581251083	1624389	3	225
Melo 34	Ceiling	Plastic, Metal	White, Matt white	63246001	5701581240889	1591865	3	225
Melo 34 Sensor	Ceiling	Plastic, Metal	White, Matt white	78866001	5701581273788	1684529	3	226
Melo 40	Ceiling	Plastic, Metal	White, Matt white	77666001	5701581251182	1624390	3	225
Mento	Table	Metal	White	75525001	5701581285675	1479988	6	24
Mento	Table	Metal	Black	75525003	5701581285774	1479989	6	24
Mento	Wall	Metal	White	75531001	5701581285972	1479991	6	24
Mento	Wall	Metal	Black	75531003	5701581286078	1479992	6	24
Mento	Clamp	Metal	White	75582001	5701581211780	1544213	6	24
Mento	Clamp	Metal	Black	75582003	5701581211889	1544214	6	24
Mento	Floor	Metal	Black	75594003	5701581212381	1544219	2	24
Mercer	Table	Metal	White	46665001	5701581408586	1975338	3	31
Mercer	Table	Metal	Black	46665003	5701581408685	1975339	3	31
Milford 20	Pendant	Glass	Opal	46573001	5701581406988	1975328	3	134
Milford 30	Pendant	Glass	Opal	46583001	5701581407084	1975329	2	134
Milford	Table	Glass, Wood	Nature (brown), Opal white	48915001	5701581463783	2042378	3	135
Milford	Floor	Metal, Glass	White, Opal white	48924001	5701581463882	2042379	2	135
Milford	Table	Glass, Metal	Black, Opal white	48965001	5701581464285	2042383	3	135
Mino 45	Garden	Aluminium	Black	879723	7057388797230	1922179	2	409
Mino 70	Garden	Aluminium	Black	879823	7057388798237	1922180	2	409



Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Miry	Pendant	Metal, Glass	Black, Opal white	2010733003	5704924001567	2100579	2	58
Miry	Pendant	Metal, Glass	Grey, Opal white	2010733010	5704924001574	2100581	2	58
Mixit	DownLight	Plastic, Metal	Brushed steel	71820132	5701581264779	1392850	3	414
Mixit Pro	DownLight	Plastic, Metal	White	71810101	5701581295186	1703669	3	415
Mixit Pro	DownLight	Plastic, Metal	Brushed steel	71810132	5701581279681	1703668	3	415
Mono	SpotLight	Aluminium	Black	83698003	5701581306585	1761255	3	411
Montone 18	Ceiling	Metal, Plastic	White	2015156101	5704924002250	2113319	3	221
Montone 25	Ceiling	Metal, Plastic	White	2015176101	5704924002267	2113321	3	221
Montone 25 2700K	Ceiling	Metal, Plastic	White	49936101	5701581484184	2049778	3	220
Montone 28 4000K Sensor	Ceiling	Metal, Plastic	White	50026101	5701581484986		3	222
Montone 28X28 2700K	Ceiling	Metal, Plastic	White	49976101	5701581484580		3	222
Montone 30	Ceiling	Metal, Plastic	White	2015196101	5704924002274	2113323	3	221
Montone 30 2700K	Ceiling	Metal, Plastic	White	49956101	5701581484382	2049779	3	220
Montone 30 4000K	Ceiling	Metal, Plastic	White	50016101	5701581484887		3	222
Montone 33	Ceiling	Metal, Plastic	White	2015226101	5704924002304	2113326	3	184
Montone 36	Ceiling	Metal, Plastic	White	2015206101	5704924002281	2113324	3	220
Montone 36	Ceiling	Metal, Plastic	White	2015216101	5704924002298	2113325	3	221
Montone 36	Ceiling	Metal, Plastic	White	2015236101	5704924002311	2113328	3	184
Nene	Wall	Metal, Glass	Black, Clear	872723	7057388727237	1935357	3	380
Nestor	Wall	Aluminium, Plastic	Black	49041003	5701581464889	2042389	3	374
Nestor sensor	Wall	Aluminium, Plastic	Black	49051503	5701581464988	2042390	3	374
Nibe	Wall	Copper, Glass	Copper, Clear	24981030	5701581121010	5672386	6	389
Nibe	Wall	Galvanized steel, Glass	Galvanized, Clear	24981031	5701581122017	5672385	6	389
Nimba 3M RGB incl. remote	Built-InOn	Metal, Rubber	White	79560000	5701581294387	1702300	3	260
Nimba 5M	Built-InOn	Metal, Rubber	White	79570000	5701581294486	1702301	3	260
Norma	Wall	Metal, Glass	Grey, Clear	77611010	5701581250680	1624385	3	380
Notti	Pendant	Metal	Mocha	2010903003	5704924001666	2100610	6	63
Notti	Pendant	Metal	Grey	2010903010	5704924001673	2100611	6	63
Notti	Pendant	Glass, Metal	Mocha	2011003003	5704924001789	2100623	3	63
Notti	Pendant	Glass, Metal	Grey	2011003010	5704924001796	2100624	3	63
Notti	Table	Metal, Glass	Mocha	2011035003	5704924001802	2100625	3	63
Notti	Table	Metal, Glass	Grey	2011035010	5704924001819	2100626	3	63
Noxy IP44 3000K/4000K	Ceiling	Plastic, Aluminium	White	2015356101	5704924002618	2113342	3	183
Noxy IP44 3000K/4000K	Ceiling	Plastic, Aluminium	Black	2015356103	5704924002625	2113343	3	183
Oakland 120 23W	Batten	Plastic	White	47736101	5701581417380	1975431	6	252
Oakland 120 54W	Batten	Plastic	White	47746101	5701581417489	1975432	6	252

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Oakland 150 29W	Batten	Plastic	White	47756101	5701581417588	1975433	6	253
Oakland 150 61W	Batten	Plastic	White	47766101	5701581417687	1975434	6	253
Oakland 60 12W	Batten	Plastic	White	47716101	5701581417182	1975429	6	253
Oakland 60 23W	Batten	Plastic	White	47726101	5701581417281	1975430	6	252
Octans 2700K 3-kit	DownLight	Plastic	White	49250101	5701581481084	2049724	3	244
Octans 2700K 3-kit	DownLight	Plastic	Chrome	49250133	5701581467989		3	244
Octans 2700K 3-kit	DownLight	Plastic	Nickel	49250155	5701581468085	2049726	3	244
Octans 2700K 3-Kit Step Tilt	DownLight	Plastic	White	49240101	5701581486980	2054994	3	243
Octans 2700K 3-Kit Step Tilt	DownLight	Plastic	Nickel	49240155	5701581487086	2054996	3	243
Octans 2700K 5-Kit	DownLight	Plastic	White	49260101	5701581468184	2049730	3	244
Octans 2700K 5-Kit	DownLight	Plastic	Nickel	49260155	5701581468283	2049732	3	415
Octans 4000K 3-Kit	DownLight	Plastic	White	49270101	5701581468382		3	244
Octans 4000K 3-Kit	DownLight	Plastic	Nickel	49270155	5701581468580		3	244
Octans 4000K 3-Kit	DownLight	Plastic	Nickel	49280155	5701581468788		3	244
Octans 4000K 5-Kit	DownLight	Plastic	White	49280101	5701581468689		3	244
Oja 24 IP20 2700K non-dim	Ceiling	Plastic	White	47246001	5701581413283	1975387	3	216
Oja 24 IP20 4000K non-dim	Ceiling	Plastic	White	47946001	5701581421080	1984142	3	219
Oja 29 IP20 2700K 3-step Dim	Ceiling	Plastic	White	47276001	5701581443181	1991444	3	217
Oja 29 IP20 2700K non-dim	Ceiling	Plastic	White	47256001	5701581413382	1975388	3	217
Oja 29 IP20 3000K/4000K	Ceiling	Plastic	White	2015016101	5704924002120	2113293	3	216
Oja 29 IP20 3000K/4000K	Ceiling	Plastic	Brushed Nickel	2015016155	5704924002137	2113295	3	216
Oja 29 IP20 4000K 3-step Dim	Ceiling	Plastic	White	47156001	5701581442986	1991440	3	219
Oja 29 IP20 4000K non-dim	Ceiling	Plastic	White	47956001	5701581421288	1984151	3	219
Oja 29 IP54 2700K Dim	Ceiling	Plastic	White	50046101	5701581485181	2049781	3	218
Oja 29 IP54 2700K non-dim	Ceiling	Plastic	White	50036101	5701581485082	2049780	3	185
Oja 29 IP54 4000K Dim	Ceiling	Plastic	White	50216101	5701581488083	2054990	3	218
Oja 29 IP54 BATH 3000K/4000K	Ceiling	Plastic	Black	2015026103	5704924002144	2113297	3	185
Oja 29 IP54 BATH 3000K/4000K	Ceiling	Plastic	Chrome	2015026133	5704924002151	2113298	3	218
Oja 29x29 IP20 3000K/4000K	Ceiling	Plastic	White	2015056101	5704924002168	2113306	3	216
Oja 29x29 IP20 3000K/4000K	Ceiling	Plastic	Brushed Nickel	2015056155	5704924002175	2113307	3	216
Oja 29x29 IP54 3000K/4000K	Ceiling	Plastic	Black	2015066103	5704924002182	2113308	3	216
Oja 29x29 IP54 3000K/4000K	Ceiling	Plastic	Chrome	2015066133	5704924002199	2113309	3	216
Oja 30 Smart Light	Ceiling	Plastic	White	2015036101	5704924002977	2116034	3	327
Oja 42 IP20 2700K 3-step Dim	Ceiling	Plastic	White	47286001	5701581443280	1991446	3	217
Oja 42 IP20 2700K non-dim	Ceiling	Plastic	White	47266001	5701581413481	1975389	3	217
Oja 42 IP20 3000K/4000K	Ceiling	Plastic	White	2015106101	5704924002205	2113313	3	216

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Oja 42 IP20 3000K/4000K	Ceiling	Plastic	Brushed Nickel	2015106155	5704924002212	2113316	3	216
Oja 42 IP20 4000K 3-Step Dim	Ceiling	Plastic	White	47166001	5701581443082	1991442	3	219
Oja 42 IP20 4000K non-dim	Ceiling	Plastic	White	47966001	5701581421486	1984161	3	220
Oja 42 IP54 2700K Dim	Ceiling	Plastic	White	50056101	5701581485280	2049782	3	186
Oja 42 IP54 4000K Dim	Ceiling	Plastic	White	50226101	5701581488182	2054989	3	218
Oja 42 IP54 BATH 3000K/4000K	Ceiling	Plastic	Black	2015116103	5704924002229	2113317	3	185
Oja 42 IP54 BATH 3000K/4000K	Ceiling	Plastic	Chrome	2015116133	5704924002236	2113318	3	185
Oja 43 Smart Light	Ceiling	Plastic, Metal	White	2015136101	5704924002984	2116035	3	327
Oja 60 IP20 2700K 3-Step Dim	Ceiling	Plastic, Metal	White	50066101	5701581488380	2054988	3	218
Oja 60 IP20 2700K 3-Step Dim	Ceiling	Plastic, Metal	Black	50066103	5704924002243	2115691	3	218
Oja 60 IP20 4000K 3-Step Dim	Ceiling	Plastic, Metal	White	50236101	5701581487987	2054985	3	218
Oja 60 Smart Light	Ceiling	Plastic, Metal	White	2015146101	5704924002991	2116036	3	327
Orbiform	Ceiling	Glass, Metal	Brass, Smoked	2010656047	5704924001529	2100569	3	139
Orbiform	Pendant	Glass, Metal	Smoked	2010673047	5704924001536	2100571	3	139
Orbiform	Pendant	Glass, Metal	Brass, Smoked	2010693047	5704924001543	2100575	3	139
Orbiform	Table	Glass, Metal	Brass, Smoked	2010715047	5704924001550	2100577	3	139
Otis 40	Wall	Aluminium, Plastic	White	2015401001	5704924002687	2113350	3	182
Otis 40	Wall	Aluminium, Plastic	Brushed Nickel	2015401055	5704924002700	2113356	3	182
Otis 60	Wall	Aluminium, Plastic	White	2015411001	5704924002717	2113359	3	182
Otis 60	Wall	Aluminium, Plastic	Chrome	2015411033	5704924002724	2113360	3	182
Otis 60	Wall	Aluminium, Plastic	Brushed Nickel	2015411055	5704924002731	2113363	3	182
Otis IP44 40	Wall	Aluminium, Plastic	Chrome	2015401033	5704924002694	2113351	3	182
Parson	Wall	Glass, Metal	Black, Opal white	47101003	5701581411883	1975372	3	145
Parson	SpotLight	Glass, Metal	Black, Opal white	47110003	5701581411982	1975373	3	145
Parson	SpotLight	Glass, Metal	Black, Opal white	47120003	5701581412088	1975374	3	145
Pato Round	GroundRes	Metal, Glass	Stainless steel, Clear	83830034	5701581307780	1761408	3	412
Pato Square	GroundRes	Metal, Glass	Stainless steel, Clear	83840034	5701581307889	1761410	3	412
Pavonis 2700K Dim Tilt	DownLight	Metal	White	49620101	5701581481381	2049783	3	239
Pavonis 2700K Dim Tilt	DownLight	Metal	Nickel	49620155	5701581481480	2049784	3	239
Pendant Suspension	Additional	Plastic	White	100001	5701581168886	3451606	12	91
Petri 30	Ceiling	Glass, Metal	White, Alabaster white	92746001	5708839013332	5692985	3	226
Phoenix	Wall	Copper, Plastic	Copper, Satinated	24381030	5701581033030	5788056	2	389
Phoenix	Wall	Galvanized steel, Plastic	Galvanized, Satinated	24381031	5701581034037	5788055	2	389
Photo	Clamp	Metal	Aluminium	59372029	5701581123014	5686212	6	83
Piana	Wall	Aluminium, Plastic	Black	2019081003	5704924000676	2085852	6	359
Piana 30	Garden	Aluminium, Plastic	Black	2019098003	5704924000683	2085853	4	359

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Piana 50	Garden	Aluminium, Plastic	Black	2019108003	5704924000690	2085854	2	359
Pignia	Wall	Aluminium	Black	2019151003	5704924000751	2085860	3	355
Pine	Pendant	Metal	Black	2010353003	5704924001345	2100513	3	38
Pine	Pendant	Metal	Grey	2010353010	5704924001352	2100521	3	38
Pine	Wall	Metal	Black	2010381003	5704924001383	2100527	3	38
Pine	Wall	Metal	Grey	2010381010	5704924001390	2100529	3	38
Pine	Table	Metal	Black	2010405003	5704924001406	2100531	3	38
Pine	Table	Metal	Grey	2010405010	5704924001413	2100536	3	38
Pine	Floor	Metal	Grey	2010414003	5704924001420	2100538	3	39
Pine	Floor	Metal	Grey	2010414010	5704924001437	2100539	3	39
Pine 2-Kit	Pendant	Metal	Black	2010363003	5704924001369	2100523	2	38
Pine 2-Kit	Pendant	Metal	Grey	2010363010	5704924001376	2100525	2	38
Piso	Ceiling	Metal, Plastic	White	2010756001	5704924001581	2100584	3	23
Piso	Ceiling	Metal, Plastic	Grey	2010756010	5704924001598	2100597	3	23
Piso	Pendant	Metal, Plastic	White	2010763001	5704924001604	2100598	3	23
Piso	Pendant	Metal, Plastic	Grey	2010763010	5704924001611	2100599	3	23
Polperro	Wall	Brass, Glass	Brass, Frosted glass	49021035	5701581464483	2042385	3	376
Polperro	Wall	Brass, Glass	Nickel, Frosted glass	49021055	5701581464582	2042386	3	376
Pop	Pendant	Metal	White	45833001	5701581370685	1902355	3	70
Pop	Pendant	Metal	Black	45833003	5701581370784	1902356	3	70
Pop	Pendant	Metal	Light blue	45833006	5701581370883	1902357	3	70
Pop	Pendant	Metal	Green	45833023	5701581370982	1902358	3	70
Pop	Pendant	Metal	Anthracite	45833050	5701581371088	1902359	3	70
Pop	Wall	Metal	White	45841001	5701581371286	1902427	3	70
Pop	Wall	Metal	Black	45841003	5701581371385	1902431	3	70
Pop	Wall	Metal	Green	45841023	5701581371583	1902436	3	70
Pop	Wall	Metal	Anthracite	45841050	5701581371682	1902439	3	70
Pop Maxi	Pendant	Metal	White	45983001	5701581390485	1943150	2	70
Pop Maxi	Pendant	Metal	Black	45983003	5701581390584	1943151	2	70
Pop Rough	Pendant	Metal, Plastic	White	48733001	5701581460980	2042350	3	71
Pop Rough	Pendant	Metal, Plastic	Grey	48733011	5701581461086	2042351	3	71
Pop Rough	Table	Metal, Plastic	White	48745001	5701581461185	2042352	3	71
Pop Rough	Table	Metal, Plastic	Grey	48745011	5701581461284	2042353	3	71
Pop Rough	Floor	Metal, Plastic	White	48754001	5701581461383	2042354	2	71
Pop Rough	Floor	Metal, Plastic	Grey	48754011	5701581461482	2042355	2	71
R50 250lm Dim Glass	Bulb	Glass	Clear	5194001821	6923933818082	2124690	6	283

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
R63 345lm Dim Glass	Bulb	Glass	Clear	5194002421	6923933818099	2124691	6	284
R80 667lm Glass	Bulb	Glass	Clear	5194003021	6923933818105	2124692	6	284
Ray 2-Kit	Pendant	Glass, Metal	White, Opal white	63233001	5701581372887	1902364	3	68
Ray 2-Kit	Pendant	Metal	Black	63233003	5701581345287	1850657	3	68
Ray 2-Kit	Pendant	Glass, Metal	Chrome, Opal white	63233033	5701581239487	1576768	3	68
Ray	Wall	Metal	Black	63191003	5701581344884	1850681	3	68
Ray	Wall	Metal, Glass	Chrome, Opal white	63191033	5701581253483	1629151	3	68
Ray	Table	Metal	Black	63201003	5701581344983	1850679	3	68
Ray	Table	Metal, Glass	Chrome, Opal white	63201033	5701581253582	1629152	3	68
Ray	Floor	Metal	Black	63214003	5701581345089	1850676	2	69
Ray	Floor	Metal, Glass	Chrome, Opal white	63214033	5701581239289	1576766	2	69
Ray	Floor	Metal	Black	63224003	5701581345188	1850677	2	69
Ray	Floor	Metal, Glass	Chrome, Opal white	63224033	5701581239388	1576767	2	69
Ray Dim	Floor	Metal	Black	72224003	5701581345386	1850678	2	69
Ray Dim	Floor	Metal, Glass	Chrome, White	72224033	5701581249479	1319175	2	69
Read 14	Pendant	Glass, Metal	Opal	73153010	5701581265479	1392857	3	142
Read 20	Pendant	Glass, Metal	Opal	73163010	5701581265578	1392858	3	142
Recess 3-Kit LED COB	DownLight	Metal	White	84650001	5701581343887	1850723	3	415
Recess 3-Kit LED COB	DownLight	Metal	Brushed steel	84650032	5701581343986	1850725	3	415
Remote Smart Light	Various	Plastic	White	2015700001	5704924003011	2116100	3	330
Renton 110	Batten	Plastic	White	47806101	5701581418080	1975438	6	249
Renton 150	Batten	Plastic	White	47816101	5701581418189	1975439	6	250
Renton 30	Batten	Plastic	White	47776101	5701581417786	1975435	6	250
Renton 55	Batten	Plastic	White	47786101	5701581417885	1975436	6	249
Renton 90	Batten	Plastic	White	47796101	5701581417984	1975437	6	249
Ripasso 15	Pendant	Glass	White	18443001	5701581162068	5208817	3	142
Rispapir 35	Pendant	Paper	White	14093501	5708715730001	5693008	12	153
Rispapir 40	Pendant	Paper	White	14094001	5708715740000	5693009	12	153
Rispapir 48	Pendant	Paper	White	14094801	5708839002442	5693010	12	153
Roar Dim Tilt	DownLight	Plastic	White	84960001	5701581373181	1902496	6	415
Rold	Wall	Metal, Glass	Black, Clear	84141003	5701581342385	1850692	3	382
Rold Kubi	Wall	Metal, Glass	Black, Clear	84151003	5701581342484	1850695	3	382
Scorpius	Wall	Galvanized steel, Plastic	White, Satinated	21651001	5701581301979	5746797	6	375
Scorpius	Wall	Galvanized steel, Plastic	Black, Satinated	21651003	5701581011021	5715378	6	375
Scorpius	Wall	Copper, Plastic	Copper, Satinated	21651030	5701581916951	8574857	6	375
Scorpius	Wall	Galvanized steel, Plastic	Galvanized, Satinated	21651031	5701581917958	8574865	6	375

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Scorpius Maxi	Wall	Galvanized steel, Plastic	White, Satinated	21751001	5701581303973	5746813	3	375
Scorpius Maxi	Wall	Galvanized steel, Plastic	Black, Satinated	21751003	5701581012028	5715379	3	375
Scorpius Maxi	Wall	Copper, Plastic	Copper, Satinated	21751030	5701581240964	7767296	3	375
Scorpius Maxi	Wall	Galvanized steel, Plastic	Galvanized, Satinated	21751031	5701581241961	7767288	3	375
Scorpius Maxi	Garden	Galvanized steel	Galvanized	21769931	5701581228375	5387478	3	375
Siv	Table	Marble	White	45875001	5701581371880	1902481	3	153
Siv	Table	Marble	Black	45875003	5701581371989	1902482	3	153
Siv	Pendant	Marble	White	45883001	5701581372184	1902361	3	153
Siv	Pendant	Marble	Black	45883003	5701581372283	1902362	3	153
Skip 35	Pendant	Metal, Acrylic	White, Opal white	46333001	5701581398283	1953171	3	88
Skip 35	Pendant	Metal, Acrylic	Black, Opal white	46333003	5701581398382	1953174	3	88
Skip 57	Pendant	Metal, Acrylic	White, Opal white	46343001	5701581398481	1953175	1	88
Skip 57	Pendant	Metal, Acrylic	Black, Opal white	46343003	5701581398580	1953176	1	88
Skot	Wall	Plastic, Glass	White	17051001	4017506013324	5909318	4	377
Skot	Wall	Plastic, Glass	Black	17051003	4017506013331	5909319	4	377
Smart Bulb   E14   430 Lumen	Bulb	Plastic	Opal white	2070011401	5704924001932	2108853	6	324
Smart Bulb   E14   430 Lumen	Bulb	Plastic	Opal white	2070021401	5704924001949	2108854	6	324
Smart Bulb   E27   550 Lumen	Bulb	Glass	Opal white	2070092701	5704924002533	2113041	6	325
Smart Bulb   E27   650 Lumen	Bulb	Glass	Clear	2070082700	5704924002526	2113039	6	325
Smart Bulb   E27   650 Lumen	Bulb	Glass	Clear	2070102700	5704924002540	2113040	6	325
Smart Bulb   E27   900 Lumen	Bulb	Plastic	Opal white	2070052701	5704924002496	2113035	6	325
Smart Bulb   GU10   410 Lumen	Bulb	Glass	Clear	2070031000	5704924001956	2108855	6	324
Smart Bulb   GU10   450 Lumen	Bulb	Plastic	Clear	2070041000	5704924001963	2108856	6	324
Smart Light Bridge	Additional	Plastic	White	1507070	5701581495784	2074030	6	330
Smart Sensor	Additional	Plastic	White	49091001	5701581465589	2042396	6	330
Smart Sensor	Additional	Plastic	Black	49091003	5701581465688	2042397	6	330
Spinner	Ceiling	Metal, Glass	White, Opal white	25416001	5701581972957	8578130	3	226
Spinner	Ceiling	Metal, Glass	Brushed steel, Opal white	25416032	5701581251472	1337868	3	226
Spiral Suspension	Suspension	Metal, Plastic	White	0140001	5701581197886	3485323	1	91
Sponge 20	Portable	Plastic, Metal	White	2018103003	5701581496781	2079694	3	342
Sponge 20	Portable	Plastic, Metal	White	2018128003	5701581496880	2079696	3	343
Sponge 20	Portable	Plastic, Metal	White	2018135003	5701581496989	2079697	3	343
Sponge 20	Portable	Plastic, Metal	White	2018145003	5701581497085	2079699	3	343
Sponge 34	Portable	Plastic, Metal	White	2018154003	5701581497184	2079700	3	342
Sponge 34	Portable	Plastic, Metal	White	2018165003	5701581497788	2079702	3	343
Spot box 19x19 cm	Various	Plastic	Grey	76859999	5701581229884	1554126	12	416

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Spotlight	SpotLight	Aluminium, Glass	Black, Clear	20789903	5701581326781	1827304	3	411
Spotlight LED	SpotLight	Aluminium, Glass	Black, Clear	20788303	5701581278370	1475396	3	411
Staldglas	Additional	Glass	Clear, Clear	2440999	5701581347960	7766835	3	416
Staldglas Frostet	Additional	Glass	Sandblasted, Sandblasted	2440888	5701581289475	1491098	3	416
Staldglas Gasket	Various	Plastic	Black	2444999	5701581200388	1492969	12	416
Standard	Ceiling	Glass, Metal	White, Opal white	25326001	5701581027039	5788103	3	226
Start pack, 2xE27 Bridge EU	Bulb	Plastic	White	2070062701	5704924002502	2113037	6	326
Start pack, 2xE27 Bridge UK	Bulb	Plastic	White	2070072701	5704924002519	2116087	6	326
Step 17	Pendant	Metal	Black	46353003	5701581398689	1953177	3	90
Step 27	Pendant	Metal	Black	46363003	5701581398788	1953179	3	90
Step 36	Pendant	Metal	Black	46373003	5701581398887	1953180	3	91
T25 E14 100lm C	Bulb	Glass	Clear	5167003521	6923933812578		8	284
T25 E14 470lm C	Bulb	Glass	Clear	5187000321	6923933818792		8	284
Tamar Clips	Wall	Metal, Plastic	Black	872223	7057388722232	1935373	3	383
Tamar Clips	Wall	Metal, Plastic	Anthracite	872263	7057388722638	1935372	3	383
Tangens	Bathroom	Glass, Metal	Brushed steel, Opal white	17131032	5701581119055	5157240	3	188
Tangens	Bathroom	Glass, Metal	Chrome, Opal white	17141029	5701581006072	5240433	3	188
Tangens	Bathroom	Glass, Metal	Brushed steel, Opal white	17141032	5701581120051	5157239	3	188
Taurus	SpotLight	Stainless steel	Stainless steel, Clear	77029934	5701581324183	1824818	3	411
Tees	Pendant	Metal	Black	84863003	5701581346581	1850670	3	93
Teton	Ceiling	Metal, Plastic	Black, Opal white	84136003	5701581342286	1850701	3	377
Texas	Wall	Metal	White	47141001	5701581412385	1975377	3	82
Texas	Wall	Metal	Black	47141003	5701581412484	1975378	3	82
Texas	Table	Metal	White	47615001	5701581416482	1975421	3	82
Texas	Table	Metal	Black	47615003	5701581416581	1975422	3	82
Theros IP44 3000K/4000K	Ceiling	Plastic, Aluminium	Chrome	2015376101	5704924002632	2113344	3	184
Tiaki 2700K / 4000K	DownLight	Plastic, Metal	White	49570101	5701581474789	2049774	3	230
Tiaki 2700K / 4000K	DownLight	Plastic, Metal	Nickel	49570155	5701581474888	2049775	3	230
Tilo	Pendant	Metal, Wood	Black	2010453003	5704924001444	2100541	6	47
Tilo	Pendant	Metal, Wood	Grey	2010453010	5704924001451	2100542	6	47
Tilo - 3 pendant	Pendant	Metal, Wood	Black	2010473003	5704924001468	2100543	3	47
Tilo - 3 pendant	Pendant	Metal, Wood	Grey	2010473010	5704924001475	2100545	3	47
Tilo - 5 pendant	Pendant	Metal, Wood	Black	2010483003	5704924001482	2100546	2	47
Tilo - 5 pendant	Pendant	Metal, Wood	Grey	2010483010	5704924001499	2100547	2	47
Tilos Effect 1-Kit	GroundRes	Stainless steel, Glass	Stainless steel, Clear	96400034	5701581214972	5384907	3	412
Tilos Round 3-Kit	GroundRes	Stainless steel, Glass	Stainless steel, Clear	96430034	5701581002074	5237371	3	412

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Time	Table	Metal, Glass	Black, Opal white	2010925003	5704924001680	2100612	3	31
Time	Table	Metal, Glass	Grey, Opal white	2010925010	5704924001697	2100613	3	31
Tin	Wall	Metal, Glass	Black, Clear	21269903	5701581322684	1824803	3	384
Tin	Wall	Copper, Glass	Copper, Clear	21269930	5701581327481	1839544	3	384
Tin	Wall	Stainless steel, Glass	Stainless steel, Clear	21279134	5701581327986	1833824	3	384
Tin	Wall	Metal, Glass	Black, Clear	21279903	5701581327788	1827977	3	384
Tin	Wall	Copper, Glass	Copper, Clear	21279930	5701581327887	1827279	3	384
Tin Maxi	Wall	Metal, Glass	White, Clear	21509901	5701581322882	1824805	3	385
Tin Maxi	Wall	Metal, Glass	Black, Clear	21509903	5701581322981	1824807	3	385
Tin Maxi	Wall	Metal, Glass	Aluminium, Clear	21509929	5701581323087	1824806	3	385
Tin Maxi	Wall	Metal, Glass	White, Clear	21519901	5701581328884	1836665	3	385
Tin Maxi	Wall	Metal, Glass	Black, Clear	21519903	5701581323186	1824808	3	385
Tin Maxi	Wall	Metal, Glass	Aluminium, Clear	21519929	5701581329089	1828018	3	385
Tin Maxi	Wall	Stainless steel, Glass	Stainless steel, Clear	21519934	5701581329188	1828007	3	385
Tin Maxi Sensor	Wall	Metal, Glass	Black, Clear	21509103	5701581328686	1840880	3	384
Tin Maxi Sensor	Wall	Metal, Glass	Aluminium, Clear	21509129	5701581328785	1827284	3	384
Tin Maxi Sensor	Wall	Aluminium, Glass	Black, Clear	21519103	5701581329287	1828002	3	385
Tin Maxi Sensor	Wall	Aluminium, Glass	Aluminium, Clear	21519129	5701581329386	1828004	3	385
Tin Sensor	Wall	Stainless steel, Glass	Stainless steel, Clear	21279934	5701581322783	1824804	3	384
Tip	DownLight	Metal	Galvanized	20299931	5701581326682	1827935	3	414
Trenton 23W	Batten	Plastic, Metal	White	47856101	5701581418585	1975443	3	251
Trenton 48W	Batten	Plastic, Metal	White	47476101	5701581446083	2018618	3	251
Trenton 56W	Batten	Plastic, Metal	White	47486101	5701581446182	2018619	3	251
Tribeca 24	Pendant	Wood	Black	46423003	5701581404687	1973650	3	159
Tribeca 38	Pendant	Wood	Black	46433003	5701581404885	1973653	3	159
Trinidad	Pendant	Wood	Nature (brown)	2011123015	5704924001864	2102234	3	157
Trinidad	Table	Wood	Nature (brown)	2011135015	5704924001871	2102236	3	157
Trio 45	Ceiling	Plastic	White	3001601	5701581149885	3791571	6	84
Triton 3-kit	DownLight	Metal	White	54540101	5701581319486	1817608	6	245
Triton 3-Kit	DownLight	Metal	Brushed steel	54540132	5701581319684	1817610	6	245
Trude	Pendant	Metal	Black	45713003	5701581368781	1902348	3	90
Trumpet	Pendant	Glass, Metal	Chrome, Opal white	84903001	5701581337985	1854810	3	142
Turn	Wall	Aluminium	White	2019061001	5704924000621	2085847	3	354
Turn	Wall	Aluminium	Black	2019061003	5704924000638	2085848	3	354
Turn	Wall	Aluminium	Grey	2019061010	5704924000645	2085849	3	354
Ufo	Ceiling	Glass, Metal	White, Opal white	25576000	5701581047037	5788051	3	227



Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Ufo Maxi	Ceiling	Glass, Metal	White, Opal white	25626001	5701581064041	5058937	3	227
Une 6-Kit	GroundRes	Plastic, Stainless Steel	Stainless steel	45420034	5701581374683	1910011	3	413
Vanila	Table	Metal	White	72695001	5701581271579	1415823	2	81
Vanila	Table	Metal	Black	72695003	5701581243170	1305220	2	81
Vanila	Floor	Metal	White	72704001	5701581268173	1392884	2	81
Vanila	Floor	Metal	Black	72704003	5701581268272	1392885	2	81
Vanila	Wall	Metal	White	72711001	5701581268371	1392886	3	81
Vanila	Wall	Metal	Black	72711003	5701581268470	1392887	3	81
Vejers	Wall	Galvanized steel, Glass	White, Clear	25091001	5701581029071	5255784	3	402
Vejers	Wall	Galvanized steel, Glass	Black, Clear	25091003	5701581030077	5255785	3	402
Vejers	Wall	Galvanized steel, Glass	Galvanized, Clear	25091031	5701581092068	5188246	3	402
Vejers	Wall	Stainless steel, Glass	Stainless steel, Clear	25091034	5701581053076	5268522	3	402
Vejers	Garden	Galvanized steel, Glass	Black, Clear	25118003	5701581032071	5255787	3	403
Vejers	Garden	Galvanized steel, Glass	Galvanized, Clear	25118031	5701581093065	5188245	3	403
Vejers	Garden	Stainless steel, Glass	Stainless steel, Clear	25118034	5701581052079	5268523	3	403
Vejers 2M	Garden	Galvanized steel, Glass	Galvanized, Clear	25168031	5701581228573	1246806	2	403
Vejers Down	Wall	Galvanized steel, Glass	Galvanized, Clear	74461031	5701581210578	5353047	3	402
Vejers Down	Wall	Galvanized steel, Glass	Black, Clear	74471003	5701581210677	5353048	3	402
Vejers Sensor	Wall	Galvanized steel, Glass	Black, Clear	25101003	5701581176072	5269476	3	402
Vejers Sensor	Wall	Galvanized steel, Glass	Galvanized, Clear	25101031	5701581174078	5269474	3	402
Venezia 2 Spot GU10 5W	SpotLight	Metal	Nickel	61009221012	6923933806713		8	105
Venezia 3 Spot GU10 5W	SpotLight	Metal	Nickel	61009331012	6923933806720		8	105
Venezia 4 Spot GU10 5W	SpotLight	Metal	Nickel	61009241012	6923933806744		6	105
Veno	Wall	Galvanized steel, Plastic	Galvanized, Clear	10600619	5702376006192	5138007	3	399
Veno	Wall	Copper, Plastic	Copper, Clear	10600625	5702376006253	5138008	3	399
Veno	Garden	Galvanized steel, Plastic	Galvanized, Clear	10600719	5702376007199	5138005	3	399
Veno	Garden	Copper, Plastic	Copper, Clear	10600725	5702376007250	5138006	3	399
Verona	Pendant	Glass, Metal	Black, Opal white	2010863001	5704924001635	2100606	3	119
Verona	Table	Glass, Metal	Black, Opal white	2010875001	5704924001642	2100608	3	119
Verona	Floor	Glass, Metal	Black, Opal white	2010884001	5704924001659	2100609	2	119
Virum	Wall	Galvanized steel, Glass	Galvanized, Clear	24111031	5701581027046	5044133	3	389
Westport 120	Batten	Plastic	Grey	49666110	5701581481985	2078600	6	254
Westport 120	Batten	Plastic	Grey	49676110	5701581482081	2078601	6	254
Westport 150	Batten	Plastic	Grey	49686110	5701581482180		6	255
Westport 150	Batten	Plastic	Grey	49696110	5701581482289		6	255
Westport 60	Batten	Plastic	Grey	49646110	5701581481787	2078598	6	255

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Page
Westport 60	Batten	Plastic	Grey	49656110	5701581481886	2078599	6	254
William 20	Pendant	Metal	White	48443001	5701581456884	2042309	3	86
William 20	Pendant	Metal	Black	48443003	5701581456983	2042310	3	86
William 27	Pendant	Metal	White	48453001	5701581457188	2042312	3	87
William 27	Pendant	Metal	Black	48453003	5701581457287	2042313	3	87
William 32	Pendant	Metal	White	48463001	5701581457485	2042315	2	87
William 32	Pendant	Metal	Black	48463003	5701581457584	2042316	2	87
Works IP65 1x18W	Batten	Plastic	Grey, Clear	27306101	5701581194076	5273220	6	257
Works IP65 1X18W LED	Batten	Plastic, Metal	Grey, Clear	27396101	5701581322585	1824329	6	257
Works IP65 1x36W	Batten	Plastic	Grey, Clear	27316101	5701581195073	5273221	6	257
Works IP65 1X9W LED	Batten	Plastic, Metal	Grey, Clear	27386101	5701581322486	1824326	6	257
Works IP65 2x18W	Batten	Plastic	Grey, Clear	27326101	5701581196070	5273222	3	256
Works IP65 2x18W LED	Batten	Plastic	Grey, Clear	27596101	5701581340084	1853176	6	257
Works IP65 2x36W	Batten	Plastic	Grey, Clear	27336101	5701581197077	5273223	3	256
Works IP65 2x9W LED	Batten	Plastic	Grey, Clear	27586101	5701581339989	1853172	6	257

Der tages forbehold for ændringer m.h.t. tekniske specifikationer, design og collistørrelser.

Vi förbehåller oss för ändring med hänsyn till tekniske specifikationer, design och collistorlek.

We reserve the right to changes as to technical specifications, design and number of packages.

Wir nehmen Vorbehalt für Änderungen bezgl. technischer Spezifikationen, Design und Verpackungseinheiten.

Nous nous réservons le droit de modifier toute documentation technique, design et colisage.

We behouden het recht om technische specificaties, ontwerp en het aantal verpakkingen te wijzigen.



The mark of  
responsible forestry

Look for our FSC®  
certified products

**Showroom & Headquarters**

Østre Havnegade 34  
DK 9000 Aalborg  
T + 45 98 18 16 11  
nordlux@nordlux.com  
nordlux.com

**Germany**

T +49 (0) 21 52 89 87 37  
F +49 (0) 21 52 14 85 54  
germany@nordlux.com

**Sweden**

T +46 (0) 20 14 00 054  
sweden@nordlux.com

**Norway**

T +47 51 88 63 18  
norway@nordlux.com

**UK & Eire**

T +44 (0) 12 00 42 27 77  
salesuk@nordlux.com

**France**

france@nordlux.com

**Showroom & Regional office**

T +32 (0)15 25 76 40  
info@nordlux.com

